

SS80-300ML

SAFETY DATA SHEET

1. Identification

Product identifier: SS80-300ML

Other means of identification

Synonyms: PRIMER(Toluene solution)

Recommended use and restriction on use

Recommended use: Primer

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials - Japan LLC
133 Nishishin-machi, Ohta-shi
Ohta-shi 10 3738505

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number

Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids Category 2

Health Hazards

Acute toxicity (Oral) Category 4

Acute toxicity (Inhalation) Category 4

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2A

Skin sensitizer Category 1

Toxic to reproduction Category 1A

Specific Target Organ Toxicity -
Single Exposure Category 3¹.

Specific Target Organ Toxicity -
Repeated Exposure Category 1².

SS80-300ML

Target Organs

1. respiratory tract irritation, narcotic effects
2. Central nervous system., Kidneys, Heart, Liver, Spleen

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Highly flammable liquid and vapor.
Harmful if swallowed or if inhaled.
Causes serious eye irritation.
Causes skin irritation.
May cause an allergic skin reaction.
May damage fertility.
Suspected of damaging the unborn child.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Causes damage to organs through prolonged or repeated exposure.

Precautionary Statement

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Wear eye protection/face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep container tightly closed. Use only outdoors or in a well-ventilated area. Do not breathe vapors. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Response: Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF SWALLOWED: Rinse mouth. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing. If skin

SS80-300ML

irritation or rash occurs: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Storage: Store locked up. Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None.

Substance(s) formed under the conditions of use: Silicone resin in toluene

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Toluene	108-88-3	60 - 100%	# This substance has workplace exposure limit(s).
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	1 - 5%	No data available.

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

Skin Contact: Wash contaminated clothing before reuse. Wash with soap and water.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Most important symptoms/effects, acute and delayed

SS80-300ML

Symptoms: Aspiration into the lungs may occur during injection or vomiting, resulting in lung injury and may be fatal. Contains toluene. Stimulants such as epinephrine may induce ventricular fibrillation. The metabolism of other solvents may be inhibited resulting in a potentiation of toxic effects of those chemicals. Uptake is directly proportional to the amount of body fat. Blood levels may be cumulative when exposure is extended.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Carbon dioxide Foam. Water mist

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Flammable Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use ground strap and appropriate precautions for dispensing flammable liquids. Avoid inhalation of vapors and spray mists. Avoid contact with skin and eyes. Use only in well-ventilated areas. Keep out of reach of children.

SS80-300ML

Methods and material for containment and cleaning up:

Wear proper protective equipment as specified in the protective equipment section. Warn other workers of spill. Keep unauthorized personnel away.

7. Handling and storage

Precautions for safe handling:

Sensitivity to static discharge is expected; material has a flash point below 200 F.

Conditions for safe storage, including any incompatibilities:

Recommended storage in original container below 30°C (85°F). Keep container closed.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	type	Exposure Limit Values	Source
Toluene	TWA	20 ppm	US. ACGIH Threshold Limit Values (03 2015)
	STEL	150 ppm 560 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	100 ppm 375 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	100 ppm 375 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	150 ppm 560 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	200 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	Ceiling	300 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	MAX. CONC	500 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Toluene (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEI (03 2015)
Toluene (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEI (03 2015)
Toluene (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEI (03 2015)

Appropriate Engineering Controls

Safety shower.

SS80-300ML

Individual protection measures, such as personal protective equipment

General information:	No data available.
Eye/face protection:	Safety glasses with side shields Monogoggles
Skin Protection	
Hand Protection:	Nitrile gloves are recommended.
Other:	rubber overcoat
Respiratory Protection:	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
Hygiene measures:	No data available.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Pale yellow
Odor:	Aromatic
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	ca. 111 °C
Flash Point:	ca. 5 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Heat of combustion:	No data available.

Vapor pressure:	No data available.
------------------------	--------------------

Vapor density:	No data available.
Density:	0.88 g/cm ³ (25 °C)
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	Insoluble

SS80-300ML

Solubility (other):	Insoluble
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature:	536 °C
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	809 g/l

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	No data available.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	Keep away from sources of ignition - No smoking.
Incompatible Materials:	Oxidizing agents.
Hazardous Decomposition Products:	Carbon dioxide Silicon dioxide.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

SS80-300ML

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

Specified substance(s):

Toluene LD 50 (Rat, No data available.): 865 mg/kg
LD 50 (Rat, No data available.): 5,000 mg/kg

Aminoethyl aminopropyl
trimethoxy silane LD 50 (Rat): 2,995 mg/kg

Dermal

Product:

No data available.

Specified substance(s):

Toluene LD 50 (Rabbit, No data available.): 12,124 mg/kg

Aminoethyl aminopropyl
trimethoxy silane LD 50 (Rabbit): > 2,000 mg/kg

Inhalation

Product:

No data available.

Specified substance(s):

Toluene LC50 (Rat,): 1.2 mg/l
LC50 (Rat,): 30.6 mg/l

Repeated dose toxicity

Product:

No data available.

Specified substance(s):

Aminoethyl aminopropyl
trimethoxy silane NOAEL (Rat, Oral, 28 d): ≥ 500 mg/kg

Skin Corrosion/Irritation

Product:

No data available.

Specified substance(s):

Toluene Corrosive

Specified substance(s):

SS80-300ML

Aminoethyl
aminopropyl trimethoxy
silane

OECD Test Guideline 404 (Rabbit): No skin irritation

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Aminoethyl
aminopropyl trimethoxy
silane

OECD Test Guideline 405 (Rabbit): Strongly irritating.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

SS80-300ML

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: respiratory tract irritation, narcotic effects
Specific Target Organ Toxicity - Repeated Exposure: Central nervous system., Kidneys, Heart, Liver, Spleen

Aspiration Hazard

Product: No data available.

Other effects: No data available.

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Oral
No data available.

Dermal
No data available.

Inhalation
No data available.

Repeated dose toxicity
No data available.

Skin Corrosion/Irritation
No data available.

Serious Eye Damage/Eye Irritation
No data available.

SS80-300ML

Respiratory or Skin Sensitization

No data available.

Carcinogenicity

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No data available.

US. National Toxicology Program (NTP) Report on Carcinogens:

No data available.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No data available.

Germ Cell Mutagenicity

In vitro

No data available.

Germ Cell Mutagenicity

In vivo

No data available.

Reproductive toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Specific Target Organ Toxicity - Single Exposure

No data available.

Target Organs

Aspiration Hazard

No data available.

Other effects

No data available.

SS80-300ML

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Toluene LC0 (Leuciscus idus, 48 h): 52 mg/l
LC50 (Leuciscus idus, 48 h): 70 mg/l
LC50 (Pimephales promelas, 96 h): 34 mg/l

Aminoethyl aminopropyl trimethoxy silane LC50 (Lepomis macrochirus): > 100 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Toluene LC0 (Daphnia magna): 93 mg/l
(Daphnia magna): 270 mg/l

Aminoethyl aminopropyl trimethoxy silane EC50 (Daphnia magna, 48 h): 87.4 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): 8.8 mg/l
NOEC (Algae (Pseudokirchneriella subcapitata)): 3.1 mg/l

Persistence and Degradability

Biodegradation

Product: No data available.

SS80-300ML

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in Soil: No data available.

Known or predicted distribution to environmental compartments

Toluene No data available.

Aminoethyl aminopropyl No data available.

trimethoxy silane

Known or predicted distribution to environmental compartments

1-Propene, homopolymer, No data available.

chlorinated

Other Adverse Effects: No data available.

13. Disposal considerations

Disposal instructions: Dispose of according to all federal, state and local applicable regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

UN Number:	UN 1294
UN Proper Shipping Name:	Toluene solution
Transport Hazard Class(es)	
Class:	3
Label(s):	3
Packing Group:	II
Marine Pollutant:	No

SS80-300ML

IMDG

UN Number:	UN 1294
UN Proper Shipping Name:	TOLUENE SOLUTION
Transport Hazard Class(es)	
Class:	3
Label(s):	3
EmS No.:	F-E, S-D
Packing Group:	II
Marine Pollutant:	No
Limited quantity	1.00L
Excepted quantity	E2

IATA

UN Number:	UN 1294
Proper Shipping Name:	Toluene solution
Transport Hazard Class(es):	
Class:	3
Label(s):	3
Packing Group:	II
Cargo aircraft only Packing	364
Instructions:	
Passenger and cargo aircraft	364
Packing Instructions:	
Limited quantity:	1.00L
Packing Instructions:	Y341
Excepted quantity	E2
Environmental Hazards:	Not regulated.
Marine Pollutant:	No

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Toluene	1,000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

SS80-300ML

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Toluene	1,000 lbs.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Toluene	10000 lbs
Aminoethyl aminopropyl trimethoxy silane	10000 lbs

SARA 313 (TRI Reporting)

<u>Chemical Identity</u>	<u>Reporting threshold for other users</u>	<u>Reporting threshold for manufacturing and processing</u>
Toluene		

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Toluene	Reportable quantity: 1,000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Toluene	Maximum Allowable Dose Level (MADL): 13000 µg/day. Developmental toxin.
---------	--

US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u>
Toluene
1-Propene, homopolymer, chlorinated
Aminoethyl aminopropyl trimethoxy silane

US. Massachusetts RTK - Substance List

<u>Chemical Identity</u>
Toluene

SS80-300ML

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Toluene

US. Rhode Island RTK

Chemical Identity

Toluene

Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
Taiwan. Taiwan inventory (CSNN):	y (positive listing)	Remarks: None.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	3
Flammability		3
Physical Hazards		1
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 08/23/2016

Revision Date: No data available.

Version #: 2.0

Further Information: No data available.

SS80-300ML

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, *, and TM indicate trademarks owned by or licensed to Momentive.