

SilPruf™ SCS2700 LM Silicone Sealant

Product Certification

SilPruf SCS2700 LM silicone sealants are manufactured by Momentive under strict quality control guidelines and in accordance with the ISO 9001:2015 standard. SilPruf SCS2700 LM silicone sealants are manufactured in the following Momentive facility:

Momentive Performance Materials Silicones BV
1 Plasticslaan 4600 AC
Bergen op Zoom
Netherlands

SilPruf SCS2700 LM silicone sealants conform to the typical performance properties as stated in its current product data sheet.

American Society for Testing & Materials International:

- ASTM C920 Standard Specification for Elastomeric Joint Sealants; Type S, Grade NS, Class 100/50, Use NT, A, G, O

U.S. Federal Specifications: (canceled Sept. 1996)

- TT-S-001543A Sealing Compound: Silicone Rubber Base (for Caulking, Sealing & Glazing in Buildings and Other Structures)
- TT-S-00230C Sealing Compound: Elastomeric Type, Single Component (for Caulking, Sealing & Glazing in Buildings and Other Structures)

Canadian General Standards Board: (inactive)

- CCGSB-19.13-M87 Sealing Compound, One-Component, Elastomeric, Chemical Curing

SilPruf SCS2700 LM silicone sealants carry SWR Institute validation at +100/-50% movement. <http://www.swrionline.org/>

SilPruf SCS2700 LM silicone sealant does not contain asbestos or lead.



siliconesforbuilding.com

commercial.services@momentive.com

Before purchasing or using any Momentive products, please visit www.siliconesforbuilding.com/legaldisclaimer to view our full product and sales disclaimer. The use of the "TM" symbol designates registered or unregistered trademarks of Momentive Performance Materials Inc., or its affiliated companies. Copyright 2025 Momentive Performance Materials Inc. All rights reserved.

