

SAFETY DATA SHEET

Concrete & Masonry Sealer

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, and European Directives

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): Concrete & Masonry Sealer

 IDH #:
 740

 Synonyms:
 N/A

 CAS No:
 Mixture

 1.2 Product Use:
 Sealer

1.3 Company Name: Glaze 'N Seal Products Inc.

Company Address: 18207 E. McDurmott Street Suite C

Company Address Cont: Irvine, CA 92614-6711

Business Phone: (800) 486-1414

Website: http://glaze-n-seal.com

1.4 Emergency Telephone Number: (800) 424-9300

Date of Current Revision: October 07, 2020

Date of Last Revision: January 25, 2016

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product a colorless liquid with a slight odor.

Health Hazards: May cause skin, eye, and respiratory system irritation. May be harmful is swallowed, in contact with skin, or inhaled.

Flammability Hazards: This product is not a flammable liquid.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause adverse

environmental effects.

US DOT Symbols: Not Regulated

EU and GHS Symbols:



Signal Word: Warning!

2.1 GHS Labeling and Classification:

CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

Index Number:

EC# 203-905-0 Annex VI # is 603-014-00-0

Substances not listed either individually or in group entries must be self-classified.

Components Contributing to Classification: 2-Butoxyethanol, Substituted alkyl phosphate esters, ammonium salts

2.2 Label Elements:

GHS Hazard Classifications: Acute Toxicity Category 4 Oral

Acute Toxicity Category 4 Dermal Acute Toxicity Category 4 Inhalation

Skin Irritation Category 3 Eye Irritation Category 2A

Specific Target Organ Toxicity Category 2 – Repeated Exposure (liver)

Aquatic Chronic Category 3

Glaze 'N Seal

Hazard Statements: H302 Harmful if swallowed

H312 Harmful in contact with skin

H332 Harmful if inhaled

H316 Causes mild skin irritation H319 Causes serious eye irritation

H373 May cause damage to organs through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

Prevention Statements: P264 Wash thoroughly after handling.

P260 Do note breathe dust/fume/gas/mists/vapours/spray. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Response Statements: P301+P312 IF SWALLOWED: Call a POISON CENTER/Doctor if you feel

unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell. P321 Specific treatment (see section 4 on this SDS).

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 IF skin irritation occurs: Get medical advice / attention. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists; Get medical advice / attention.

Storage Statements: None applicable

Disposal Statements: P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin, eyes, inhalation and ingestion. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause respiratory Irritation. May be harmful.

Skin Contact: Prolonged or repeated contact may cause irritation.

Eye Contact: Direct contact with the eye may cause irritation and redness.

Ingestion: May be harmful if swallowed.

Chronic: No data available.

Target Organs:

Acute: Eyes, Skin, Respiratory system

Chronic: No data available.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

220 HOLLO COMIN CONTINUE CHAMBERTON ON INCONCEDIENTO								
Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification				
2-Butoxyethanol	3-7%	111-76-2	203-905-0	Skin Irrit Cat 2, Eye Irrit Cat 2A, Acute Tox Cat 4 (Oral, Dermal, Inhalation)				
Substituted alkyl phosphate esters, ammonium salts	1-3%	Not Available	Not Available	Acute Tox Cat 1 (Inhal), STOT RE Cat 2, Aquatic Acute 3, Aquatic Chronic Cat 1				
	1-3%	Not Available	Not Available	, ,,				

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Ingestion:

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

several minutes. Remove contacts if present and easy to do. Seek medical **Eye Contact:** attention if irritation persists.

Wash skin thoroughly with soap and water after handling. Seek medical **Skin Contact:**

attention if irritation develops and persists.

If breathing becomes difficult, remove victim to fresh air. If necessary, use Inhalation: artificial respiration to support vital functions. Seek medical attention.

> If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

If product enters the eyes, flush with plenty of water or eye wash solution for

Medical Conditions Generally Aggravated by **Exposure:**

Pre-existing skin or eye problems may be aggravated by prolonged contact.

4.2 Symptoms and Effects Both Acute and Delayed:

May cause skin and eye irritation. May be harmful if inhaled or swallowed.

4.3 Recommendations to Physicians:

Treat symptoms and eliminate overexposure.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Fire Extinguishing Materials:

Water Spray: Yes Carbon Dioxide: Yes Use the following fire extinguishing materials: Foam: Yes Dry Chemical: Yes Halon: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

5.3 Special Fire-Fighting Procedures:

Irritating and toxic fumes may be produced at high temperatures.

Explosive Sensitivity to Mechanical Impact: Nο Explosive Sensitivity to Static Discharge: No

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM Flammability 0 Health Reactivity 0 Other

HMIS RATING SYSTEM HAZARDOUS MATERIAL IDENTIFICATION SYSTEM **HEALTH HAZARD (BLUE)** FLAMMABILITY HAZARD (RED) PHYSICAL HAZARD (YELLOW) 0 PROTECTIVE EQUIPMENT RESPIRATORY **EYES** HANDS BODY See Sect See Sect 8 8 For Routine Industrial Use and Handling Applications Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

Large Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- · Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

7.2 Storage and Handling Practices:

Keep in a well ventilated area and away from incompatibles.

7.3 Specific Uses:

See Section 1.2.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

or Exposure ratameters.						
<u>Ingredients</u>	CAS No.	ACGIH TLV	OSHA PEL	NIOSH PEL		
2-Butoxyethanol	111-76-2	20 ppm	50 ppm	5 ppm		
Substituted alkyl phosphate esters, ammonium salts	Not Available	No data	No data	No data		

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Not required for properly ventilated areas.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the

European Standard EN149, or EU member states.

Safety glasses or goggles are required.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and

the European Standard EN166, Australian Standards, or relevant Japanese

Standards.

Chemical resistant gloves are required to prevent skin contact.

If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard

DIN EN 374, the appropriate Standards of Canada, Australian

Standards, or relevant Japanese Standards.

Hand Protection:

Eye Protection:

Respiratory Protection:

Concrete & Masonry Sealer

Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA

29 CFR 1910.136.

Body Protection:

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Colorless Liquid

Odor: Slight odor

Odor Threshold: No data available

pH: 7.0-9.0

Melting/Freezing Point: No data available

Boiling Point: No data available Flash Point: No data available Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable

Upper/Lower Flammability or Explosion Limits: No data available Vapor Pressure (mm Hg @ 20°C (68° F): No data available

Vapor Density: No data available Relative Density: No data available

Specific Gravity: 1

Solubility in Water: Soluble

Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: No data available **Decomposition Temperature:** No data available

Viscosity: No data available

9.2 Other Information: No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity: No reactivity data available.

10.2 Stability: Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: No data available.

10.4 Conditions to Avoid: Contact with incompatibles.

10.5 Incompatible Substances: Strong oxidizing agents and strong acids.

10.6 Hazardous Decomposition Products: Thermal decomposition may yield carbon monoxide and carbon dioxide.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data:

2-Butoxyethanol	444.76.0	LD50 – Oral, Rat	880 mg/kg
	111-76-2	LD50 – Dermal, Rabbit	1.060 mg/kg

Ingredients within this product are not found on one or more of the following **Suspected Cancer Agent:**

lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are

not considered to be cancer-causing agents by these agencies.

Irritancy: Skin, eye, respiratory irritant.

Sensitization to the Product: This product is not expected to cause skin sensitization.

This product does not contain ingredients that are suspected to be a germ cell **Germ Cell Mutagenicity:**

mutagenic.

Glaze 'N Seal

This product does not contain ingredients that are expected to be a human **Reproductive Toxicity:**

reproductive toxicant.

Specific Target Organ Toxicity - Single Exposure: Data not sufficient for classification.

Specific Target Organ Toxicity - Repeated

May cause organ damage (liver)

Exposure:

Aspiration Hazard:

Not expected to be an aspiration hazard.

No specific data available on this product.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity No specific data available on this product. 12.2 Persistence and Degradability: No specific data available on this product. 12.3 Bioaccumulative Potential: No specific data available on this product. 12.4 Mobility in Soil: No specific data available on this product.

12.6 Other Adverse Effects: No data available

12.7 Water Endangerment Class: At present, there are no ecotoxicological assessments for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

12.5 Results of PBT and vPvB Assessment:

Waste disposal must be in accordance with appropriate U.S. Federal, State, 13.1 Waste Treatment Methods:

and local regulations, those of Australia, EU Member States and Japan.

13.2 EU Waste Code: Not determined

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: Not Applicable **Proper Shipping Name:** Not Regulated **Hazard Class Number and Description:** Not Applicable **Packing Group:** Not Applicable DOT Label(s) Required: Not Applicable North American Emergency Response Guidebook Not Applicable

Number:

Note: Not Applicable

14.2 Environmental Hazards:

The components of this product are not designated by the Department of Marine Pollutant:

Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 Special Precaution for User: None

14.4 International Air Transport Association Shipping

Information (IATA):

This product is not considered as dangerous goods.

14.5 International Maritime Organization Shipping

Information (IMO):

This product is not considered as dangerous goods.

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

2-Butoxyethanol CAS# 111-76-2

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: No; Reactivity; No

U.S. CERCLA Reportable Quantity:

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

This product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product has been classified per WHMIS 2015 standards.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 - ADDITIONAL INFORMATION

Chris Eigbrett (MSDS to GHS Compliance) Prepared By:

October 7, 2020 Date of Printing:

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Glaze 'N Seal Products Inc. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Glaze 'N Seal Products Inc. assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET