

SAFETY DATA SHEET

Paint and Coating Stripper

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, and European Directives

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION			
1.1 Trade Name (as labeled):	Paint and Coating Stripper		
IDH #:	210		
Synonyms:	N/A		
CAS No:	Mixture		
<u>1.2 Product Use:</u>	Stripper		
1.3 Company Name:	Glaze 'N Seal Products Inc.		
Company Address:	18207 E. McDurmott Street Suite C		
Company Address Cont:	Irvine, CA 92614-6711		
Business Phone:	(800) 486-4414		
Website:	http://glaze-n-seal.com		
1.4 Emergency Telephone Number:	(800) 424-9300		
Date of Current Revision:	May 30, 2020		
Date of Last Revision:	February 13, 2020		

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product a clear liquid with a characteristic odor.

Health Hazards: Contact with the skin and eyes may cause irritation. Aspiration hazard, harmful if swallowed. May cause skin sensitization.

Flammability Hazards: This product is a flammable liquid with an estimated flash point of >65°C (150°F).

Reactivity Hazards: None known.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols:

See Section 14

EU and GHS Symbols:

Signal Word:

2.1 GHS Labeling and Classification:

CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS:

Index Number:

EC# 265-198-5 Annex VI # is 649-424-00-3

EC# 227-813-5 Annex VI # is 601-029-00-7

Remainder of components are not listed in Annex VI

Substances not listed either individually or in group entries must be self-classified.

Components Contributing to Classification:

Proprietary, AROMATIC 150, D-Limonene

2.2 Label Elements:

GHS Hazard Classifications:

Flammable Liquid Category 4 Skin Irritation Category 2 Skin Sensitization Category 1 Aspiration Toxicity Category 1



Hazard Statements:	H227 Combustible liquid H315 Causes skin Irritation H317 May cause an allergic skin reaction H304 May be fatal if swallowed and enters airways
Prevention Statements:	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Response Statements:	 P370+P378 In case of fire: Use materials listed in section 5 to extinguish. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (See Section 4 of this SDS). P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 Do NOT induce vomiting.
Storage Statements:	P403 Store in a well-ventilated place. P405 Store locked up.
Disposal Statements:	P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause respiratory irritation.

Skin Contact: Skin contact may cause irritation.

Eye Contact: May cause eye irritation.

Ingestion: ASPIRATION hazard, may cause lung damage if swallowed.

Chronic: Repeated exposure may cause skin dryness or cracking.

Target Organs:

Acute: Eyes, Skin, Respiratory System, Lungs Chronic: Skin

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Proprietary	10-30%	Trade Secret	Trade Secret	Flam Liq Cat 4
AROMATIC 150	10-30%	64742-94-5	265-198-5	Flam Liq Cat 4, Asp Cat 1
D-Limonene	1-5%	5989-27-5	227-813-5	Flam Liq Cat 3, Skin Irrit Cat 2, Skin Sens Cat 1, Aspiration Tox Cat 1
Balance of other ingredients are non-hazardous or below applicable cut-off levels. Exact concentrations and / or identities have been withheld as trade secret.				

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact:	If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to do. Seek medical attention if irritation persists.
Skin Contact:	Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.
Inhalation:	If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

Glaze 'N Seal	Paint and Coating Stripper			
Ingestion:	If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.			
Medical Conditions Generally Aggravated by Exposure:	Pre-existing skin or eye problems may be aggravated by prolonged contact.			
4.2 Symptoms and Effects Both Acute and Delayed:	Exposure to skin and eyes may cause irritation.			
4.3 Recommendations to Physicians:	Treat symptoms and eliminate overexposure.			
SECTION 5 - FIRE FIGHTING MEASURES				
5.1 Fire Extinguishing Materials:				
Use the following fire extinguishing materials:	Water Spray: YesCarbon Dioxide: YesFoam: YesDry Chemical: YesHalon: YesOther: Any "C" Class			
5.2 Unusual Fire and Explosion Hazards:				
Irritating and toxic fumes may be produced at high	temperatures.			
Explosive Sensitivity to Mechanical Impact:	No			
Explosive Sensitivity to Static Discharge:	Yes			
5.3 Special Fire-Fighting Procedures:	 Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas. 			
NFPA RATING SYSTEM				
Flammability	HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
	HEALTH HAZARD (BLUE) 2			
2	FLAMMABILITY HAZARD (RED) 2			
Health 2 1 Reactivity	PHYSICAL HAZARD (YELLOW) 1			
	PROTECTIVE EQUIPMENT			
	EYES RESPIRATORY HANDS BODY			
Other	See Sect 8 See Sect 8			
	For Routine Industrial Use and Handling Applications			
Hazard Scale: 0 = Minimum 1 = Slight SECTION 6 - ACCIDENTAL RELEASE MEASURES	2 = Moderate 3 = Serious 4 = Severe * = Chronic Hazard			

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

- Collect material via broom or mop. Place in tightly sealed containers for Small Spills: proper disposal. · Approach spill areas with caution. • If liquid was introduced, create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable nonreactive material. Large Spills:
 - Place in leak-proof containers. Seal tightly for proper disposal.
 - Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling.

7.2 Storage and Handling Practices:

Keep cool, in a well-ventilated area, and away from ignition sources.

7.3 Specific Uses:

See Section 1.2.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	ACGIH TLV	OSHA PEL	NIOSH PEL
Proprietary	Trade Secret	Not Listed	Not Listed	Not Listed
AROMATIC 150	64742-94-5	Not Listed	500 ppm / 2000 mg/m ³	0.1 ppm (TWA)
D-Limonene	5989-27-5	Not Listed	Not Listed	Not Listed

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:	Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
Eye Protection:	Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.
Hand Protection:	Chemical resistant gloves are required to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

Paint and Coating Stripper

Use body protect appropriate to task being performed.

Body Protection:

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Clear liquid Odor: Characteristic odor Odor Threshold: No data available pH: No data available Melting/Freezing Point: No data available Boiling Point: Not Available Flash Point: >65°C (150°F) - Estimated Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable Upper/Lower Flammability or Explosion Limits: No data available Vapor Pressure (mm Hg @ 20°C (68° F): No data available Vapor Density: No data available Relative Density: No data available Specific Gravity: 1.1 gms./ml Solubility in Water: Partially soluble Weight per Gallon: No data available Partition Coefficient (n-octanol/water): No data available Auto-Ignition Temperature: No data available Decomposition Temperature: No data available Viscosity: No data available VOC: 485 gms./litter 9.2 Other Information:

No data available

SECTION TO - STADILITY AND REACTIVITY	
10.1 Reactivity:	This product is not reactive.
10.2 Stability:	Stable under conditions of normal storage and use.
10.3 Possibility of Hazardous Reactions:	Will not occur.
10.4 Conditions to Avoid:	Contact with ignition sources.
10.5 Incompatible Substances:	Acids, Bases, Oxidizing agents, Reducing agents
10.6 Hazardous Decomposition Products:	Oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects: Toxicity Data

Proprietary	Trade Secret	LD50 Oral – Rat	14,500 mg/kg
		LC50 Inhalation – Rat 4 h	40,250 ppm
		LD50 Dermal – Rabbit	> 5,000 mg/kg
		LC50 Inhalation – Rat 4 h	33 mg/L
		LD50 Dermal – Rabbit	> 3,300 mg/kg
D-Limonene	5989-27-5	LD50 Oral – Rat	5200 mg/kg
		LD50 Dermal – Rabbit	>5 g/kg Dermal

Paint and Coating Stripper

Ingredients within this product are not found on one or more of the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be cancer-causing agents by these agencies.
Data not sufficient for classification.
This product is not expected to be a skin sensitization.
This product does not contain ingredients that are suspected to be a germ cell mutagenic.
This product does not contain ingredients that are expected to be a human reproductive toxicant.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity	D-Limonene: 0.619 - 0.796 mg/L LC50 Pimephales promelas 96 h flow- through 1 35 mg/L LC50 Oncorhynchus mykiss 96 h 1
12.2 Persistence and Degradability:	No specific data available on this product.
12.3 Bioaccumulative Potential:	No specific data available on this product.
12.4 Mobility in Soil:	No specific data available on this product.
12.5 Results of PBT and vPvB Assessment:	No specific data available on this product.
12.6 Other Adverse Effects:	No data available
12.7 Water Endangerment Class:	At present, there are no ecotoxicological assessments for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

13.2 EU Waste Code:

Not determined

Waste disposal must be in accordance with appropriate U.S. Federal, State,

and local regulations, those of Australia, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION 14.1 U.S. Department of Transportation (DOT) Shipping Regulations: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows. **UN Identification Number:** N/A **Proper Shipping Name:** Not Regulated when Not Shipped Bulk Hazard Class Number and Description: N/A Packing Group: N/A DOT Label(s) Required: N/A North American Emergency Response Guidebook N/A Number: Note: N/A 14.2 Environmental Hazards: The components of this product are not designated by the Department of Marine Pollutant: Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B). 14.3 Special Precaution for User: None 14.4 International Air Transport Association Shipping This product is not considered as dangerous goods. Information (IATA): 14.5 International Maritime Organization Shipping This product is not considered as dangerous goods. Information (IMO):

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: Yes; Reactivity; No

U.S. CERCLA Reportable Quantity:

None

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

No known Prop 65 chemicals at reportable levels.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product has been classified per WHMIS 2015 standards.

15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 - ADDITIONAL INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance) Date of Printing: May 30, 2020

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Glaze 'N Seal Products Inc. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Glaze 'N Seal Products Inc. assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET