

Deck Solutions Center





NEW UltraPro® Ultimate Wood Screw

UltraPro®

EXTERIOR WOOD Wood to Wood

Driving wood-to-wood screws and deck screws can be a lot of work and a challenge especially when driving into harder materials. Anyone who has used wood screws has had experience with strip-outs, popped heads and screws that don't seat flush. Grabber developed the new UltraPro screws to help take the hassle out of driving screws so you can concentrate on the job.

- LOX® Recess QuickGrab™ point Type 17 drill point UltraCut™ threads DrawTite™ threads
- Scavenger® II head GrabberGard® Gold

SHARPER FASTER BETTER

PART	SIZE	COUNT	DESCRIPTION
BPU8125G	1-1/4-INCH	BLISTER PACK	SCAVENGER® II HEAD, ULTRACUT THREADS, ULTRAPRO™ LOX®, GRABBERGARD® GOLD
XU8125G	1-1/4-INCH	1-LB	SCAVENGER* II HEAD, ULTRACUT THREADS, ULTRAPROTM LOX*, GRABBERGARD* GOLD
VBU8125G	1-1/4-INCH	5-LB	SCAVENGER® II HEAD, ULTRACUT THREADS, ULTRAPRO™ LOX®, GRABBERGARD® GOLD
U8125G	1-1/4-INCH	BULK	${\it SCAVENGER}^{\circledast} \ II \ HEAD, ULTRACUT \ THREADS, ULTRAPRO^{\intercal \! \! \! \! \! \top} LOX^{\circledast}, GRABBERGARD^{\circledast} \ GOLD$
BPU8150G	1-1/2-INCH	BLISTER PACK	${\it SCAVENGER}^{\circledast} \ {\it II HEAD, ULTRACUT\ THREADS, ULTRAPRO^{TM}\ LOX^{\circledast}, GRABBERGARD^{\circledast}\ GOLD}$
XU8150G	1-1/2-INCH	1-LB	${\it SCAVENGER}^{\circledast} \ {\it II HEAD, ULTRACUT\ THREADS, ULTRAPRO^{TM}\ LOX^{\circledast}, GRABBERGARD^{\circledast}\ GOLD}$
VBU8150G	1-1/2-INCH	5-LB	${\it SCAVENGER}^{\circledcirc} \ II \ HEAD, ULTRACUT \ THREADS, ULTRAPRO^{TM} \ LOX^{\circledcirc}, GRABBERGARD^{\circledcirc} \ GOLD$
U8150G	1-1/2-INCH	BULK	${\it SCAVENGER}^{\circledcirc} \ II \ HEAD, ULTRACUT \ THREADS, ULTRAPRO^{TM} \ LOX^{\circledcirc}, GRABBERGARD^{\circledcirc} \ GOLD$
BPU8200G	2-INCH	BLISTER PACK	${\it SCAVENGER}^{\circledast} \hbox{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \hbox{ LOX}^{\circledast}, {\it GRABBERGARD}^{\circledast} \hbox{ GOLD}$
XU8200G	2-INCH	1-LB	${\it SCAVENGER}^{\circledast} \hbox{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \hbox{ LOX}^{\circledast}, {\it GRABBERGARD}^{\circledast} \hbox{ GOLD}$
VBU8200G	2-INCH	5-LB	${\it SCAVENGER}^{\circledast} \hbox{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \hbox{ LOX}^{\circledast}, {\it GRABBERGARD}^{\circledast} \hbox{ GOLD}$
U8200G	2-INCH	BULK	${\it SCAVENGER}^{\circledast} \hbox{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \hbox{ LOX}^{\circledast}, {\it GRABBERGARD}^{\circledast} \hbox{ GOLD}$
BPU9250G	2-1/2-INCH	BLISTER PACK	${\it SCAVENGER}^{\circledcirc} \ II \ HEAD, ULTRACUT \ THREADS, ULTRAPRO^{TM} \ LOX^{\circledcirc}, GRABBERGARD^{\circledcirc} \ GOLD$
XU9250G	2-1/2-INCH	1-LB	${\it SCAVENGER}^{\circledcirc} \ II \ HEAD, ULTRACUT \ THREADS, ULTRAPRO^{TM} \ LOX^{\circledcirc}, GRABBERGARD^{\circledcirc} \ GOLD$
VBU9250G	2-1/2-INCH	5-LB	${\it SCAVENGER}^{\circledcirc} \ II \ HEAD, ULTRACUT \ THREADS, ULTRAPRO^{TM} \ LOX^{\circledcirc}, GRABBERGARD^{\circledcirc} \ GOLD$
U9250G	2-1/2-INCH	BULK	${\it SCAVENGER}^{\circledast} \hbox{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{tm} \hbox{ Lox}^{\circledast}, \hbox{ GRABBERGARD}^{\circledast} \hbox{ GOLD}$
BPU10300G	3-INCH	BLISTER PACK	${\it SCAVENGER}^{\circledast} \hbox{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{tm} \hbox{ Lox}^{\circledast}, \hbox{ GRABBERGARD}^{\circledast} \hbox{ GOLD}$
XU10300G	3-INCH	1-LB	$\textbf{SCAVENGER}^{\circledast} \textbf{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \textbf{LOX}^{\circledast}, \textbf{GRABBERGARD}^{\circledast} \textbf{GOLD}$
VBU10300G	3-INCH	5-LB	$\textbf{SCAVENGER}^{\circledast} \textbf{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \textbf{LOX}^{\circledast}, \textbf{GRABBERGARD}^{\circledast} \textbf{GOLD}$
U10300G	3-INCH	BULK	$\textbf{SCAVENGER}^{\circledast} \textbf{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \textbf{LOX}^{\circledast}, \textbf{GRABBERGARD}^{\circledast} \textbf{GOLD}$
VBU10350G	3-1/2-INCH	5-LB	$\textbf{SCAVENGER}^{\circledast} \textbf{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \textbf{LOX}^{\circledast}, \textbf{GRABBERGARD}^{\circledast} \textbf{GOLD}$
U10350G	3-1/2-INCH	BULK	${\it SCAVENGER}^{\circledast} \ {\it II HEAD, ULTRACUT\ THREADS, ULTRAPRO^{TM}\ LOX^{\circledast}, GRABBERGARD^{\circledast}\ GOLD}$
VBU10400G	4-INCH	5-LB	${\it SCAVENGER}^{\circledast} \ II \ HEAD, ULTRACUT \ THREADS, ULTRAPRO^{\intercal \! \! \! \! \! \top} LOX^{\circledast}, GRABBERGARD^{\circledast} \ GOLD$
U10400G	4-INCH	BULK	${\it SCAVENGER}^{\circledast} \hbox{ II HEAD, ULTRACUT THREADS, ULTRAPRO}^{\intercal} \hbox{ LOX}^{\circledast}, {\it GRABBERGARD}^{\circledast} \hbox{ GOLD}$
VBU10450G	4-1/2-INCH	5-LB	${\it SCAVENGER}^{\circledast} \ {\it II HEAD, ULTRACUT\ THREADS, ULTRAPRO^{TM}\ LOX^{\circledast}, GRABBERGARD^{\circledast}\ GOLD}$
U10450G	4-1/2-INCH	BULK	SCAVENGER @ II HEAD, ULTRACUT THREADS, ULTRAPRO § LOX §, GRABBERGARD § GOLD
VBU10500G	5-INCH	5-LB	SCAVENGER @ II HEAD, ULTRACUT THREADS, ULTRAPRO § LOX §, GRABBERGARD § GOLD
U10500G	5-INCH	BULK	${\it SCAVENGER}^{\circledast} \ {\it II} \ {\it HEAD}, {\it ULTRACUT} \ {\it THREADS}, {\it ULTRAPRO}^{\intercal M} \ {\it LOX}^{\circledast}, {\it GRABBERGARD}^{\circledast} \ {\it GOLD}$





Seven reasons why UltraPro® is the BEST wood srew you will ever use:






- LOX® Recess Eight points of contact mean no more strip outs
- 2 Scavenger® II Head Self-countersinks clean and flush
- Oraw-Tite™ Upper threads Pull wood members together
- GrabberGard® Lifetime warranty against corrosion
- Ultracut™ Threads Drive faster and cleaner
- Type 17 Point No pre-drilling required
- QuickGrab™ Point Grabs and starts fast



UltraPro® Product Set



FOUR-FOOT GONDOLA MERCHANDISING SET

HEADER (48 X 8-IN)	1-QTY
HEADER BRACE	1-QTY
SHELF FLAG	2-QTY
SHELF-FLAG CLAMPS	2-QTY
GONDOLA SKIN (48-IN)	1-QTY
WOBBLER SHELF FLAG	2-QTY

showroom set. An existing 48-in gondola can be turned into an attractive and functional Grabber program with a gondola skin, shelf flags and header.

The four-foot UltraPro set includes a header, shelf flags and wobblers, a hang card, gondola skin and literature.



XGT™ Deck and Fence





Star Drive Type 17 Point

EXTERIOR WOOD Deck and Fence

Grabber's XGTTM premium exterior grade GrabberGard® coated fasteners are ideal for pressure treated lumber applications and for all outdoor wood construction such as decking, patios, lawn furniture, window boxes, etc. XGT's unique engineering reduces wood splitting and provides superior holding power.

- Star drive

- Star drive
 Deep threads for greater holding power
 Type 17 self-drilling point
 DrawTite™ shanks pulls both wood members together for a secure fastening job
 Flat head

	PART NO.	SIZE	COUNT	DESCRIPTION
Ī	XG6125G	6 X 1-1/4-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
ĺ	VBG6125G	6 X 1-1/4-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
ſ	G6125G	6 X 1-1/4-in	8M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	XG6150G	6 X 1-1/2-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	VBG6150G	6 X 1-1/2-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	G6150G	6 X 1-1/2-in	5M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	XG7200G	7 X 2-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	VBG7200G	7 X 2-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	G7200G	7 X 2-in	3.5M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	XG8225G	8 X 2-1/4-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	VBG8225G	8 X 2-1/4-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	G8225G	8 X 2-1/4-in	3M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	XG8250G	8 X 2-1/2-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
ı	VBG8250G	8 X 2-1/2-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
ı	G8250G	8 X 2-1/2-in	2.5M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	XG9300G	9 X 3-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	VBG9300G	9 X 3-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	G9300G	9 X 3-in	2M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® GRAY
	XG10350G	10 X 3-1/2-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY
	VBG10350G	10 X 3-1/2-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY
L	G10350G	10 X 3-1/2-in	1M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY
	XG10400G	10 X 4-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY
	VBG10400G	10 X 4-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY
	G10400G	10 X 4-in	1M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY
	XG10500G	10 X 5-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY
ĺ	VBG10500G	10 X 5-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY
	G10500G	10 X 5-in	1M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® GRAY





XGT™ — Trim Head





#1 Square Drive Type 17 Point

EXTERIOR WOOD Deck and Fence

Grabber's XGT™ premium exterior grade Grabber SAOT perindin Rating state
freated lumber applications and for all outdoor wood
construction such as decking, patios, lawn furniture,
window boxes, etc. XGT's unique engineering reduces
wood splitting and provides superior holding power.

- #1 Square drive
 Deep threads for greater holding power
 Type 17 self-drilling point
 DrawTite™ shanks pulls both wood members together for a secure fastening job
 Trim head

PART NO.	SIZE	COUNT	DESCRIPTION
XGT7158G	7 X 1-5/8-in	1-lb Pack	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY
VBGT7158G	7 X 1-5/8-in	5-lb Pack	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY
GT7158G	7 X 1-5/8-in	5M, Bulk	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY
XGT7214G	7 X 2-1/4-in	1-lb Pack	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY
VBGT7214G	7 X 2-1/4-in	5-lb Pack	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY
GT7214G	7 X 2-1/4-in	3M, Bulk	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY
XGT8300G	8 X 3-in	1-lb Pack	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY
VBGT8300G	8 X 3-in	5-lb Pack	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY
GT8300G	8 X 3-in	2M, Bulk	TRIM HEAD, Fine Thread, XGT, #1 SQUARE, GRABBERGARD® GRAY







XGT™ Deck and Fence

XGT™— Red





Star Drive Type 17 Point

EXTERIOR WOOD Deck and Fence

Grabber's XGT^{IM} premium exterior grade GrabberGard® coated fasteners are ideal for pressure treated lumber applications and for all outdoor wood construction such as decking, patios, lawn furniture, window boxes, etc. XGT's unique engineering reduces wood splitting and provides superior holding power.

AVAILABLE ON THE WEST COAST ONLY

- Star drive
 New 8 x 2-1/4" decking screw properly sized for use with today's 5/4 lumber
 Deep threads for greater holding power
 Type 17 self-drilling point
 DrawTite^{IIII}—shanks pulls both wood members together for a secure fastening job
 Flat head

PART NO.	SIZE	COUNT	DESCRIPTION
XG6125GR	6 X 1-1/4-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
VBG6125GR	6 X 1-1/4-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
G6125GR	6 X 1-1/4-in	8M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
XG6150GR	6 X 1-1/2-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
VBG6150GR	6 X 1-1/2-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
G6150GR	6 X 1-1/2-in	5M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
XG7200GR	7 X 2-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
VBG7200GR	7 X 2-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
G7200GR	7 X 2-in	3.5M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
XG8250GR	8 X 2-1/2-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
VBG8250GR	8 X 2-1/2-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
G8250GR	8 X 2-1/2-in	2.5M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
XG9300GR	9 X 3-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
VBG9300GR	9 X 3-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
G9300GR	9 X 3-in	2M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #20, GRABBERGARD® RED
XG10350GR	10 X 3-1/2-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® RED
VBG10350GR	10 X 3-1/2-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® RED
G10350GR	10 X 3-1/2-in	1M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® RED
XG10400GR	10 X 4-in	1-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® RED
VBG10400GR	10 X 4-in	5-lb Pack	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® RED
G10400GR	10 X 4-in	1M, Bulk	FLAT HEAD, COARSE THREAD, XGT, STAR #25, GRABBERGARD® RED



* AVAILABLE ON THE WEST COAST ONLY







Wood to Wood Framing

Lag-Master™





Performance Data:

Application: Structural Compliance with the following codes: 2012, 2009, 2006 International Building Code® (IBC) 2012, 2009, 2006 International Residential Code® (IRC) All local code requirements must be followed and a design professional should be consulted for proper spacing requirements

Allowable fastener strength for shear ((1,046 lbf)(37,275 psi)) Allowable fastener strength for tension ((1,492 lbf)(53,180 psi))

Structural Framing Fasteners

Multi-purpose wood fastener for general wood construction such as ledger boards, laminated beams, under-deck connections, trusses and dimensional lumber

- ICC-ES 3531 Certified
- 3/8-in Hex head
- Type 17 point

-	וע	u	w	ш	16	3
	c.	ı.		_:		4

PART NO.	SIZE	COUNT	DESCRIPTION
GLM212RP	14 x 2-1/2-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM212CP	14 x 2-1/2-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM212	14 x 2-1/2-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM300RP	14 x 3-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM300CP	14 x 3-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM300	14 x 3-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM312RP	14 x 3-1/2-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM312CP	14 x 3-1/2-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM312	14 x 3-1/2-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM400RP	14 x 4-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM400CP	14 x 4-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM400	14 x 4-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM412RP	14 x 4-1/2-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM412CP	14 x 4-1/2-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM412	14 x 4-1/2-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM500RP	14 x 5-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM500CP	14 x 5-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM500	14 x 5-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM600RP	14 x 6-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM600CP	14 x 6-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM600	14 x 6-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
			·



PART NO.

SIZE

14 X 10-in

14 X 10-in

14 X 12-in

14 X 12-in

14 X 12-in

Tie-Master™







Performance Data:

Application: Structural Compliance with the following codes: 2012, 2009, 2006 International Building Code® (IBC) 2012, 2009, 2006 International Residential Code® (IRC) All local code requirements must be followed and a design professional should be consulted for proper spacing requirements.

Allowable fastener strength for shear ((1,046 lbf)(37,275 psi)) Allowable fastener strength for tension ((1,492 lbf)(53,180 psi))

Structural Framing Fasteners

Multi-purpose wood fastener for general wood construction such as ledger boards, laminated beams, under-deck connections, trusses and dimensional lumber, decks, docks and boardwalks.

- **ICC-ES 3531 Certified**
- Flat head
- Star recess
- Type 17 point
- **Draw-Tite shank**
- Galvanized

GTIE4RP	14 X 4-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE4CP	14 X 4-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE4	14 X 4-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE412RP	14 X 4-1/2-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE412CP	14 X 4-1/2-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE412	14 X 4-1/2-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE5CP	14 X 5-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE5RP	14 X 5-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE5	14 X 5-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE6RP	14 X 6-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE6CP	14 X 6-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE6	14 X 6-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE8RP	14 X 8-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE8CP	14 X 8-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE8	14 X 8-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE10RP	14 X 10-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED

Count Pack, 50-ct

Retail Pack, 10-ct

Count Pack, 50-ct

Bulk, 500-ct

Bulk. 500-ct

DESCRIPTION

FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED

FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED

FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED

FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED

COUNT



GTIE10CP

GTIE12RP

GTIE12CP

GTIE12

GTIE10

GRABBER TIE-MASTER™ AND LAG-MASTER™

Grabber Tie-Master™ and Lag-Master™ deck framing fasteners have received an evaluation report from ICC Evaluation Service (ICC-ES) certifying the fasteners are in compliance with the following codes

- ▶ 2012, 2009, and 2006 International Building Code (IBC)
- ▶ 2012, 2009, and 2006 International Residential Code (IRC)

Grabber's Tie-Master™ and Lag-Master™ Multipurpose Wood Fasteners described in the report are used for engineered wood-to-wood connections in accordance with the IBC and the ANSI/AWC National Design Specification for Wood Construction (NOS). The fasteners may be used under the IRC when an engineered design is submitted in accordance with IRC Section R301.1.3.



SuperDrive® Automated Fastening System

SuperDrive® 75 Series





SuperOrive

Features and Benefits:

- ▶ Use for any screw application from 5/8-in 3-in
- ▶ Use with screw diameters from 6 12 gauge
- ▶ Simple design, easy to service
- Compact and lightweight industrial design
- ▶ Most versatile tool on the market
- ▶ Set and forget depth control system
- Extra long bit life with patented LOX® bits

Recommended Applications:

- ▶ Sub-floor/deck/dock
- ▶ Roof tile
- ▶ Wood to metal
- Drywall and sheathing
- ▶ Wood to wood construction



SUB-FLOOR, WAXED, YELLOW ZINC, LOX3

11111	EHHHHHH
ALTERNATION OF THE PARTY OF THE	

HEATHING or Sub-floor to Wood	PART NO.	SIZE	COUNT	DESCRIPTION
	C8175L3YZ	8 x 1-3/4-in	Pack, 1000-ct	SUB-FLOOR, WAXED, YELLOW ZINC, LOX3
	C8200L3YZ	8 X 2-in	Pack, 1000-ct	SUB-FLOOR, WAXED, YELLOW ZINC, LOX3
	C9200L3NG	9 X 2-in	Pack, 1000-ct	SUB-FLOOR,"NOGLUESCREW", BLUE ZINC, LOX3
	C825013Y7	8 X 2-1/2-in	Park 1000-rt	SUR-FLOOR WAXED YELLOW ZINC LOX3

8 X 3-in



EXTERIOR DECKING			
	-A'A 4 -	ound n	TEGNING.
EXIERION DECRINO	7.1	VION P	ECKING




C8300L3YZ

ART NO.	SIZE	COUNT	DESCRIPTION
200L2M	8 X 2-in	Pack, 1000-ct	FLAT HEAD, TYPE 17, 1000HR - GRABBERGARD, LOX2
250L2M	8 x 2-1/2-in	Pack, 1000-ct	FLAT HEAD, TYPE 17, 1000HR - GRABBERGARD, LOX2
300L2M	9 X 2-1/2-in	Park 1000-rt	FLAT HEAD TYPE 17 1000HR - GRABBERGARD LOX2





Pack, 1000-ct



SuperDrive® Bits

	PART NO.	PACK COUNT	DESCRIPTION
	2178LN	1-each	#2 LOX BIT TIP FOR THE 75 TOOL
	3178LN	1-each	#3 LOX BIT TIPS FOR THE 75 TOOL
	2178SQ	1-each	#2 SQUARE BIT ROD FOR SUPERDRIVE 75 TOOL 178M
		1-80(11	#2 SQUARE BIT ROD FOR SUFERDRIVE 75 TOOL 170M
All Marines and a second secon			
A			
dimension of the same of the s			
annum (
The state of the s			
and the second second			
aniididdin a can a c			
distribution .			
against the same of the same o			
distribution of the same of th			
A STATE OF THE PARTY OF THE PAR			
Supplied to the same of the sa	/		
different state of the state of			
Sulfaring Sulfar			
Supplied to the same of the sa			
STATE OF THE PARTY			
Salar			
Summing of the second s			
		SI	morAnžvo° <mark>7</mark> 5
		Sı	nerOrive 72
		Su	perDr\ve* 75



DECKMASTER® Deck and Fence

G6 Hidden Fastening System



DECKMASTER® G6 Hidden Deck Fastening System is the strongest hidden fastening clip on the market. Made of highest grade, heavy-gage steel and coated with the advanced corrosion protection of GrabberGard®.
Uniquely engineered with four claws to bite into decking a grip that will virtually eliminate squeaking, rattling and inconsistent gapping. G6 system uses frame head screws rather than trim head for better holding power.

EXTERIOR WOOD Deck

- **Unibody design assures consistent**
- oninouy design deserves consistent spacing in board gapping
 Built in security that grips deck boards to permanently lock them into place
 Stronger four winged design for the strongest deck clip available with 30% more steel — Made from the highest grade steel.

PART NO.	COUNT	RECOMMENDED FOR:
DMG6CB	Count Bucket, 175-ct	ChoiceDeck, DuraLife, EverGrain, FIBERON, Gossen, IPE Hardwood, Latitudes,
		Kleer, Nyloboard, ModerView, MoistureSheild, TREX, WeatherReady
DMG6BKS	Bulk Bucket, 875-ct	ChoiceDeck, DuraLife, EverGrain, FIBERON, Gossen, IPE Hardwood, Latitudes,
		Kleer, Nyloboard, ModerView, MoistureSheild, TREX, WeatherReady
DMGTT6CB	Count Bucket, 175-ct	AZEK, TimberTech
DMGTT6BKS	Bulk Bucket, 875-ct	AZEK, TimberTech

DESCRIPTION

HIDDEN DECK ANGLE BRACKETS AND SCREW PACKS





GrabberGard® advanced corrosion protection: Grabber's new Deckmaster G6 deck clips feature GrabberGard® advanced corrosion protection. GrabberGard® is ACQ compliant and 2,000 hours salt spray and 30 cycles Kesternich testing certified. GrabberGard® is recommended for PVC, wood or composite materials in non-coastal areas.

GrabberGard® Salt spray results ASTM B117 2,000 hours salt spray and 30 cycles Kesternich per DIN50018, no red rust.

DECKMASTERHIDDEN DECK FASTENING SYSTEM

Angle Bracket



EXTERIOR WOOD Deck

DECKMASTER® Hidden Deck Angle Bracket is a heavy-duty steel bracket for securing the first and last deck boards as well as stairs and post. Your deck is only as strong and secure as the first board.

DMACP Count Pack, 20-c	t
GrabberGard. Lifetime Warranty Pressure treated fumber	

PART NO.



COUNT

Hidden Deck Bracket



The strongest longest lasting decks are built using Deckmaster brackets. Its unique under-mount design uses fasteners at two angles, virtually eliminating deck racking and shearing. And because Deckmaster is completely hidden beneath the deck boards, there are no exposed screws or nails on the deck surface. As such, moisture won't pool around screws and nails reducing the potential for water damage associated with decks top fastened with screws or nails. Deckmaster is the best hidden fastening system available.

EXTERIOR WOOD Deck

- Outstanding corrosion resistance LOX® 2 recess for a sure driving
- GrabberGard® corrosion protection

PART NO.	COUNT	DESCRIPTION
DMP100-10	Red Box, 10-ct	FOR 3/4-in DECKING POWDER COAT BRACKETS
DMP100-100	Red Box, 10-ct	FOR 3/4-in DECKING GRABBERGARD BRACKETS
DMP125-10	Blue box, 10-ct	FOR 5/4-in DECKING GRABBERGARD BRACKETS
DMP125-100	Blue box, 10-ct	FOR 5/4-in DECKING GRABBERGARD BRACKETS
DMP175-10	Green Box, 10-ct	FOR 2X DECKING GRABBERGARD BRACKETS
DMP175-100	Green Box, 10-ct	FOR 2X DECKING GRABBERGARD BRACKETS





Joist Jaw

Joist Jaw is the perfect accessory for the professional wood framer. Like a second pair of hands, the Joist Jaw holds up the rafters and joists. The Joist Jaw auto-matically levels the cross member with the rim joist or ledger giving the framer a "hands free" position while installing the joist hanger or other connectors. With just a couple of twists, the Joist Jaw clamps down on its target from the top or the bottom and holds lumber is tight! This tool increases the accuracy and production of a 2 man framing crew whether they're building a deck, a roof or a floor, saving time and money. The joist jaw is reusable and made of zinc plated durable steel. Each package comes complete with 2 Joist Jaws.

EXTERIOR WOOD Deck

- Saves time and money
 Second pair of hands
 Solid steel construction
 Perfect for decking, roofing and flooring applications

PART NO.	COUNT	DESCRIPTION
GJJ2	Blister Pack 2-ct	SET OF JOIST JAWS

