

CertainTeed

# Drywall Corner Solutions

2016 Catalog



Distributed By



**CertainTeed**  
SAINT-GOBAIN

---

Gypsum



**CertainTeed**  
**Drywall Corner**  
**Solutions**

**2016 Catalog**

**Table of Contents**

No-Coat Intro .....	4
No-Coat Sticks .....	6
No-Coat Flexible Corners .....	8
No-Coat Arch .....	9
No-Coat Automatic Corners .....	10
AquaBead .....	12
Levelline .....	14
Corner Matrix .....	15
CertainTeed Tools .....	16
Marco Drywall Tape .....	18
FibaFuse Drywall Tape .....	19
CertainTeed Corner System .....	20
CertainTeed Testimonials .....	22

# Easy-to-apply, High Performance, Drywall Corner Solutions.

CertainTeed's line of structural laminate corners—combined with water-activated corners and automation technologies—save money on call backs and are more aesthetically appealing over the long-term than conventional metal, paper faced metal, or vinyl beads. The durability and installation efficiency of these products make them ideal for both residential and commercial building applications.



**NO-COAT**<sup>®</sup>

The NO-COAT<sup>®</sup> Structural Laminate (SLAM<sup>®</sup>) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.



*AquaBead*<sup>®</sup>

Water-activated AquaBead offers fast, easy installation and outstanding performance, every time. Perforations allow compound to adhere to the drywall surface.



**LEVELLINE**<sup>®</sup>

LEVELLINE flexible rolls are ideal for off-angle and both short and long runs. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



The NO-COAT® Structural Laminate (SLAM®) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

**SLAM Technology – A Breakthrough in Drywall Corner Finishing**

NO-COAT corners incorporate a tapered structural laminate design that consists of three key components:

1. Tapered copolymer core capable of withstanding severe impacts.
2. Joint tape that permanently bonds the corner to drywall with Taping or All-Purpose joint compound.
3. Formulated surface paper that eliminates cracks, chips and peels. Accepts any finish, resists abrasion.

**NO-COAT SAVES LABOR**

- Reduces installation time significantly
- Rolls and pre-cut lengths allow for fast application

**A Radical Departure from Corner Bead**

For more than 80 years, drywall contractors have reached for corner bead because it has been the only option available – not because it’s the best product. Improvements such as plastic or paper faced metal are still based on a flawed bead design that create more problems than they solve. Beads are notorious in the industry for causing costly callbacks from denting, chipping, rusting, cracking and peeling. In addition, beads require excessive mud application that costs contractors time and money.

**An Innovative Solution**

NO-COAT structural laminate corners abandon corner bead design entirely. Instead, the SLAM design integrates new technologies and materials like dimensionally extruded copolymer plastic and formulated saturated paper. The result is a corner system that outperforms all others in the market.

**SLAM Technology integrates THREE KEY COMPONENTS providing the durability, flexibility, and strength that won’t crack under pressure.**

**TAPERED HIGH STRENGTH COPOLYMER CORE** withstands severe impacts. Won’t rust. Requires less mud.

1.

3.

**FORMULATED SURFACE PAPER** eliminates cracks, chips and peels, resists abrasion, and accepts any finish.

2.

**JOINT TAPE** permanently bonds corner to drywall with All Purpose mud.

# TECHNOLOGIES AND MATERIALS THAT OUTPERFORM ALL OTHERS.




## The NO-COAT® Structural Laminate Drywall Corner System

### FLEXIBLE CORNERS

These flexible roll products are ideal for off-angle applications, both short and long runs, long columns and soffits. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325  
FLEXIBLE CORNER 450  
ZOOMA-FLEX Corner



### STICKS

Pre-cut stick lengths withstand severe impacts, settling and seismic movements without cracking, denting, chipping or peeling. Easy to install lengths deliver perfect corners in record time.


INSIDE 90  
OUTSIDE 90  
L-TRIM – 1/2", 5/8"  
BULLNOSE - 3/8", 3/4"



### ARCH

ARCH tape-on arches have notched flanges that flex and conform to any arch. Stiff profile fine-tunes poor framing and creates a perfectly smooth, round curve.

BULLNOSE 3/4"  
OUTSIDE 90




### TOOLS

Rollers and applicators allow for high speed installations and flawless results.



ROLLERS – Inside and Outside 90, Bullnose, and One-Sided (L-Trim)

DOUBLE BARREL HOPPER – Install off-angles, inside and outside 90s or bullnose, in record time.



NO-COAT ZOOMA-FLEX 100 –  
Uses ZOOMA-FLEX CORNER to produce ready-to-install corners with joint compound applied and cut to any length.



## NO-COAT STICKS

NO-COAT mud applied, easy-to-install stick lengths deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.



### NO-COAT INSIDE 90

**Description**  
NO-COAT INSIDE 90 corners make joint tape a thing of the past. Use the CertainTeed DOUBLE BARREL HOPPER and an INSIDE 90 Roller to ensure high speed installs and the best results.


**Applications**

- 90° inside corners

**Features/Benefits**

- Pre-cut to standard lengths so installations are fast and efficient
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

**Product Details**  
8', 9', 10', stick lengths  
(2.4 m, 2.7 m, 3 m)  
50 sticks  
per box



### NO-COAT OUTSIDE 90

**Description**  
One of our best selling products, NO-COAT OUTSIDE 90 corners are made with our patented SLAM design. These corners deliver strength, durability, and guaranteed perfect results for all vertical outside corner applications.


**Applications**

- 90° outside corners

**Features/Benefits**

- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks.

**Product Details**  
8', 9', 10', 12' stick lengths  
(2.4 m, 2.7 m, 3 m, 3.7 m)  
50 sticks per box



### NO-COAT 1/2" L-TRIM

**Description**  
NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.


**Applications**

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

**Features/Benefits**

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

**Product Details**  
10' (3 m) lengths  
Custom lengths available  
50 sticks per box



### NO-COAT 5/8" L-TRIM

**Description**  
NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.


**Applications**

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

**Features/Benefits**

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

**Product Details**  
10' (3 m) lengths  
Custom lengths available  
50 sticks per box





### NO-COAT 3/8" BULLNOSE

#### Description

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

#### Applications


- 90° outside corners

#### Features/Benefits

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m)  
50 sticks per box



### NO-COAT 3/4" BULLNOSE

#### Description

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

#### Applications


- 90° outside corners

#### Features/Benefits

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m)  
50 sticks per box



## Flexible Corners

NO-COAT® flex roll products are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



### FLEXIBLE CORNER 325

#### Description

NO-COAT FLEXIBLE CORNER 325 offers the same durability and strength as FLEXIBLE CORNER 450, with a narrower flange width that makes it ideal for shorter off-angle spans.

#### Applications


- Short runs of less than 10 ft (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

#### Features/Benefits

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

3.25" wide x 100' roll (8.3 cm x 30.5 m)  
10 rolls per carton



### FLEXIBLE CORNER 450

#### Description

The world's #1 flex product has earned the reputation for delivering perfectly straight lines for challenging off-angles and long spans, while withstanding settling, shrinking lumber, seismic movements and temperature variations.

#### Applications

- Long peaks (spans > 10 ft [3 m])
- Vaulted, cathedral, tray ceilings
- Inside/outside corners of any length

#### Features/Benefits

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

4.5" wide x 100' roll (11.4 cm x 30.5 m)  
10 rolls per carton





## NO-COAT ARCH

Install perfect archways in minutes without the hassle of glues, staples and extra coats of mud. Arch tape-on arches have notched flanges that flex and conform to any arch, and a stiff profile that fine-tunes poor framing and creates a perfectly smooth, round curve.



### NO-COAT ARCH 3/4\"/>

#### Description

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

#### Applications


- 90° bullnose archways

#### Features/Benefits

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- Self-forming, ridgeless design
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

10' (3 m) lengths  
Custom lengths available  
10 sticks per box



### NO-COAT ARCH OUTSIDE 90

#### Description

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

#### Applications



- 90° outside archways

#### Features/Benefits

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

10' (3 m) lengths  
Custom lengths available  
10 sticks per box



The only self-forming ridgeless design available, provides perfect, smooth arches every time!

## ZOOMA-FLEX CORNER

NO-COAT® ZOOMA-FLEX CORNER flexible roll product is ideal for production work, long columns and soffits. When used with the ZOOMA-FLEX 100 machine, production time is dramatically reduced, and waste is virtually eliminated.



### ZOOMA-FLEX CORNERS

#### Description

ZOOMA-FLEX CORNER offers the same durability and strength as Flexible Corner.

#### Applications


- Outside 90 degree corners
- Long spans of any angle

#### Features/Benefits

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

3.75" wide x 250' roll  
(9.5 cm x 76.2 m)



## ZOOMA-FLEX 100

The new NO-COAT® ZOOMA-FLEX 100 machine is the first and only automated system for custom cutting corners of any length or angle. Its lightweight portability makes it easy to move on the jobsite. Used in conjunction with ZOOMA-FLEX CORNERS, it is simply the fastest and most efficient cornering system available.



### ZOOMA-FLEX 100

#### Description

The new ZOOMA-FLEX 100 uses ZOOMA-FLEX CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

#### Applications

- Outside 90 degree corners
- Long spans of any angle

#### Features/Benefits

- Portable size is light-weight and easy to maneuver
- Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll
- Easy-to-use keypad simplifies operation and stores custom measurements
- 5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage





**AUTOMATED CORNER**

# REVOLUTIONIZING THE DRYWALL INDUSTRY. ONE CORNER AT A TIME.



## NO-COAT ZOOMA-FLEX 100

The new ZOOMA-FLEX 100 uses ZOOMA-FLEX CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll.

Easy-to-use keypad simplifies operation and stores custom measurements



5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage




Powered by convenient 100 volts


Portable size is light-weight and easy to maneuver



INSIDE 90



OUTSIDE 90



OFF-ANGLES

# AquaBead® WATER ACTIVATED CORNERS

## AQUABEAD

Water-activated AquaBead offers fast, easy installation and outstanding performance, every time. An easy-to-apply, self-adhesive drywall corner that won't blister, bubble or edge crack. Perforations allow compound to adhere to the drywall surface.



### AQUABEAD OUTSIDE 90

**Description**  
AQUABEAD OUTSIDE 90° has a specially engineered beaded nose to create the perfect corner.


**Applications**

- 90° outside corners

**Features/Benefits**

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

**Product Details**  
8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m)  
50 sticks per box



### AQUABEAD 1/2" L-TRIM

**Description**  
AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.


**Applications**

- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

**Features/Benefits**

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

**Product Details**  
10' (3 m) lengths  
Custom lengths available  
50 sticks per box



Specially engineered nose does not require coating. Just fill the outside edges with joint compound to create the perfect corner.

Just Add Water



Water-activated adhesive provides a superior bond directly to drywall

Perforations allow compound to adhere to the drywall surface

- ✓ Water activated adhesive
- ✓ Simple to apply
- ✓ Superior bonding
- ✓ No nails, compound or spray glue required
- ✓ Easy to cut
- ✓ Won't rust or crack
- ✓ Lightweight for easy handling
- ✓ Impact resistant




### AQUABEAD 5/8" L- TRIM

**Description**  
AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

- Applications**
- Window Returns
  - Door Enclosures
  - Drop Ceilings
  - Protective Edging

- Features/Benefits**
- Water activated adhesive
  - Simple to apply
  - Won't rust or crack
  - Impact resistant
  - Pre-cut to standard lengths

**Product Details**  
10' (3 m) lengths  
Custom lengths available  
50 sticks per box




### AQUABEAD BULLNOSE

**Description**  
AQUABEAD BULLNOSE corners allow you to create a more stylish professional looking corner.

- Applications**
- Outside corners

- Features/Benefits**
- Water activated adhesive
  - Simple to apply
  - Won't rust or crack
  - Impact resistant
  - Pre-cut to standard lengths

**Product Details**  
8', 9', 10', stick lengths  
(2.4 m, 2.7 m, 3 m)  
50 sticks per box




### AQUABEAD TRIM

**Description**  
AQUABEAD TRIM, with the beadless nose, offers a durable no-mess outside corner in less time.

- Applications**
- 90° outside corners

- Features/Benefits**
- Water activated adhesive
  - Simple to apply
  - Won't rust or crack
  - Impact resistant
  - Pre-cut to standard lengths

**Product Details**  
8', 9', 10', 12' stick lengths  
(2.4 m, 2.7 m, 3 m, 3.7 m)  
50 sticks per box



### LEVELLINE Flexible Corner

LEVELLINE flexible rolls are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



#### LEVELLINE FLEXIBLE CORNER

##### Description

LEVELLINE FLEXIBLE CORNER flexes to any inside or outside corner angle, making finishing fast and easy. Narrower flange width is ideal for shorter off-angle spans.

##### Applications


- Short runs of less than 10' (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

##### Features/Benefits

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing

##### Product Details

2.75" wide x 100' roll  
(7 cm x 30.5 m)  
10 rolls per carton



### LEVELLINE Outside 90 Stick

LEVELLINE Outside 90 sticks are easy-to-install and deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.



#### LEVELLINE OUTSIDE 90

##### Description

A brand new addition to our Levelline family, LEVELLINE Outside 90 corners are easy to handle and install, better than metal – no memory, less waste, less dents, no rust – creating crisp, straight corners.

##### Applications


- 90° outside corners

##### Features/Benefits

- Pre-cut to standard lengths
- Fast and efficient installs

##### Product Details

8', 9', 10', stick lengths  
(2.4 m, 2.7 m, 3 m)  
50 sticks per box




CertainTeed offers a complete drywall corner system for all profiles and applications. Please refer to the matrix below for recommended applications.

Corner Application Matrix	Off Angles	Inside Corners	Outside Corners	Archways	Industrial Applications	Large Gaps	Vaults, Soffits	Window Returns, Door Jambs, Drop Ceilings, etc.	Long Spans Over 10' (3 m)	Short Spans Under 10' (3 m)
<b>NO-COAT</b>										
Flexible Corner 325	■	■	■			■	■			■
Flexible Corner 450	■	■	■		■	■	■		■	
Inside 90	■	■								
Outside 90	■		■							
L-Trim – 1/2", 5/8"					■			■		
Bullnose – 3/8", 3/4"			■		■					
Arch – Outside 90 3/4" Bullnose			■	■						
Zooma-Flex Corner	■	■	■		■	■	■		■	
<b>AQUABEAD</b>										
Outside 90	■		■							
L-Trim – 1/2", 5/8"							■			
Bullnose – 3/8", 3/4"			■							
Outside 90 Trim	■		■							
<b>LEVELLINE</b>										
Flexible Corner	■	■	■			■	■			■
Outside 90			■							



## CERTAINTEED DOUBLE BARREL HOPPER

The Double Barrel Hopper is set up for all angles, all the time. Install off-angles, inside and outside 90s or bullnose, in record time. No time-consuming adjustments or extra hardware necessary.



### DOUBLE BARREL HOPPER

#### Description

CertainTeed has perfected this standard industry tool to accommodate all inside and outside angles without time-consuming part changeovers and reconfiguration.

#### Applications

- NO-COAT inside, outside, and bullnose corners
- Flexible Corner 450 and 325

#### Features/Benefits

- Eliminates part changes or reconfiguration – handles both inside and outside angles
- Ensures a uniform and high-speed installation
- Single piece gates with ergonomic hand knob allow for fast and easy adjustments

#### Product Details


- High density polyurethane tank and gate controllers
- Stainless steel reservoir trough and gates



High density polyurethane tank

High density polyurethane gate controllers

Heavy duty stainless steel construction



Stainless steel gates accommodate off-angles, inside 90s, bullnose, and outside 90s



# CERTAINTEED ROLLERS

CertainTeed rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Installations are faster and easier, delivering bottom-line savings on labor and mud.

## OUTSIDE 90 ROLLER

### Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

### Applications

- NO-COAT Outside 90 corners

### Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable. Stainless steel components provide extreme corrosion resistance

### Product Details

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



## BULLNOSE ROLLER

### Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

### Applications

- NO-COAT 3/8" and 3/4" BULLNOSE corners

### Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable. Stainless steel components provide extreme corrosion resistance

### Product Details

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



## INSIDE 90 ROLLER

### Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

### Applications

- NO-COAT and AquaBead Inside 90 corners and Flexible 325 off angles

### Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable. Stainless steel components provide extreme corrosion resistance

### Product Details

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



## ONE-SIDED ROLLER

### Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

### Applications

- NO-COAT and AquaBead L-TRIM corners and Flexible off angles

### Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable. Stainless steel components provide extreme corrosion resistance

### Product Details

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



## AQUABEAD OUTSIDE 90 ROLLER

### Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

### Applications

- AquaBead Outside 90 corners

### Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

### Product Details

- Pliable red 90° roller wheels



## AQUABEAD BULLNOSE ROLLER

### Description

CertainTeed rollers and applicators allow for high speed installations and flawless results

### Applications

- AquaBead Bullnose corners

### Features/Benefits

- Ensures high speed, accurate installations
- Squeezes out excess mud
- Taper matches exact corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

### Product Details

- Pliable blue roller wheels



# MARCO® SPARK•PERF® DRYWALL JOINT TAPE

## MARCO® SPARK•PERF®

A quality tape designed for use with joint compound to prevent cracking and to reinforce gypsum board joints and corners. Designed for banjo-style taping machines, automatic taping systems as well as for hand taping. Spark perforations eliminate bubbles without sacrificing strength.



### Marco Spark•Perf 75', 250' and 500'

#### Description

Quality tape designed for use with joint compound to reinforce gypsum board joints and corners in all drywall applications

#### Applications

- Vertical off angle applications, stand ups
- 90° inside/outside corners

#### Features/Benefits


- Spark-perforated for easy pass-through of air, eliminating air bubbles
- Machine roughed for superior bonding and holding power.
- Precision-matched center-crease for easy and accurate corner applications.
- Added tensile strength to help prevent tearing, wrinkling or stretching

#### Product Details

75' – 2.0625" wide x 75' roll  
(23 m – 5.2 cm x 23 m)  
20 rolls per carton

250' – 2.0625" wide x 250' roll  
(76 m – 5.2 cm x 76 m)  
20 rolls per carton

500' – 2.0625" wide x 500' roll  
(153 m – 5.2 cm x 153 m)  
10 rolls per carton



### Marco Spark•Perf #94

#### Description

Heavy weight, quality tape designed for use with joint compound to reinforce gypsum board joints and corners in all drywall applications

#### Applications


- Vertical off angle applications, stand ups
- 90° inside/outside corners

#### Features/Benefits

- Meets ASTM C475
- Spark-perforated for easy pass-through of air, eliminating air bubbles
- Machine roughed for superior bonding and holding power.
- Precision-matched center-crease for easy and accurate corner applications.
- Added tensile strength to help prevent tearing, wrinkling or stretching

#### Product Details

500' – 2.0625" wide x 500' roll  
(153 m – 5.2 cm x 153 m)  
10 rolls per carton



**FIBAFUSE®**

Revolutionary Paperless Drywall Tape. Designed for professional renovators and remodelers, FibaFuse is a mold-resistant glass mat drywall tape that is ideal for high-humidity and moisture-prone applications.



**FIBAFUSE TAPE**

**Description**

FibaFuse's open fiber structure allows the joint compound to penetrate the tape, creating a strong bond that dramatically reduces the potential for cracks.

**Applications**

- Joints and corners

**Features/Benefits**

- Mold-resistant
- Open fiber design fuses with compound to create stronger joints
- Pre-creased with a smooth finish
- Crack-resistant – superior to paper tape

**Product Details**

75' – 2.0625" wide x 75' roll  
(23 m – 5.2 cm x 23 m)  
20 rolls per carton

250' – 2.0625" wide x 250' roll  
(76.2 m – 5.2 cm x 76.2 m)  
20 rolls per carton

500' – 2.0625" wide x 500' roll  
(152.4 m – 5.2 cm x 152.4 m)  
10 rolls per carton

**FibaFuse is easy to work with.**

FibaFuse is easy to cut and designed to retain its folds, making it efficient to install by hand on joints and in corners. Super tapers, banjos and automatic tapers also work well in applying FibaFuse and compound to seams. FibaFuse is porous, allowing the joint compound to become part of the tape for a stronger bond and reducing the possibility of loose tape and air bubbles.

**FibaFuse is a superior option to paper tape for demanding applications.**

**FibaFuse is mold resistant.**

Testing concludes that FibaFuse scores a perfect "10" rating on ASTM D3273 mold test.

**FibaFuse is lighter than paper tape.**

A 500' (152.4 m) roll of FibaFuse is 62% lighter than an equivalent roll of paper tape.

**FibaFuse is stronger than paper tape.**

24 hours after applying a second coat of compound, FibaFuse's crack strength is 76% stronger than paper tape.

FibaFuse's open fiber structure allows the joint compound to penetrate the tape, creating a strong bond that dramatically reduces the potential for cracks.



FibaFuse (500x magnification)  
Paper Tape (250x magnification)

Combine CertainTeed innovative gypsum products to create systems that give your living areas the ultimate in durability, health, performance and appearance.

## **NO-COAT**

Mud applied, extra tough drywall corners that withstand severe impacts and settling. Won't blister, bubble or edge crack.



## **AquaBead**

Easy-to-apply, water activated, self-adhesive drywall corner that won't blister, bubble or edge crack.



## **LEVELLINE**

Flexible corner rolls that are ideal for off-angles. Memory-Free Hinge adjusts to any angle, eliminates pre-creasing, and pre-measuring.



## **MARCO<sup>®</sup> SPARK·PERF<sup>®</sup>**

Designed to prevent cracking and reinforce gypsum board joints and corners. Spark perforations eliminate bubbles without sacrificing strength.



## **FibaFuse**

Mold-resistant glass mat drywall tape that is ideal for high-humidity and moisture-prone applications.



Ensure rooms that are subject to repeated wear and tear are as abuse-proof as possible. Maximize the quality and durability of ceilings and walls in playrooms, schools, hospitals and commercial buildings by combining the enhanced durability of AirRenew® Extreme and Habito™ with the strength and performance of NO-COAT® and AquaBead® corner products.



## silentFX® QuickCut™

Specially formulated noise-reducing drywall that lets you slash sound without complex techniques.

## Habito™

An innovative, high-density formulation makes Habito stronger than standard drywall. Habito even improves acoustic performance.

## M2TECH™

M2Tech gypsum board is engineered for enhanced moisture and mold protection. Handles and finishes the same as standard paper-faced gypsum board.

## AirRenew® Essential

AirRenew® is the only drywall that removes formaldehyde from indoor air, improving air quality. Ideal for where mold and moisture resistance is not required. For moisture and mold protection, spec AirRenew M2Tech.

*“We’ve saved an incredible amount of time installing NO-COAT verses stapling on plastic corner bead. We saved over 30% on mud per floor and over 50% on labor costs – it’s awesome.”*

Kevin Kreig, Acoustic Ceilings & Partitions, MI

*“We’ve noticed big mud savings so far plus we don’t need any glue, staples or mesh tape. Now we aren’t getting any splitting, cracking or dents like when we used vinyl or metal trim.”*

Shawn Conlin, Clayco Inc., UT

*“I’ve never run bead with a box like this, it’s unbelievable. I don’t box on metal or plastic bead - it takes too much mud and the box runs out so fast. NO-COAT is smooth and consistent and uses so much less mud. I’m done in half the time it would have taken with metal or plastic bead.”*

Terry Roberts, Finisher ACP Ann Arbor, MI

*“Boxing with NO-COAT is so much faster, and easier on your body. It bonds tight and won’t pop. I can knock-out five NO-COAT corners compared to one with metal bead. Your production speed increases phenomenally.”*

Charles Lee, Barton Mallow Interiors, MI

**BOX IT FOR FASTER FINISHING.**



**INSTALLS IN RECORD TIME.**





**INCREASE PRODUCTION.**

**JUST MUD IT AND ROLL IT ON.**

*“I was very shocked, we’re saving 50% of mud per floor and 20% on labor per floor. And as we have used it more, we are saving even more time and money. We saved \$90,000. on one tower job alone. I would have never believed it.”*

Duke Gross, Taping Superintendent, Ford Contracting Las Vegas, Nevada

*“The new Double Barrel Hopper system is so much faster. Two of us put on 650 sticks of NO-COAT trim in 6 1/2 hours. You don’t have to change attachments. It just blew me away.”*

Todd Soucie, Taper Foreman, Troy Metal Concepts Fox Run Wixom, Michigan

*“NO-COAT went on so fast, I got done in 1 1/2 days what would have taken four days with metal bead. And boxing NO-COAT speeds the finishing process so much.”*

Hector Valdez, KHS&S, NV

*“No matter what we used or did, we always had cracking and we had a 80% callback rate. It was a fact of business. We switched to NO-COAT and 200 houses later, our callback rate is zero. The builder is happy because he knows he is never going to have to call us back for damaged corners.”*

Zach Jarvis, Owner ZDJ Drywall, LLC Ogden, Utah



CertainTeed



**THIRD ARM QUOTES** is an app designed specifically for the drywall contractor. Generate accurate material lists and quotes on the fly.


- Generate material lists and quotes instantly, no need to go back to the office
- Completely customizable
- Quickly and easily create appointments. Fields can be automatically prepopulated with job details
- Email your material list directly to your supplier from within the app
- Email quotes without leaving the job site
- Price twice as many jobs in the same amount of time. The more jobs you price, the more jobs you will win.

**Price more. Win more!**

**CertainTeed**  
SAINT-GOBAIN  
Gypsum



**Don't forget to check out our Contractors App.**



Use of the App does not mean that the user will gain business or achieve a particular level of gain or loss of business.



**ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:**

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE  
GYPSUM • CEILINGS • INSULATION

[www.certainteed.com](http://www.certainteed.com)    <http://blog.certainteed.com>

CertainTeed Corporation  
20 Moores Road  
Malvern, PA 19355

Professional: 800-233-8990  
Consumer: 800-782-8777

© 07-2016 CertainTeed Gypsum Canada, Inc.  
Printed in Canada on recycled paper. CTG-4134

