



The NO-COAT® Structural Laminate (SLAM®) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

**SLAM Technology – A Breakthrough in Drywall Corner Finishing**

NO-COAT corners incorporate a tapered structural laminate design that consists of three key components:

1. Tapered copolymer core capable of withstanding severe impacts.
2. Joint tape that permanently bonds the corner to drywall with Taping or All-Purpose joint compound.
3. Formulated surface paper that eliminates cracks, chips and peels. Accepts any finish, resists abrasion.

**NO-COAT SAVES LABOR**

- Reduces installation time significantly
- Rolls and pre-cut lengths allow for fast application

**A Radical Departure from Corner Bead**

For more than 80 years, drywall contractors have reached for corner bead because it has been the only option available – not because it’s the best product. Improvements such as plastic or paper faced metal are still based on a flawed bead design that create more problems than they solve. Beads are notorious in the industry for causing costly callbacks from denting, chipping, rusting, cracking and peeling. In addition, beads require excessive mud application that costs contractors time and money.

**An Innovative Solution**

NO-COAT structural laminate corners abandon corner bead design entirely. Instead, the SLAM design integrates new technologies and materials like dimensionally extruded copolymer plastic and formulated saturated paper. The result is a corner system that outperforms all others in the market.

**SLAM Technology integrates THREE KEY COMPONENTS providing the durability, flexibility, and strength that won’t crack under pressure.**

**TAPERED HIGH STRENGTH COPOLYMER CORE** withstands severe impacts. Won’t rust. Requires less mud.

1.

3.

**FORMULATED SURFACE PAPER** eliminates cracks, chips and peels, resists abrasion, and accepts any finish.

2.

**JOINT TAPE** permanently bonds corner to drywall with All Purpose mud.

# TECHNOLOGIES AND MATERIALS THAT OUTPERFORM ALL OTHERS.




## The NO-COAT® Structural Laminate Drywall Corner System

### FLEXIBLE CORNERS

These flexible roll products are ideal for off-angle applications, both short and long runs, long columns and soffits. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325  
FLEXIBLE CORNER 450  
ZOOMA-FLEX Corner



### STICKS

Pre-cut stick lengths withstand severe impacts, settling and seismic movements without cracking, denting, chipping or peeling. Easy to install lengths deliver perfect corners in record time.


INSIDE 90  
OUTSIDE 90  
L-TRIM – 1/2", 5/8"  
BULLNOSE - 3/8", 3/4"



### ARCH

ARCH tape-on arches have notched flanges that flex and conform to any arch. Stiff profile fine-tunes poor framing and creates a perfectly smooth, round curve.

BULLNOSE 3/4"  
OUTSIDE 90




### TOOLS

Rollers and applicators allow for high speed installations and flawless results.



ROLLERS – Inside and Outside 90, Bullnose, and One-Sided (L-Trim)

DOUBLE BARREL HOPPER – Install off-angles, inside and outside 90s or bullnose, in record time.



NO-COAT ZOOMA-FLEX 100 –  
Uses ZOOMA-FLEX CORNER to produce ready-to-install corners with joint compound applied and cut to any length.



## NO-COAT STICKS

NO-COAT mud applied, easy-to-install stick lengths deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.



### NO-COAT INSIDE 90

#### Description

NO-COAT INSIDE 90 corners make joint tape a thing of the past. Use the CertainTeed DOUBLE BARREL HOPPER and an INSIDE 90 Roller to ensure high speed installs and the best results.

#### Applications


- 90° inside corners

#### Features/Benefits

- Pre-cut to standard lengths so installations are fast and efficient
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

#### Product Details

8', 9', 10', stick lengths  
(2.4 m, 2.7 m, 3 m)  
50 sticks  
per box



### NO-COAT OUTSIDE 90

#### Description

One of our best selling products, NO-COAT OUTSIDE 90 corners are made with our patented SLAM design. These corners deliver strength, durability, and guaranteed perfect results for all vertical outside corner applications.

#### Applications


- 90° outside corners

#### Features/Benefits

- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks.

#### Product Details

8', 9', 10', 12' stick lengths  
(2.4 m, 2.7 m, 3 m, 3.7 m)  
50 sticks per box



### NO-COAT 1/2" L-TRIM

#### Description

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

#### Applications


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

#### Features/Benefits

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

#### Product Details

10' (3 m) lengths  
Custom lengths available  
50 sticks per box



### NO-COAT 5/8" L-TRIM

#### Description

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

#### Applications


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

#### Features/Benefits

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

#### Product Details

10' (3 m) lengths  
Custom lengths available  
50 sticks per box





### NO-COAT 3/8" BULLNOSE

#### Description

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

#### Applications


- 90° outside corners

#### Features/Benefits

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m)  
50 sticks per box



### NO-COAT 3/4" BULLNOSE

#### Description

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

#### Applications


- 90° outside corners

#### Features/Benefits

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m)  
50 sticks per box



## Flexible Corners

NO-COAT® flex roll products are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



### FLEXIBLE CORNER 325

#### Description

NO-COAT FLEXIBLE CORNER 325 offers the same durability and strength as FLEXIBLE CORNER 450, with a narrower flange width that makes it ideal for shorter off-angle spans.

#### Applications


- Short runs of less than 10 ft (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

#### Features/Benefits

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

3.25" wide x 100' roll (8.3 cm x 30.5 m)  
10 rolls per carton



### FLEXIBLE CORNER 450

#### Description

The world's #1 flex product has earned the reputation for delivering perfectly straight lines for challenging off-angles and long spans, while withstanding settling, shrinking lumber, seismic movements and temperature variations.

#### Applications

- Long peaks (spans > 10 ft [3 m])
- Vaulted, cathedral, tray ceilings
- Inside/outside corners of any length

#### Features/Benefits

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

4.5" wide x 100' roll (11.4 cm x 30.5 m)  
10 rolls per carton



## NO-COAT ARCH

Install perfect archways in minutes without the hassle of glues, staples and extra coats of mud. Arch tape-on arches have notched flanges that flex and conform to any arch, and a stiff profile that fine-tunes poor framing and creates a perfectly smooth, round curve.



### NO-COAT ARCH 3/4" BULLNOSE

#### Description

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

#### Applications


- 90° bullnose archways

#### Features/Benefits

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- Self-forming, ridgeless design
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

10' (3 m) lengths  
Custom lengths available  
10 sticks per box



### NO-COAT ARCH OUTSIDE 90

#### Description

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

#### Applications



- 90° outside archways

#### Features/Benefits

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

10' (3 m) lengths  
Custom lengths available  
10 sticks per box



The only self-forming ridgeless design available, provides perfect, smooth arches every time!

## ZOOMA-FLEX CORNER

NO-COAT® ZOOMA-FLEX CORNER flexible roll product is ideal for production work, long columns and soffits. When used with the ZOOMA-FLEX 100 machine, production time is dramatically reduced, and waste is virtually eliminated.



### ZOOMA-FLEX CORNERS

#### Description

ZOOMA-FLEX CORNER offers the same durability and strength as Flexible Corner.

#### Applications


- Outside 90 degree corners
- Long spans of any angle

#### Features/Benefits

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

#### Product Details

3.75" wide x 250' roll  
(9.5 cm x 76.2 m)



## ZOOMA-FLEX 100

The new NO-COAT® ZOOMA-FLEX 100 machine is the first and only automated system for custom cutting corners of any length or angle. Its lightweight portability makes it easy to move on the jobsite. Used in conjunction with ZOOMA-FLEX CORNERS, it is simply the fastest and most efficient cornering system available.



### ZOOMA-FLEX 100

#### Description

The new ZOOMA-FLEX 100 uses ZOOMA-FLEX CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

#### Applications

- Outside 90 degree corners
- Long spans of any angle

#### Features/Benefits

- Portable size is light-weight and easy to maneuver
- Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll
- Easy-to-use keypad simplifies operation and stores custom measurements
- 5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage





**AUTOMATED CORNER**

# REVOLUTIONIZING THE DRYWALL INDUSTRY. ONE CORNER AT A TIME.



## NO-COAT ZOOMA-FLEX 100

The new ZOOMA-FLEX 100 uses ZOOMA-FLEX CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll.

Easy-to-use keypad simplifies operation and stores custom measurements



5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage




Powered by convenient 100 volts

Portable size is light-weight and easy to maneuver



INSIDE 90



OUTSIDE 90



OFF-ANGLES