

Thread and Drill Point Lengths


Interior Wood	02
Exterior Wood	08
Light-Gauge Steel	17
Heavy-Gauge Steel	28


Thread Length


Interior Wood

GRABBER®
CONSTRUCTION PRODUCTS


Interior Wood: PS1001


Item No.		
3EL		
3ELZ		
Screw Length: 3 in.		Thread Length: 1 1/2 in.


Item No.		
4EL		
4ELZ		
Screw Length: 4 in.		Thread Length: 1 1/2 in.


Item No.		
5EL		
5ELZ		
Screw Length: 5 in.		Thread Length: 1 1/2 in.


Interior Wood: PS1003


Item No.		
100		
100Z		
100YZ		
Screw Length: 1 in.		Thread Length: 13/16 in.

Item No.		
200		
200YZ		
Screw Length: 1 1/8 in.		Thread Length: 15/16 in.

Item No.		
300		
300HP		
C300		
300Z		
300YZ		
C300YZ		
Screw Length: 1 1/4 in.		Thread Length: 1 1/16 in.

Item No.		
40012		
Screw Length: 1 1/2 in.		Thread Length: 15/16 in.


Item No.		
400		
C400		
400Z		
400YZ		
C400YZ		
Screw Length: 1 5/8 in.		Thread Length: 1 7/16 in.


Item No.		
C375		
375YZ		
Screw Length: 1 3/4 in.		Thread Length: 1 3/16 in.


Thread Length

Interior Wood


Interior Wood: PS1003 (continued)


Item No.	
500	
C500	
500Z	
500YZ	
Screw Length: 2 in. Thread Length: 1 13/16 in.	


Item No.	
600	
600YZ	
Screw Length: 2 1/4 in.	
Thread Length: 2 in.	

Item No.	
900	
900Z	
900YZ	
Screw Length: 2 1/2 in. Thread Length: 2 in.	

Item No.	
C900	
Screw Length: 2 1/2 in. Upper Thread Length: 3/16 in.	
Lower Thread Length: 2 in. Unthreaded Length: 3/16 in.	


Item No.		
1100		
1100Z		
1100YZ		
Screw Length: 3 in.		Thread Length: 2 in.

Item No.		
1200		
1200Z		
1200YZ		
Screw Length: 3 1/2 in.		Thread Length: 2 in.

Item No.		
1300		
1300Z		
1300YZ		
Screw Length: 4 in.		Thread Length: 2 in.

Item No.	
1300F	
Screw Length: 4 in. Thread Length: 3 3/4 in.	

Interior Wood: PS1016

Item No.	
12	
C12	
12Z	
Screw Length: 1 1/2 in.	
Thread Length: 1 5/16 in.	


Item No.	
12-2	
Screw Length: 2 in. Thread Length: 1 13/16 in.	


Thread Length


Interior Wood


GRABBER®
CONSTRUCTION PRODUCTS


Interior Wood: PS1020


Item No.	
78100Z	
Screw Length: 1 in. Thread Length: 11/16 in.	


Item No.	
78118YZ	
Screw Length: 1 1/8 in. Thread Length: 3/4 in.	


Item No.			
78125Z			
78125YZ			
Screw Length: 1 1/4 in.		Thread Length: 13/16 in.	


Item No.	
78150Z	
78150YZ	
WL8150YZ	
Screw Length: 1 1/2 in.	
Thread Length: 1 in.	


Item No.		
78175Z		
78175YZ		
W8175YZ		
Screw Length: 1 3/4 in.		Thread Length: 1 3/16 in.


Item No.	
78200Z	
78200YZ	
WL8200YZ	
Screw Length: 2 in.	
Thread Length: 1 3/8 in.	


Item No.		
782508Z		
78250Z		
782508YZ		
78250YZ		
Screw Length: 2 1/2 in.		Thread Length: 1 11/16 in.

Item No.	
783008Z	
78300Z	
7830010YZ	
783008YZ	
78300YZ	
Screw Length: 3 in.	
Thread Length: 2 in.	

Item No.	
78350YZ	
Screw Length: 3 1/2 in. Thread Length: 2 3/8 in.	

Item No.		
78400Z		
78400YZ		
WL10400YZ		
Screw Length: 4 in.		Thread Length: 2 11/16 in.

Item No.	
78500YZ	
Screw Length: 5 in. Thread Length: 2 in.	


Item No.	
78600YZ	
Screw Length: 6 in. Thread Length: 2 in.	


Thread Length


Interior Wood


GRABBER®
CONSTRUCTION PRODUCTS


Interior Wood: PS1020 (continued)

Item No.		
C8175L3YZ		
Screw Length: 1 3/4 in.	Upper Thread Length: 3/16 in.	
Lower Thread Length: 1 1/16 in.	Unthreaded Length: 5/16 in.	


Item No.		
C8250SFJBW		
Screw Length: 2 1/2 in.	Upper Thread Length: 1/4 in.	
Lower Thread Length: 1 11/16 in.	Unthreaded Length: 7/16 in.	


Item No.		
C8200L3YZ		
Screw Length: 2 in.	Upper Thread Length: 3/16 in.	
Lower Thread Length: 1 5/16 in.	Unthreaded Length: 5/16 in.	

Item No.		
C8300L3YZ		
Screw Length: 3 in.	Upper Thread Length: 3/16 in.	
Lower Thread Length: 2 1/16 in.	Unthreaded Length: 1/2 in.	

Item No.		
C8250L3YZ		
Screw Length: 2 1/2 in.	Upper Thread Length: 3/16 in.	
Lower Thread Length: 1 11/16 in.	Unthreaded Length: 7/16 in.	

Interior Wood: PS1026

Item No.		
90		
902Q		
902QCT		
Screw Length: 1 1/2 in.	Thread Length: 7/8 in.	

Item No.		
90-4		
902Q4		
Screw Length: 1 1/4 in.	Thread Length: 7/8 in.	

Thread Length

Interior Wood

GRABBER
CONSTRUCTION PRODUCTS

Interior Wood: PS1028

Item No.	
108	
Screw Length: 1 in. Thread Length: 13/16 in.	

Item No.	
408	
C408	
Screw Length: 1 5/8 in. Thread Length: 1 7/16 in.	

Item No.	
308	
C308	
Screw Length: 1 1/4 in. Thread Length: 1 1/16 in.	

Item No.	
508	
Screw Length: 2 in. Thread Length: 1 13/16 in.	

Interior Wood: PS1031

Item No.	
U8125YZ	
Screw Length: 1 1/4 in. Upper Thread Length: 3/16 in.	
Lower Thread Length: 13/16 in. Unthreaded Length: 1/16 in.	

Item No.	
U8200YZ	
Screw Length: 2 in. Upper Thread Length: 7/16 in.	
Lower Thread Length: 1 1/4 in. Unthreaded Length: 1/8 in.	


Item No.	
U8150YZ	
Screw Length: 1 1/2 in. Upper Thread Length: 3/16 in.	
Lower Thread Length: 1 1/16 in. Unthreaded Length: 1/16 in.	


Item No.	
U9250YZ	
Screw Length: 2 1/2 in. Upper Thread Length: 7/16 in.	
Lower Thread Length: 1 5/8 in. Unthreaded Length: 1/4 in.	


Thread Length
Interior Wood



Interior Wood: PS1031 (continued)

Item No.		
U10300YZ		
Screw Length: 3 in.	Upper Thread Length: 7/16 in.	
Lower Thread Length: 1 15/16 in.	Unthreaded Length: 3/8 in.	

Item No.		
U10350YZ		
Screw Length: 3 1/2 in.	Upper Thread Length: 7/16 in.	
Lower Thread Length: 1 13/16 in.	Unthreaded Length: 1 1/16 in.	


Item No.		
U10400YZ		
Screw Length: 4 in.	Upper Thread Length: 7/16 in.	
Lower Thread Length: 2 1/16 in.	Unthreaded Length: 1 5/16 in.	


Thread Length

Exterior Wood




Exterior Wood: PS1019

Item No.	
9212G	
BCDS212G2	
9212R	
9212B	
BCDS212B	
9212T	
Screw Length: 2 1/2 in.	
Upper Thread Length: 1/2 in.	
Lower Thread Length: 1 3/4 in.	

Item No.		
GCDS234B		
GTCDS234B		
Screw Length: 2 3/4 in.		Upper Thread Length: 1/2 in.
Lower Thread Length: 2 in.		


Exterior Wood: PS1022


Item No.		
12RG		
Screw Length: 1 1/2 in.		
Thread Length: 1 5/16 in.		


Thread Length


Exterior Wood


Exterior Wood: PS1032

Item No.		
GTSTTR158		
GTPHTR158W		
Screw Length: 1 5/8 in.		Thread Length: 7/8 in.

Item No.		
GT7158G		
Screw Length: 1 5/8 in.		Thread Length: 1 in.

Item No.		
GT7225G		
GTPHTR225W		
GTSTTR225		
Screw Length: 2 1/4 in.		Thread Length: 1 1/8 in.

Item No.		
GTSTTR300		
Screw Length: 3 in.		Thread Length: 1 3/8 in.


Item No.		
GT8300G		
Screw Length: 3 in.		Thread Length: 1 1/2 in.


Thread Length


Exterior Wood


GRABBER®
CONSTRUCTION PRODUCTS


Exterior Wood: PS1037


Item No.	
GLM212	
Screw Length: 2 1/2 in.	Thread Length: 1 1/4 in.


Item No.	
GLM300	
Screw Length: 3 in.	Thread Length: 1 7/16 in.

Item No.	
GLM312	
Screw Length: 3 1/2 in.	Thread Length: 1 13/16 in.


Item No.	
GLM400	
Screw Length: 4 in.	Thread Length: 1 15/16 in.

Item No.	
GLM412	
Screw Length: 4 1/2 in.	Thread Length: 2 1/2 in.

Item No.	
GLM500	
Screw Length: 5 in.	Thread Length: 2 1/2 in.

Item No.	
GLM600	
Screw Length: 6 in.	Thread Length: 2 15/16 in.

Exterior Wood: PS1051


Item No.	
100RG	
Screw Length: 1 in.	Thread Length: 13/16 in.


Thread Length


Exterior Wood


GRABBER®
CONSTRUCTION PRODUCTS


Exterior Wood: PS1051 (continued)


Item No.	
200RG	
Screw Length: 1 1/8 in. Thread Length: 15/16 in.	


Item No.	
300RG	
C300RG	
300RRG	
8300SS305	
Screw Length: 1 1/4 in.	
Thread Length: 1 1/16 in.	


Item No.			
400RG			
C400RG			
C400RRG			
Screw Length: 1 5/8 in.		Thread Length: 1 7/16 in.	

Item No.	
500RG	
C500RG	
500RRG	
C500RRG	
Screw Length: 2 in.	
Thread Length: 1 13/16 in.	

Item No.	
600RG	
Screw Length: 2 1/4 in. Thread Length: 2 in.	

Item No.	
10250SSQ	
Screw Length: 2 1/2 in. Thread Length: 1 11/16 in.	

Item No.		
900RG		
900RRG		
Screw Length: 2 1/2 in.		Thread Length: 2 in.


Item No.	
C900RG	
Screw Length: 2 1/2 in. Upper Thread Length: 3/16 in.	
Lower Thread Length: 2 in. Unthreaded Length: 3/16 in.	


Thread Length


Exterior Wood


GRABBER®
CONSTRUCTION PRODUCTS

Exterior Wood: PS1051 (continued)


Item No.		
1100RG		
1100RRG		
Screw Length: 3 in.		Thread Length: 2 in.


Item No.		
CB10300L316		
Screw Length: 3 in.		Upper Thread Length: 1/4 in.
Lower Thread Length: 2 in.		Unthreaded Length: 1/2 in.


Item No.		
1200RG		
1200RRG		
Screw Length: 3 1/2 in.		Thread Length: 2 in.


Item No.		
1300RG		
Screw Length: 4 in.		Thread Length: 2 in.


Exterior Wood: PS1053

Item No.		
78125BRG		
Screw Length: 1 1/4 in.		Thread Length: 13/16 in.

Item No.		
G6150G		
G6150GB		
78150BRG		
Screw Length: 1 1/2 in.		Thread Length: 1 in.

Item No.		
G6125G		
G6125GB		
Screw Length: 1 1/4 in.		Thread Length: 1 in.

Item No.		
GTST150		
Screw Length: 1 1/2 in.		Thread Length: 1 1/16 in.


Item No.		
GTST125		
Screw Length: 1 1/4 in.		Thread Length: 1 1/16 in.


Thread Length


Exterior Wood


GRABBER®
CONSTRUCTION PRODUCTS


Exterior Wood: PS1053 (continued)


Item No.	
C10158JBWG2	
Screw Length: 1 5/8 in. Thread Length: 1 7/16 in.	


Item No.	
G8225GB	
Screw Length: 2 1/4 in. Thread Length: 1 3/8 in.	


Item No.	
78175BRG	
Screw Length: 1 3/4 in. Thread Length: 1 3/16 in.	


Item No.		
G8250G		
G8250GB		
Screw Length: 2 1/2 in.		Thread Length: 1 1/4 in.

Item No.	
G7200G	
G7200GB	
Screw Length: 2 in.	
Thread Length: 1 1/4 in.	

Item No.	
GTST250	
GTST8250	
78250RG	
WL9250RG	
WL9250RGR	
782508BRG	
Screw Length: 2 1/2 in. Thread Length: 1 11/16 in.	

Item No.	
78200RG	
WL8200RG	
78200BRG	
GTST200	
Screw Length: 2 in.	
Thread Length: 1 3/8 in.	

Item No.	
C8250L2M	
Screw Length: 2 1/2 in. Upper Thread Length: 1/2 in.	
Lower Thread Length: 1 1/2 in. Unthreaded Length: 3/8 in.	


Item No.	
C8200L2M	
Screw Length: 2 in. Thread Length: 1 13/16 in.	


Thread Length

Exterior Wood

GRABBER
CONSTRUCTION PRODUCTS


Exterior Wood: PS1053 (continued)

Item No.	
G8300G	
G9300G	
G8300GB	
G9300GB	
Screw Length: 3 in.	
Thread Length: 1 1/2 in.	


Item No.	
GTST300	
78300RG	
WL9300RG	
783008GRG	
783008BRG	
Screw Length: 3 in.	
Thread Length: 2 in.	

Item No.	
C9300L2M	
Screw Length: 3 in. Upper Thread Length: 1/2 in.	
Lower Thread Length: 1 1/2 in. Unthreaded Length: 7/8 in.	


Item No.	
C8300TXG2	
Screw Length: 3 in. Upper Thread Length: 3/16 in.	
Lower Thread Length: 2 3/16 in. Unthreaded Length: 3/8 in.	

Item No.		
G10350G		
G10350GB		
Screw Length: 3 1/2 in.		Thread Length: 1 3/4 in.

Item No.	
GTST350	
Screw Length: 3 1/2 in. Thread Length: 2 5/16 in.	

Item No.		
78350RG		
78350BRG		
Screw Length: 3 1/2 in.		Thread Length: 2 3/8 in.

Item No.		
G10400G		
G10400GB		
Screw Length: 4 in.		Thread Length: 2 in.

Item No.	
GTST400	
78400RG	
W10400RG	
78400BRG	
Screw Length: 4 in.	
Thread Length: 2 11/16 in.	


Thread Length

Exterior Wood


GRABBER®
CONSTRUCTION PRODUCTS


Exterior Wood: PS1053 (continued)


Item No.		
G10500G		
G10500GB		
78500BRG		
Screw Length: 5 in.		Thread Length: 2 in.


Item No.	
78600RG	
Screw Length: 6 in. Thread Length: 2 in.	

Exterior Wood: PS1059

Item No.	
U8150G	
Screw Length: 1 1/2 in. Upper Thread Length: 3/16 in.	
Lower Thread Length: 1 1/16 in. Unthreaded Length: 1/16 in.	

Item No.	
U9250G	
Screw Length: 2 1/2 in. Upper Thread Length: 7/16 in.	
Lower Thread Length: 1 5/8 in. Unthreaded Length: 1/4 in.	

Item No.	
U8200G	
Screw Length: 2 in. Upper Thread Length: 7/16 in.	
Lower Thread Length: 1 1/4 in. Unthreaded Length: 1/8 in.	


Item No.	
U10300G	
Screw Length: 3 in. Upper Thread Length: 7/16 in.	
Lower Thread Length: 1 15/16 in. Unthreaded Length: 3/8 in.	


Thread Length

Exterior Wood


GRABBER®
CONSTRUCTION PRODUCTS


Exterior Wood: PS1059 (continued)


Item No.		
U10350G		
Screw Length: 3 1/2 in.		Upper Thread Length: 7/16 in.
Lower Thread Length: 1 13/16 in.		Unthreaded Length: 1 1/16 in.

Item No.		
U10400G		
Screw Length: 4 in.		Upper Thread Length: 7/16 in.
Lower Thread Length: 2 1/16 in.		Unthreaded Length: 1 5/16 in.

Exterior Wood: PS1061

Item No.		
GTIE4		
Screw Length: 4 in.		Thread Length: 2 1/2 in.

Item No.		
GTIE8		
Screw Length: 8 in.		Thread Length: 2 1/2 in.

Item No.		
GTIE6		
Screw Length: 6 in.		Thread Length: 2 1/2 in.


Item No.		
GTIE10		
Screw Length: 10 in.		Thread Length: 2 1/2 in.


Thread Length


Light-Gauge Steel


GRABBER®
CONSTRUCTION PRODUCTS


Light-Gauge Steel: PS1017


Item No.	
168	
C168	
168Z	
C168Z	
Screw Length: 1 in.	
Thread Length: 13/16 in.	

Item No.		
268		
C268		
268Z		
Screw Length: 1 1/8 in.		Thread Length: 15/16 in.


Item No.	
368	
C368	
368YZ	
368Z	
Screw Length: 1 1/4 in.	
Thread Length: 1 1/8 in.	


Item No.		
468		
C468		
468Z		
Screw Length: 1 5/8 in.		Thread Length: 1 7/16 in.


Item No.		
568		
C568		
Screw Length: 1 3/4 in.		Thread Length: 1 9/16 in.


Item No.			
768			
C768			
768Z			
Screw Length: 2 in.		Thread Length: 1 13/16 in.	

Item No.	
868	
Screw Length: 2 1/4 in. Thread Length: 2 in.	

Item No.		
968		
968Z		
Screw Length: 2 1/2 in.		Thread Length: 2 in.

Item No.		
1168		
1168Z		
Screw Length: 3 in.		Thread Length: 2 in.

Item No.		
1268		
1268YZ		
Screw Length: 3 1/2 in.		Thread Length: 2 in.


Item No.		
1368		
1368YZ		
Screw Length: 4 in.		Thread Length: 2 in.


Thread Length


Light-Gauge Steel




Light-Gauge Steel: PS1017 (continued)


Item No.		
1468		
B10450LYZ		
Screw Length: 4 1/2 in.		Thread Length: 2 in.


Item No.		
1768		
1768YZ		
Screw Length: 6 in.		Thread Length: 2 in.


Item No.		
1568		
1568YZ		
Screw Length: 5 in.		Thread Length: 2 in.

Light-Gauge Steel: PS1018

Item No.		
368HL		
Screw Length: 1 1/4 in.		Thread Length: 1 1/8 in.

Item No.		
968HL		
Screw Length: 2 1/2 in.		Thread Length: 2 in.


Item No.		
768HL		
Screw Length: 2 in.		Thread Length: 1 13/16 in.

Item No.		
1168HL		
Screw Length: 3 in.		Thread Length: 2 in.

Thread Length

Light-Gauge Steel

Light-Gauge Steel: PS1021

Item No.	
CS8150L3YZ	
CS8150JBWYZ	
Screw Length: 1 1/2 in.	
Thread Length: 1 5/16 in.	

Item No.	
CS8200JBWYZ	
Screw Length: 2 in. Thread Length: 1 13/16 in.	

Item No.	
CS8250JBWYZ	
Screw Length: 2 1/2 in. Thread Length: 2 5/16 in.	

Item No.	
GPLY150	
Screw Length: 1 1/2 in. Upper Thread Length: 11/16 in.	
Lower Thread Length: 3/16 in. Unthreaded Length: 1/2 in.	

Item No.	
GPLY200	
Screw Length: 2 in. Upper Thread Length: 15/16 in.	
Lower Thread Length: 3/16 in. Unthreaded Length: 3/4 in.	


Item No.	
GPLY275	
Screw Length: 2 3/4 in. Upper Thread Length: 1 11/16 in.	
Lower Thread Length: 3/16 in. Unthreaded Length: 3/4 in.	


Thread Length


Light-Gauge Steel





Light-Gauge Steel: PS1023


Item No.	
SL03	
Screw Length: 1/2 in. Thread Length: 1/2 in.	

Item No.		
08100HSP		
10100HSP		
25100Z		
Screw Length: 1 in.		Thread Length: 1 in.


Item No.	
25SZ	
25SLZ	
25Z	
Screw Length: 9/16 in.	
Thread Length: 9/16 in.	


Item No.		
SL14		
25150Z		
Screw Length: 1 1/2 in.		Thread Length: 1 1/2 in.

Item No.		
08075HSP		
SL10		
Screw Length: 3/4 in.		Thread Length: 3/4 in.

Item No.		
08200HSP		
08200HSPW		
Screw Length: 2 in.		Thread Length: 2 in.

Light-Gauge Steel: PS1024

Item No.	
31V	
31ZV	
C31DV	
Screw Length: 9/16 in.	
Thread Length: 9/16 in.	


Item No.			
31Z			
Screw Length: 9/16 in.		Thread Length: 9/16 in.	


Thread Length


Light-Gauge Steel


GRABBER®
CONSTRUCTION PRODUCTS


Light-Gauge Steel: PS1024 (continued)


Item No.	
3119Z	
Screw Length: 3/4 in. Thread Length: 3/4 in.	


Item No.	
32Z	
Screw Length: 1 in. Thread Length: 1 in.	


Item No.	
33Z	
Screw Length: 1 1/4 in. Thread Length: 1 1/4 in.	

Item No.		
3138Z		
311038Z		
Screw Length: 1 1/2 in.		Thread Length: 1 5/16 in.

Item No.	
3140Z	
Screw Length: 1 5/8 in. Thread Length: 1 7/16 in.	

Item No.	
3151Z	
Screw Length: 2 in. Thread Length: 1 13/16 in.	

Item No.	
3163Z	
Screw Length: 2 1/2 in. Thread Length: 2 in.	


Item No.	
3176Z	
Screw Length: 3 in. Thread Length: 2 in.	


Thread Length


Light-Gauge Steel


GRABBER®
CONSTRUCTION PRODUCTS


Light-Gauge Steel: PS1025

Item No.		
23V		
23VZ		
C23V		
Screw Length: 7/16 in.		Thread Length: 7/16 in.


Item No.	
FLP101875SLYZ	
CFLP101875SLYZ	
Screw Length: 3/4 in.	
Thread Length: 3/4 in.	

Item No.		
21Z		
Screw Length: 9/16 in.		Thread Length: 9/16 in.


Item No.		
908QZ		
Screw Length: 1 1/2 in.		Thread Length: 1 1/2 in.


Item No.		
FP101875SLYZ		
CFP101875SLYZ		
Screw Length: 3/4 in.		Thread Length: 3/4 in.

Light-Gauge Steel: PS1027

Item No.		
FP101875XSYZ		
CFP101875XSYZ		
Screw Length: 3/4 in.		Thread Length: 3/4 in.

Light-Gauge Steel: PS1029


Item No.		
168S		
Screw Length: 1 in.		Thread Length: 13/16 in.

Item No.		
268S		
Screw Length: 1 1/8 in.		Thread Length: 15/16 in.

Thread Length

Light-Gauge Steel

Light-Gauge Steel: PS1029 (continued)


Item No.		
368SV		
C368SV		
Screw Length: 1 1/4 in.		Thread Length: 1 1/8 in.

Item No.	
468S	
Screw Length: 1 5/8 in. Thread Length: 1 7/16 in.	

Item No.	
368S	
Screw Length: 1 1/4 in. Thread Length: 1 1/8 in.	


Light-Gauge Steel: PS1030

Item No.	
168SHL	
Screw Length: 1 in. Thread Length: 13/16 in.	

Item No.		
468SHL		
C468SHL		
Screw Length: 1 5/8 in.		Thread Length: 1 7/16 in.

Item No.	
268SHL	
Screw Length: 1 1/8 in. Thread Length: 15/16 in.	

Item No.	
768SHL	
Screw Length: 2 in. Thread Length: 1 13/16 in.	

Item No.		
368SHL		
C368SHL		
Screw Length: 1 1/4 in.		Thread Length: 1 1/8 in.


Item No.	
868SHL	
Screw Length: 2 1/4 in. Thread Length: 2 in.	


Thread Length

Light-Gauge Steel


GRABBER®
CONSTRUCTION PRODUCTS


Light-Gauge Steel: PS1030 (continued)


Item No.	
968SHL	
Screw Length: 2 1/2 in.	Thread Length: 2 in.


Item No.	
1168SHL	
Screw Length: 3 in.	Thread Length: 2 in.

Light-Gauge Steel: PS1033


Item No.	
17S100	
Screw Length: 1 in.	Thread Length: 3/4 in.

Item No.	
18S	
Screw Length: 2 1/4 in.	Thread Length: 1 1/2 in.


Item No.	
17S	
Screw Length: 1 5/8 in.	Thread Length: 1 1/8 in.


Item No.	
17S76	
Screw Length: 3 in.	Thread Length: 2 in.

Light-Gauge Steel: PS1034

Item No.	
C7125UL2	
Screw Length: 1 1/4 in.	Thread Length: 1 1/16 in.

Light-Gauge Steel: PS1035


Item No.	
GHS8114LG	
CGHS8114LG	
Screw Length: 1 1/4 in.	Thread Length: 1 1/16 in.

Item No.	
GHS8158LG	
CGHS8158LG	
Screw Length: 1 5/8 in.	Thread Length: 1 3/8 in.


Thread Length


Light-Gauge Steel


Light-Gauge Steel: PS1035 (continued)


Item No.		
CGHS8238LG		
Screw Length: 2 3/8 in.		Thread Length: 2 3/16 in.

Light-Gauge Steel: PS1036


Item No.		
GCB8125HL		
Screw Length: 1 1/4 in.		Thread Length: 1 1/8 in.

Item No.		
GCB8238HL		
Screw Length: 2 3/8 in.		Thread Length: 2 1/4 in.

Item No.		
GCB8158HL		
Screw Length: 1 5/8 in.		Thread Length: 1 1/2 in.

Item No.		
GCB10350HL		
Screw Length: 3 1/2 in.		Thread Length: 2 in.

Light-Gauge Steel: PS1038


Item No.		
H-3		
Screw Length: 2 3/4 in.		Thread Length: 1 1/2 in.


Thread Length


Light-Gauge Steel

GRABBER®
CONSTRUCTION PRODUCTS


Light-Gauge Steel: PS1052


Item No.	
268RG	
Screw Length: 1 1/8 in. Thread Length: 15/16 in.	

Item No.	
468RG	
Screw Length: 1 5/8 in. Thread Length: 1 7/16 in.	


Item No.	
368RG	
C368RG	
Screw Length: 1 1/4 in.	
Thread Length: 1 1/8 in.	


Light-Gauge Steel: PS1055


Item No.	
CS8150LRG	
Screw Length: 1 1/2 in. Thread Length: 1 5/16 in.	


Item No.	
CS8175LRG	
Screw Length: 1 3/4 in. Thread Length: 1 9/16 in.	

Light-Gauge Steel: PS1056

Item No.	
31RG	
Screw Length: 9/16 in. Thread Length: 9/16 in.	

Item No.	
33RG	
Screw Length: 1 1/4 in. Thread Length: 1 1/4 in.	


Item No.	
32RG	
Screw Length: 1 in. Thread Length: 1 in.	


Item No.	
3138RG	
Screw Length: 1 1/2 in. Thread Length: 1 5/16 in.	


Thread Length

Light-Gauge Steel


Light-Gauge Steel: PS1057

Item No.		
23VRG		
Screw Length: 7/16 in.		Thread Length: 7/16 in.


Item No.		
FP101875PSG		
Screw Length: 3/4 in.		Thread Length: 3/4 in.


Item No.		
FLP101875SLRG		
Screw Length: 3/4 in.		Thread Length: 3/4 in.


Light-Gauge Steel: PS1058

Item No.		
FP101875PSG		
Screw Length: 3/4 in.		Thread Length: 3/4 in.

Light-Gauge Steel: PS1060

Item No.		
17SSQ		
Screw Length: 1 5/8 in.		Thread Length: 1 1/8 in.

Item No.		
17S76RG		
Screw Length: 3 in.		Thread Length: 2 in.


Item No.		
18SRG		
Screw Length: 2 1/4 in.		Thread Length: 1 1/2 in.


Thread Length


Heavy-Gauge Steel


GRABBER®
CONSTRUCTION PRODUCTS


Heavy-Gauge Steel: PS1002


Item No.	Drill Point	
14Z8LOX	#3	
C14Z8LOX	#3	
C14Z	#3	
Screw Length: 1 1/4 in.		
Thread Length: 7/8 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
C15Z	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 1/4 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
C16	#3	
C16Z	#3	
Screw Length: 1 7/8 in.		
Thread Length: 1 1/2 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
30SZL2	#3	
C30SZ	#3	
C30SZL2	#3	
Screw Length: 2 3/8 in.		
Thread Length: 2 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
C30MZL2	#3	
Screw Length: 2 5/8 in.		
Thread Length: 2 1/4 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
30LZL2	#3	
Screw Length: 3 in.		
Thread Length: 2 5/8 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
B10350SDZ	#3	
B10350SDL2Z	#3	
Screw Length: 3 1/2 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		

Thread Length

Heavy-Gauge Steel


GRABBER
CONSTRUCTION PRODUCTS


Heavy-Gauge Steel: PS1002 (continued)

Item No.	Drill Point	
B10400SDZ	#3	
B10400SDL2Z	#3	
Screw Length: 4 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
B10500SDZ	#3	
Screw Length: 5 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		

Heavy-Gauge Steel: PS1005

Item No.	Drill Point	
834FZ3	#3	
Screw Length: 3/4 in.		
Thread Length: 9/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
LW2158LYZ	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 7/16 in.		
Drill Point Length: 3/16 in.		


Thread Length


Heavy-Gauge Steel





Heavy-Gauge Steel: PS1006


Item No.	Drill Point	
P8516F3	#3	
Screw Length: 1 5/16 in.		
Thread Length: 1/2 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
12200FW4	#4	
Screw Length: 2 in.		
Thread Length: 1 in.		
Drill Point Length: 7/16 in.		

Item No.	Drill Point	
M175SDZJBW	#3.5	
CM175SDZJBW	#3.5	
Screw Length: 1 3/4 in.		
Thread Length: 15/16 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point	
12200FW3	#3	
Screw Length: 2 in.		
Thread Length: 1 1/4 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point	
M10178SDZJBW	#3.5	
CM10178SDZJBW	#3.5	
Screw Length: 1 7/8 in.		
Thread Length: 15/16 in.		
Drill Point Length: 3/8 in.		


Item No.	Drill Point	
12250FW3	#3	
12250F3	#3	
Screw Length: 2 1/2 in.		
Thread Length: 1 3/4 in.		
Drill Point Length: 1/4 in.		


Item No.	Drill Point	
P81516F3	#3	
Screw Length: 1 15/16 in.		
Thread Length: 1 1/16 in.		
Drill Point Length: 3/16 in.		


Thread Length

Heavy-Gauge Steel


Heavy-Gauge Steel: PS1006 (continued)


Item No.	Drill Point	
12275FW4	#4	
Screw Length: 2 3/4 in.		
Thread Length: 1 3/4 in.		
Drill Point Length: 7/16 in.		


Item No.	Drill Point	
12275FW3	#3	
Screw Length: 2 3/4 in.		
Thread Length: 2 in.		
Drill Point Length: 1/4 in.		


Item No.	Drill Point	
14275FW3	#3	
Screw Length: 2 3/4 in.		
Thread Length: 2 in.		
Drill Point Length: 5/16 in.		

Heavy-Gauge Steel: PS1007

Item No.	Drill Point	
C10150L3YZH	#3	
Screw Length: 1 1/2 in.		
Thread Length: 15/16 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point	
10200L3YZE	#3.5	
C10200L3YZE	#3.5	
Screw Length: 2 in.		
Thread Length: 1 1/4 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point	
C10175L3YZE	#3.5	
Screw Length: 1 3/4 in.		
Thread Length: 1 in.		
Drill Point Length: 5/16 in.		


Item No.	Drill Point	
C10250L3YZE	#3.5	
Screw Length: 2 1/2 in.		
Thread Length: 1 3/4 in.		
Drill Point Length: 5/16 in.		


Thread Length

Heavy-Gauge Steel


GRABBER®
CONSTRUCTION PRODUCTS

Heavy-Gauge Steel: PS1008


Item No.	Drill Point	
10050H3	#3	
H10050H3	#3	
08050H3	#3	
Screw Length: 1/2 in.		
Thread Length: 5/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
10058H3	#3	
08058H3	#3	
Screw Length: 5/8 in.		
Thread Length: 7/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point
14075H3	#3
12075H3	#3
H12075H3	#3
Screw Length: 3/4 in.	
Thread Length: 7/16 in.	
Drill Point Length: 5/16 in.	





The image shows a technical drawing of a screw. The screw has a hexagonal head on the left and a threaded shaft. Dimension lines indicate the following lengths: the total length of the screw is 3/4 in., the length of the threaded portion is 7/16 in., and the length of the drill point at the end of the shaft is 5/16 in.


Item No.	Drill Point	
10075H3	#3	
H10075H3	#3	
08075H3	#3	
Screw Length: 3/4 in.		
Thread Length: 9/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
10075H35	#3.5	
Screw Length: 3/4 in.		
Thread Length: 3/8 in.		
Drill Point Length: 3/8 in.		

Item No.	Drill Point	
122478H4	#4	
H122478H4	#4	
Screw Length: 7/8 in.		
Thread Length: 7/16 in.		
Drill Point Length: 7/16 in.		

Item No.	Drill Point	
14100H3	#3	
12100H3	#3	
H12100H3	#3	
Screw Length: 1 in.		
Thread Length: 11/16 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point	
10100H3	#3	
H10100H3	#3	
08100H3	#3	
H08100H3	#3	
Screw Length: 1 in.		
Thread Length: 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
1224125H5	#5	
Screw Length: 1 1/4 in.		
Thread Length: 5/8 in.		
Drill Point Length: 5/8 in.		


Item No.	Drill Point	
1224125H5SL	#5	
Screw Length: 1 1/4 in.		
Thread Length: 5/8 in.		
Drill Point Length: 5/8 in.		


Thread Length


Heavy-Gauge Steel


Heavy-Gauge Steel: PS1008 (continued)

Item No.	Drill Point	
1224125H4	#4	
H1224125H4	#4	
Screw Length: 1 1/4 in.		
Thread Length: 13/16 in.		
Drill Point Length: 7/16 in.		


Item No.	Drill Point	
14125H3	#3	
12125H3	#3	
H12125H3	#3	
Screw Length: 1 1/4 in.		
Thread Length: 15/16 in.		
Drill Point Length: 5/16 in.		


Item No.	Drill Point	
10125H3	#3	
H10125H3	#3	
08125H3	#3	
Screw Length: 1 1/4 in.		
Thread Length: 1 1/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
1224150H5SL	#5	
Screw Length: 1 1/2 in.		
Thread Length: 7/8 in.		
Drill Point Length: 5/8 in.		


Item No.	Drill Point	
H1224150H4	#4	
Screw Length: 1 1/2 in.		
Thread Length: 1 1/16 in.		
Drill Point Length: 7/16 in.		

Item No.	Drill Point
14150H3	#3
12150H3	#3
H12150H3	#3
Screw Length: 1 1/2 in.	
Thread Length: 1 3/16 in.	
Drill Point Length: 5/16 in.	

A technical drawing of a screw, showing its profile and dimensions. The screw has a hexagonal head on the left and a pointed drill point on the right. Three dimension lines with arrows indicate the following measurements: the total length of the screw is 1 1/2 in., the length of the threaded portion is 1 3/16 in., and the length of the drill point is 5/16 in.

Item No.	Drill Point	
10150H3	#3	
H10150H3	#3	
Screw Length: 1 1/2 in.		
Thread Length: 1 5/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
1224200H5SL	#5	
Screw Length: 2 in.		
Thread Length: 1 3/8 in.		
Drill Point Length: 5/8 in.		


Item No.	Drill Point	
1224200H4	#4	
Screw Length: 2 in.		
Thread Length: 1 9/16 in.		
Drill Point Length: 7/16 in.		


Thread Length

Heavy-Gauge Steel




Heavy-Gauge Steel: PS1008 (continued)

Item No.	Drill Point	
14200H3	#3	
12200H3	#3	
H12200H3	#3	
Screw Length: 2 in.		
Thread Length: 1 11/16 in.		
Drill Point Length: 5/16 in.		


Item No.	Drill Point	
14300H3	#3	
H12300H3	#3	
12300H3	#3	
Screw Length: 3 in.		
Thread Length: 2 11/16 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point
10200H3	#3
H10200H3	#3
08200H3	#3
Screw Length: 2 in.	
Thread Length: 1 13/16 in.	
Drill Point Length: 3/16 in.	


A technical drawing of a screw. The drawing shows the screw from the side, with its head on the left and its point on the right. Three dimension lines with arrows indicate the following measurements: the total length of the screw is 2 in.; the length of the threaded portion is 1 13/16 in.; and the length of the drill point at the tip is 3/16 in.

Item No.	Drill Point	
12350H3	#3	
Screw Length: 3 1/2 in.		
Thread Length: 3 3/16 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point
14250H3	#3
12250H3	#3
H12250H3	#3
Screw Length: 2 1/2 in.	
Thread Length: 2 3/16 in.	
Drill Point Length: 5/16 in.	




A technical drawing of a screw. The drawing shows the screw from the side, with its head on the left and its tip on the right. Three dimension lines are shown: a top line indicating the total length of the screw as 2 1/2 in., a middle line indicating the length of the threaded portion as 2 3/16 in., and a bottom line indicating the length of the drill point as 5/16 in.


Item No.	Drill Point	
14400H4	#4	
Screw Length: 4 in.		
Thread Length: 3 9/16 in.		
Drill Point Length: 7/16 in.		


Thread Length


Heavy-Gauge Steel

Heavy-Gauge Steel: PS1009

Item No.	Drill Point	
34Z	#3	
C34DZ	#3	
234Z	#3	
Screw Length: 1/2 in.		
Thread Length: 5/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
234Z12CW	#3	
Screw Length: 3/4 in.		
Thread Length: 7/16 in.		
Drill Point Length: 5/16 in.		


Item No.	Drill Point	
234Z10CW	#3	
C234DZ10	#3	
Screw Length: 3/4 in.		
Thread Length: 9/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
35Z	#3	
235Z	#3	
Screw Length: 1 in.		
Thread Length: 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point
36Z	#3
236Z	#3
236Z10CW	#3
Screw Length: 1 1/4 in.	
Thread Length: 1 1/16 in.	
Drill Point Length: 3/16 in.	

A technical drawing of a screw, viewed from the side. The screw has a hexagonal head on the left and a sharp drill point on the right. Three dimension lines with arrows indicate the following measurements: the total length of the screw is 1 1/4 in.; the length of the threaded portion is 1 1/16 in.; and the length of the drill point is 3/16 in.

Item No.	Drill Point	
37Z10CW	#3	
Screw Length: 1 1/2 in.		
Thread Length: 1 5/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
37Z	#3	
237Z	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 7/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
376Z	#3	
Screw Length: 2 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
238Z	#3	
Screw Length: 2 1/2 in.		
Thread Length: 1 7/16 in.		
Drill Point Length: 3/16 in.		


Thread Length


Heavy-Gauge Steel




Heavy-Gauge Steel: PS1009 (continued)


Item No.	Drill Point	
39Z	#3	
Screw Length: 3 in.		
Thread Length: 1 7/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
241Z	#3	
Screw Length: 4 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
240Z	#3	
Screw Length: 3 1/2 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
242Z	#3	
Screw Length: 5 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Heavy-Gauge Steel: PS1010


Item No.	Drill Point	
19	#3	
19Z	#3	
Screw Length: 7/16 in.		
Thread Length: 5/16 in.		
Drill Point Length: 1/8 in.		

Item No.	Drill Point	
1058FP	#3	
Screw Length: 5/8 in.		
Thread Length: 7/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
20Z	#3	
Screw Length: 1/2 in.		
Thread Length: 5/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
CFP101858JBWZ	#3	
Screw Length: 5/8 in.		
Thread Length: 3/8 in.		
Drill Point Length: 1/4 in.		


Item No.	Drill Point	
10058P3	#3	
Screw Length: 5/8 in.		
Thread Length: 7/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
FP102275LYZ	#3.5	
CFP102275LYZ	#3.5	
Screw Length: 3/4 in.		
Thread Length: 3/8 in.		
Drill Point Length: 3/8 in.		


Thread Length


Heavy-Gauge Steel

Heavy-Gauge Steel: PS1010 (continued)


Item No.	Drill Point	
CFP101875JBWZ	#3	
CFP101875LYZ	#3	
CFP101875LYZ3	#3	
CFP121875L2Z	#3.5	
CFP121875LYZ	#3.5	
FP101875JBWZ	#3	
FP101875LYZ	#3	
FP101875LYZ3	#3	
Screw Length: 3/4 in.		
Thread Length: 1/2 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point	
10075P3	#3	
Screw Length: 3/4 in.		
Thread Length: 9/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
FP121878JBWZ	#3.5	
CFP121878JBWZ	#3.5	
CFP121878LYZ	#3.5	
Screw Length: 7/8 in.		
Thread Length: 5/8 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point	
CCFP12158LYZ	#5	
Screw Length: 1 5/8 in.		
Thread Length: 1 in.		
Drill Point Length: 5/8 in.		

Heavy-Gauge Steel: PS1011


Item No.	Drill Point	
DMWH138	#3	
CDMWH138	#3	
Screw Length: 1 3/8 in.		
Thread Length: 1 3/16 in.		
Drill Point Length: 3/16 in.		


Thread Length


Heavy-Gauge Steel





Heavy-Gauge Steel: PS1013


Item No.	Drill Point	
13S	#3	
13SZ	#3	
Screw Length: 1 in.		
Thread Length: 5/8 in.		
Drill Point Length: 1/8 in.		

Item No.	Drill Point	
16S	#3	
16SZ	#3	
Screw Length: 1 7/8 in.		
Thread Length: 1 1/2 in.		
Drill Point Length: 1/8 in.		

Item No.	Drill Point	
135S	#3	
135SZ	#3	
Screw Length: 1 1/8 in.		
Thread Length: 3/4 in.		
Drill Point Length: 1/8 in.		


Item No.	Drill Point	
30SS	#3	
30SSZ	#3	
Screw Length: 2 3/8 in.		
Thread Length: 1 7/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
14SZ8	#3	
Screw Length: 1 1/4 in.		
Thread Length: 7/8 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
30MS	#3	
30MSZ	#3	
Screw Length: 2 5/8 in.		
Thread Length: 1 7/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point
14S	#3
14SZ	#3
C14S	#3
Screw Length: 1 1/4 in.	
Thread Length: 7/8 in.	
Drill Point Length: 1/8 in.	

A technical drawing of a screw, labeled 14S, showing its dimensions. The screw has a hexagonal head and a threaded body. Dimension lines indicate the following measurements: the total length of the screw is 1 1/4 in., the length of the threaded portion is 7/8 in., and the length of the drill point at the end is 1/8 in.


Item No.	Drill Point	
30LS	#3	
30LSZ	#3	
Screw Length: 3 in.		
Thread Length: 1 11/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
15S	#3	
15SZ	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 1/4 in.		
Drill Point Length: 1/8 in.		


Thread Length

Heavy-Gauge Steel


Heavy-Gauge Steel: PS1014


Item No.	Drill Point	
17SD	#3	
17SDZ	#3	
Screw Length: 1 5/8 in.		
Thread Length: 15/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
17SD76	#3	
17SD76Z	#3	
Screw Length: 3 in.		
Thread Length: 1 11/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
18SD	#3	
18SDZ	#3	
Screw Length: 2 1/4 in.		
Thread Length: 1 5/16 in.		
Drill Point Length: 3/16 in.		

Heavy-Gauge Steel: PS1015

Item No.	Drill Point	
GH8114LG	#3	
CGH8114LG	#3	
Screw Length: 1 1/4 in.		
Thread Length: 11/16 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point	
GH8158LG	#3	
CGH8158LG	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 1/16 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point	
GCB8125SD	#3	
Screw Length: 1 1/4 in.		
Thread Length: 15/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
GCB8158SD	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 5/16 in.		
Drill Point Length: 3/16 in.		


Thread Length


Heavy-Gauge Steel

GRABBER
CONSTRUCTION PRODUCTS


Heavy-Gauge Steel: PS1015 (continued)

Item No.	Drill Point	
GH8238LG	#3	
CGH8238LG	#3	
Screw Length: 2 3/8 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 5/16 in.		


Item No.	Drill Point	
GCB10350SD	#3	
Screw Length: 3 1/2 in.		
Thread Length: 2 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
GCB8238SD	#3	
Screw Length: 2 3/8 in.		
Thread Length: 2 1/16 in.		
Drill Point Length: 3/16 in.		

Heavy-Gauge Steel: PS1039

Item No.	Drill Point	
H-1	#3	
Screw Length: 3 1/4 in.		
Thread Length: 1 3/4 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point
H-2	#3
H-5	#3
JS1	#3
Screw Length: 2 in.	
Thread Length: 1/2 in.	
Drill Point Length: 1/4 in.	





A technical drawing of a screw. The drawing shows the screw from the side, with a hexagonal head on the left and a threaded shaft extending to the right. Dimension lines with arrows indicate the following measurements: a horizontal line above the screw indicates a total length of 2 in.; a horizontal line below the threaded portion indicates a thread length of 1/2 in.; and a horizontal line below the pointed drill tip indicates a drill point length of 1/4 in.


Thread Length

Heavy-Gauge Steel


Heavy-Gauge Steel: PS1040


Item No.	Drill Point	
14RG8F	#3	
C14RG8F	#3	
14RG	#3	
C14RG	#3	
Screw Length: 1 1/4 in.		
Thread Length: 7/8 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
C15GG8P	#3	
Screw Length: 1 5/8 in.		
Thread Length: 15/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
15RG	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 1/4 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point
16RG8F	#3
16RG	#3
C16RG	#3
Screw Length: 1 7/8 in.	
Thread Length: 1 1/2 in.	
Drill Point Length: 3/16 in.	


A technical line drawing of a screw. The screw is shown from a side-on perspective, highlighting its threaded body and the pointed drill tip. Three dimension lines with arrows indicate the following measurements: the total length of the screw is 1 7/8 in.; the length of the threaded portion is 1 1/2 in.; and the length of the unthreaded drill point is 3/16 in.

Item No.	Drill Point	
30SRG	#3	
Screw Length: 2 3/8 in.		
Thread Length: 1 3/8 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
30MRG	#3	
Screw Length: 2 5/8 in.		
Thread Length: 1 3/8 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
30LRG	#3	
Screw Length: 3 in.		
Thread Length: 1 11/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
B10350SDRG	#3	
Screw Length: 3 1/2 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
B10400SDRG	#3	
Screw Length: 4 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		

Thread Length


Heavy-Gauge Steel





Heavy-Gauge Steel: PS1040 (continued)


Item No.	Drill Point	
B10500SDRG	#3	
Screw Length: 5 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Heavy-Gauge Steel: PS1041


Item No.	Drill Point	
CMG158SD	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
CC12250LRG	#3	
Screw Length: 2 1/2 in.		
Thread Length: 1 3/4 in.		
Drill Point Length: 5/8 in.		


Item No.	Drill Point	
CM10178JBWRG	#3.5	
Screw Length: 1 7/8 in.		
Thread Length: 15/16 in.		
Drill Point Length: 3/8 in.		

Item No.	Drill Point	
12250FW3RG	#3	
Screw Length: 2 1/2 in.		
Thread Length: 1 3/4 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point	
12200FW3RG	#3	
Screw Length: 2 in.		
Thread Length: 1 1/4 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point	
12250F3RG	#3	
Screw Length: 2 1/2 in.		
Thread Length: 1 3/4 in.		
Drill Point Length: 1/4 in.		


Item No.	Drill Point	
MG238SD	#3	
Screw Length: 2 3/8 in.		
Thread Length: 1 5/8 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
12275FW3RG	#3	
Screw Length: 2 3/4 in.		
Thread Length: 2 1/16 in.		
Drill Point Length: 1/4 in.		


Thread Length


Heavy-Gauge Steel

Heavy-Gauge Steel: PS1041 (continued)


Item No.	Drill Point	
14300FW4RG	#4	
Screw Length: 3 in.		
Thread Length: 2 in.		
Drill Point Length: 7/16 in.		

Item No.	Drill Point	
14350FW4RG	#4	
Screw Length: 3 1/2 in.		
Thread Length: 2 1/2 in.		
Drill Point Length: 7/16 in.		

Item No.	Drill Point	
14325FW4RG	#4	
Screw Length: 3 1/4 in.		
Thread Length: 2 1/4 in.		
Drill Point Length: 7/16 in.		

Item No.	Drill Point	
14375FW4RG	#4	
Screw Length: 3 3/4 in.		
Thread Length: 2 3/4 in.		
Drill Point Length: 7/16 in.		

Heavy-Gauge Steel: PS1042


Item No.	Drill Point	
C10200L3GE	#3.5	
Screw Length: 2 in.		
Thread Length: 1 1/4 in.		
Drill Point Length: 5/16 in.		


Thread Length


Heavy-Gauge Steel





Heavy-Gauge Steel: PS1043


Item No.	Drill Point	
08050H3SS	#3	
Screw Length: 1/2 in.		
Thread Length: 5/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
10100H3SS	#3	
08100H3SS	#3	
Screw Length: 1 in.		
Thread Length: 13/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
12075H3SS	#3	
12075H3RG	#3	
Screw Length: 3/4 in.		
Thread Length: 7/16 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point	
1224125H5RG	#5	
Screw Length: 1 1/4 in.		
Thread Length: 5/8 in.		
Drill Point Length: 5/8 in.		

Item No.	Drill Point	
10075H3SS	#3	
10075H3RG	#3	
08075H3SS	#3	
Screw Length: 3/4 in.		
Thread Length: 9/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
1420150H5RG	#5	
Screw Length: 1 1/2 in.		
Thread Length: 7/8 in.		
Drill Point Length: 5/8 in.		


Item No.	Drill Point	
14100H3SS	#3	
14100H3WRG	#3	
Screw Length: 1 in.		
Thread Length: 11/16 in.		
Drill Point Length: 5/16 in.		


Thread Length


Heavy-Gauge Steel


Heavy-Gauge Steel: PS1043 (continued)

Item No.	Drill Point	
12150H3RG	#3	
Screw Length: 1 1/2 in.		
Thread Length: 1 3/16 in.		
Drill Point Length: 5/16 in.		

Item No.	Drill Point	
1224250H5RG	#5	
Screw Length: 2 1/2 in.		
Thread Length: 1 7/8 in.		
Drill Point Length: 5/8 in.		

Item No.	Drill Point	
10150H3SS	#3	
Screw Length: 1 1/2 in.		
Thread Length: 1 5/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
14300H3SS	#3	
Screw Length: 3 in.		
Thread Length: 2 11/16 in.		
Drill Point Length: 5/16 in.		


Item No.	Drill Point	
10200H3SS	#3	
Screw Length: 2 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Thread Length


Heavy-Gauge Steel





Heavy-Gauge Steel: PS1044


Item No.	Drill Point	
34RG	#3	
234RG	#3	
Screw Length: 1/2 in.		
Thread Length: 5/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
23412CWRG	#3	
Screw Length: 3/4 in.		
Thread Length: 7/16 in.		
Drill Point Length: 5/16 in.		


Item No.	Drill Point	
23410CWRG	#3	
Screw Length: 3/4 in.		
Thread Length: 9/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
35RG	#3	
Screw Length: 1 in.		
Thread Length: 13/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
36RG	#3	
Screw Length: 1 1/4 in.		
Thread Length: 1 1/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
37RG	#3	
Screw Length: 1 5/8 in.		
Thread Length: 1 7/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
240G	#3	
Screw Length: 3 1/2 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
241G	#3	
Screw Length: 4 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
242G	#3	
Screw Length: 5 in.		
Thread Length: 1 13/16 in.		
Drill Point Length: 3/16 in.		


Thread Length


Heavy-Gauge Steel


Heavy-Gauge Steel: PS1045

Item No.	Drill Point	
10058P3RG	#3	
Screw Length: 5/8 in.		
Thread Length: 7/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
CFP121878LRG	#3.5	
Screw Length: 7/8 in.		
Thread Length: 5/8 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point	
FP101875JBWRG	#3	
FLP101875LRG	#3	
CFP101875JBWRG	#3	
Screw Length: 3/4 in.		
Thread Length: 1/2 in.		
Drill Point Length: 1/4 in.		

Item No.	Drill Point	
10100PSS	#3	
Screw Length: 1 in.		
Thread Length: 13/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
10075P3RG	#3	
Screw Length: 3/4 in.		
Thread Length: 9/16 in.		
Drill Point Length: 3/16 in.		


Thread Length

Heavy-Gauge Steel




Heavy-Gauge Steel: PS1046

Item No.	Drill Point	
DMWH138G2	#3	
Screw Length: 1 3/8 in.		
Thread Length: 1 3/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
DMWH238G2	#3	
Screw Length: 2 3/8 in.		
Thread Length: 2 3/16 in.		
Drill Point Length: 3/16 in.		


Heavy-Gauge Steel: PS1047


Item No.	Drill Point	
FP101875XDG	#3.5	
Screw Length: 3/4 in.		
Thread Length: 3/8 in.		
Drill Point Length: 3/8 in.		

Thread Length


Heavy-Gauge Steel


Heavy-Gauge Steel: PS1048

Item No.	Drill Point	
30SSRG	#3	
Screw Length: 2 3/8 in.		
Thread Length: 1 7/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
30LSRG	#3	
Screw Length: 3 in.		
Thread Length: 1 11/16 in.		
Drill Point Length: 3/16 in.		


Heavy-Gauge Steel: PS1049


Item No.	Drill Point	
17SD410	#3	
Screw Length: 1 5/8 in.		
Thread Length: 15/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
17SD76RG	#3	
Screw Length: 3 in.		
Thread Length: 1 11/16 in.		
Drill Point Length: 3/16 in.		

Heavy-Gauge Steel: PS1050

Item No.	Drill Point	
C14RG8F2	#3	
Screw Length: 1 1/4 in.		
Thread Length: 15/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
101716W3RG	#3	
Screw Length: 1 7/16 in.		
Thread Length: 3/4 in.		
Drill Point Length: 1/4 in.		


Item No.	Drill Point	
101716RG	#3	
Screw Length: 1 7/16 in.		
Thread Length: 1 1/16 in.		
Drill Point Length: 3/16 in.		


Thread Length


Heavy-Gauge Steel




Heavy-Gauge Steel: PS1054


Item No.	Drill Point	
C8100SDUC	#3	
C8100SDUCP	#3	
Screw Length: 1 in.		
Thread Length: 11/16 in.		
Drill Point Length: 3/16 in.		


Item No.	Drill Point	
10150WSDZ	#3	
Screw Length: 1 1/2 in.		
Thread Length: 15/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
8125SDZWP	#3	
Screw Length: 1 1/4 in.		
Thread Length: 5/8 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
10158W4	#4	
Screw Length: 1 5/8 in.		
Thread Length: 1 in.		
Drill Point Length: 1/2 in.		

Item No.	Drill Point	
101716	#3	
Screw Length: 1 7/16 in.		
Thread Length: 1 1/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
10175WSDZ	#3	
Screw Length: 1 3/4 in.		
Thread Length: 1 1/16 in.		
Drill Point Length: 3/16 in.		

Item No.	Drill Point	
101716W3	#3	
Screw Length: 1 7/16 in.		
Thread Length: 3/4 in.		
Drill Point Length: 1/4 in.		



Grabber Thread and Drill Point Length
PS1074 USA-ENG Rev. 3-26

Grabber Construction Products, Inc.
3125 W. Executive Pkwy., Suite 200
Lehi, UT 84048

(800) 477-8876 | GrabberPro.com

Specific fasteners are listed in ICC Evaluation Services Reports, ESR-1271, ESR-3531, ESR-4223, ESR-5417, ESR-5429, and ESR-5616.

SAFETY FIRST: Wear appropriate personal protective equipment. Read applicable SDS and literature before handling and installation.

TECHNICAL INFORMATION: Technical information contained herein is furnished without charge or obligation and is given and accepted at the recipient's sole risk. Because conditions of use may vary and are beyond our control, Grabber Construction Products makes no representation about, and is not responsible or liable for, the accuracy or reliability of data associated with uses of any product described herein. Grabber Construction Products reserves the right to modify this document without prior notice.

©2026 Grabber Construction Products, Inc. | All rights reserved | Printed in U.S.A.
The trademarks Barracuda, Deckmaster, Fold-N-Go, Grabber, GrabberGard, Grabber Rocker, Hang Tite, Lox, Panelmax, Plylock, Pro Proven, Quickgrab, Scavenger, Scorpion, Stabber, Streaker, Stud-Lok, Superdrive, Superdrive Mach1, UltraPro, Vector Point, and Stylized G on Grabber Fasteners are trademarks of Grabber Construction Products, Inc. LEED and LEED Green Building Rating System are registered trademarks of the U.S. Green Building Council.

