



NORTHWEST



## JOINT COMPOUNDS

### BLUE DOT TAPING

- Super slick
- Great open time
- High bond



PRODUCT #	18200
UNIT	CTN
SHIP WT.	47
UNITS/PALLET	48

### RED DOT ALL PURPOSE

- Suitable for all finishing applications
- Best for taping and first metal
- High bond



PRODUCT #	18040
UNIT	CTN
SHIP WT.	50
UNITS/PALLET	48

### GREEN DOT TOPPING

- For second and finish coats
- Low shrinkage
- Easy sanding



PRODUCT #	18220	18230
DESCRIPTION	Non-Tinted	Tinted
UNIT	CTN	CTN
SHIP WT.	50	50
UNITS/PALLET	48	48

### ALL PURPOSE JOINT COMPOUND

- Use for taping, topping and texturing
- Excellent bond and low shrinkage
- Excellent for all applications



PRODUCT #	55410	18680	18720
DESCRIPTION	1.75 Pt.	3.5 Qt.	4 Gal.
UNIT	PL	PL	PL
SHIP WT.	18/6	14	66
UNITS/PALLET	96	120	36

## WALLBOARD TAPE

**BLUE LABEL WALLBOARD TAPE** is perforated to reduce blistering, center creased for easy angle application and buffed to promote increased adhesion.

**RED LABEL PREMIUM WALLBOARD TAPE** is made from heavier paper and meets ASTM C-475.

PROD #	DESC.	SIZE	LGTH.	ROLL/CTN	UNIT	SHIP WT.	UNT./PAL.
36260	Blue Label	2-1/16	500'	10	CS	27	85
36250	Blue Label	2-1/16	250'	20	CS	26	60
36240	Blue Label	2-1/16	75'	20	CS	9	150
36030	Red Label	2-1/16	500'	10	CS	28.5	85



All joint compounds meet ASTM C-475.



FINISH PRODUCTS | [www.hamiltonnw.com](http://www.hamiltonnw.com)

## LIGHT WEIGHT JOINT COMPOUNDS

### BLUE DOT LIGHT WEIGHT TAPING

- Easy handling for increased productivity
- Great open time
- Great bond



PRODUCT #	18205
UNIT	CTN
SHIP WT.	34
UNITS/PALLET	64

### RED DOT LIGHT WEIGHT ALL PURPOSE

- Less weight increases ease of finishing and handling
- Low shrinkage
- One mud system decreases waste



PRODUCT #	18045
UNIT	CTN
SHIP WT.	39
UNITS/PALLET	64

### GREEN DOT LIGHT WEIGHT TOPPING

- Easy handling for increased productivity
- Excellent workability, easy sanding and low shrinkage



PRODUCT #	18250
UNIT	CTN
SHIP WT.	39
UNITS/PALLET	64

### HI LITE MID WEIGHT ALL PURPOSE

- Less weight increases ease of finishing and handling
- Low shrinkage
- One mud system decreases waste



PRODUCT #	18380
UNIT	CTN
SHIP WT.	41
UNITS/PALLET	64

All joint compounds meet ASTM C-475.

## CONCRETE FINISHING PRODUCTS

### HOT CRETE PRIMER

- Premium high solids, high build interior primer
- Excellent alkaline resistance (up to pH 13)
- Built in rust inhibitor



PRODUCT #	25100
UNIT	4.8 Gal Pail
SHIP WT.	72
UNITS/PALLET	36

### ULTRA FILL

- 90 minute set time
- Excellent adhesion
- Fills voids and patches up to 1" thick or more with one coat
- GreenGuard Gold Certified



PRODUCT #	22121
UNIT	BG
SHIP WT.	36
UNITS/PALLET	54



## WALL TEXTURES

### BLUE LINE

- High mileage
- Fine to medium texture pattern
- Good open time



PRODUCT #	14125
UNIT	BG
SHIP WT.	52
UNITS/PALLET	54

### BLUE LINE II

- Easy mixing
- Excellent standout
- All texture patterns



PRODUCT #	14180
UNIT	BG
SHIP WT.	52
UNITS/PALLET	54

### GREEN LINE EZ Spray

- Easy mixing
- Excellent standout
- Medium to heavy texture pattern



PRODUCT #	14040
UNIT	BG
SHIP WT.	52
UNITS/PALLET	54

### GREEN LINE II

- Easy mixing
- Great standout and great mileage
- Medium texture pattern



PRODUCT #	14135
UNIT	BG
SHIP WT.	52
UNITS/PALLET	54

### WHITE LINE

- High mileage
- Good open time
- Fine to medium texture pattern



PRODUCT #	14100
UNIT	BG
SHIP WT.	50
UNITS/PALLET	54

### READY TEX

- Quick, easy, professional results
- Convenient for hopper guns
- Great for hand texture applications



PRODUCT #	14210
UNIT	CTN
SHIP WT.	53
UNITS/PALLET	48



## CEILING TEXTURES

### CEILING-TEX PREMIUM

- Formulated with natural binders
- For use with production type spray equipment
- Easy mixing
- Available with small or large aggregate



PRODUCT #	10040	10045
DESCRIPTION	Large	Small
UNIT	BG	BG
SHIP WT.	34	34
UNITS/PALLET	52	52

### HOPPER-TEX

- Specifically designed for hopper type equipment
- Coarse aggregate
- Easy mixing
- High solids



PRODUCT #	10080
UNIT	BG
SHIP WT.	27
UNITS/PALLET	54

## SETTING TYPE COMPOUNDS

### FAST SET 20

- 20 minute set time
- Excellent bond
- Smooth finish
- Harder finish



PRODUCT #	22105
DESCRIPTION	20 Minute
UNIT	BG
SHIP WT.	27
UNITS/PALLET	96

### FAST SET 40

- 40 minute set time
- Excellent bond
- Smooth finish
- Harder finish



PRODUCT #	22107
DESCRIPTION	40 Minute
UNIT	BG
SHIP WT.	27
UNITS/PALLET	96

### FAST SET 90

- 90 minute set time
- Excellent bond
- Smooth finish
- Harder finish



PRODUCT #	22115
DESCRIPTION	90 Minute
UNIT	BG
SHIP WT.	27
UNITS/PALLET	96

All Fast Sets are GreenGuard Gold Certified and meet ASTM C-475.



FINISH PRODUCTS | [www.hamiltonnw.com](http://www.hamiltonnw.com)

## LIGHT WEIGHT SETTING TYPE COMPOUNDS

### FAST SET 5 LITE

- 5 minute set time
- Easy mixing
- Easy sanding
- Smooth finish



PRODUCT #	22164
DESCRIPTION	5 Minute
UNIT	BG
SHIP WT.	20
UNITS/PALLET	96

### FAST SET 20 LITE

- 20 minute set time
- Easy mixing
- Easy sanding
- Smooth finish



PRODUCT #	22165
DESCRIPTION	20 Minute
UNIT	BG
SHIP WT.	20
UNITS/PALLET	96

### FAST SET 40 LITE

- 40 minute set time
- Easy mixing
- Easy sanding
- Smooth finish



PRODUCT #	22166
DESCRIPTION	40 Minute
UNIT	BG
SHIP WT.	20
UNITS/PALLET	96

### FAST SET 90 LITE

- 90 minute set time
- Easy mixing
- Easy sanding
- Smooth finish



PRODUCT #	22167
DESCRIPTION	90 Minute
UNIT	BG
SHIP WT.	20
UNITS/PALLET	96

All Fast Set Lites are GreenGuard Gold Certified and meet ASTM C-475.

## PATCH & REPAIR

### ACRYLIC AD MIX BONDER

- Formulated for Westpac compounds & textures
- For increased bond to questionable surfaces



	Acrylic
PRODUCT #	55140
DESCRIPTION	1 Gal.
UNIT	4 btls/ctn
SHIP WT.	13/ctn

### MIRACLE MIX

- Increases open time
- Reduces pocking & pinholing



	Miracle Mix
PRODUCT #	55270
DESCRIPTION	1 Gal.
UNIT	4 btls/ctn
SHIP WT.	13/ctn



## DRYWALL COMPLETION SYSTEMS

### PERM TEX

- Perm-Rated
- Drywall texture base coat
- Fast drying
- Superior coverage



PRODUCT #	24800
DESCRIPTION	4.8 Gal.
UNIT	Pail
SHIP WT.	59
UNITS/PALLET	36

### PREP TEX

- Drywall texture base coat
- Quick dry
- Excellent wet/dry hide
- Superior coverage



PRODUCT #	25070
DESCRIPTION	4.8 Gal.
UNIT	Pail
SHIP WT.	65
UNITS/PALLET	36

### PREP COAT

- Achieve Level 5 Finish per ASTM/ GA Standards
- High solids/high build
- Excellent wet/dry hide



PRODUCT #	25020
DESCRIPTION	4.8 Gal.
UNIT	Pail
SHIP WT.	59
UNITS/PALLET	36

### EZ PATCH LIGHT WEIGHT SPACKLING

- Repairs cracks and holes in one easy application
- Convenient lightweight formula
- Smooth, quick drying and non-shrinking



PRODUCT #	55170	55180
DESCRIPTION	1.75 pt.	3.5 qt.
UNIT	6/CS	4/CS
SHIP WT.	8/CS	18/CS

## PATCH & REPAIR

### FAST SET 5

- Sets hard in 5 minutes
- Use for taping and patching drywall
- Mixes quickly, easy to sand, non-shrinking



PRODUCT #	55310
DESCRIPTION	4.5 lb.
UNIT	10/CS
SHIP WT.	46

### FAST SET 20

- Sets hard in 20 minutes
- Use for taping and patching drywall
- Mixes quickly, easy to sand, non-shrinking



PRODUCT #	55330
DESCRIPTION	4.5 lb.
UNIT	10/CS
SHIP WT.	46







# Hamilton Drywall Products

*The Professional's Choice for Drywall Finishing Products*

## TAPING COMPOUND

Taping compounds are designed specifically for embedding paper tape to joints and angles. Extended open time, ease of mixing and the slickness of these products allows the professional applicator to apply tape faster. Hamilton Taping Compounds produce maximum bond and provide an excellent base for subsequent top coats.

PRODUCTS	CATEGORY	SHRINKAGE	TAPING	FIRST METAL	TOP COATS	FASTENER CONCEAL	SANDING
Blue Dot	Taping	High	<b>BEST</b>	Not Recommended	Not Recommended	Not Recommended	Difficult
Blue Dot Lite	Taping	Medium	<b>BEST</b>	Not Recommended	Not Recommended	Not Recommended	Difficult

## ALL PURPOSE COMPOUNDS

These All Purpose Compounds are approved for all applications associated with drywall finishing. They combine the benefits of our Taping Compounds with our Topping Compounds into one. This enables the applicator to use one mud for all applications.

PRODUCTS	CATEGORY	SHRINKAGE	TAPING	FIRST METAL	TOP COATS	FASTENER CONCEAL	SANDING
Red Dot	All Purpose	High	<b>BEST</b>	Good	Fair	Fair	Difficult
Red Dot Lite	All Purpose	Low	Good	<b>BEST</b>	Excellent	<b>BEST</b>	Easy
Hi Lite	All Purpose	Medium	Low	Excellent	Excellent	Excellent	<b>EASIEST</b>

## TOPPING COMPOUNDS

Topping Compounds are designed specifically for finish coat applications and are not intended for embedding tape. They are formulated for ease of use, low shrinkage and fast sanding.

PRODUCTS	CATEGORY	SHRINKAGE	TAPING	FIRST METAL	TOP COATS	FASTENER CONCEAL	SANDING
Green Dot	Topping	Very Low	Not Recommended	Good	<b>BEST</b>	<b>BEST</b>	Easy
Green Dot Lite	Topping	<b>LOWEST</b>	Not Recommended	Good	<b>BEST</b>	<b>BEST</b>	Easy

## TEXTURE CHART

Textures are formulated at different solid levels. This chart describes each texture's solids level at an equal viscosity (i.e. thickness). The higher solids level equates to greater stand-out (or more material-heavier texture) on the wall. The lower solids level typically equates to higher mileage (or less stand-out finer texture).

<b>HIGH SOLIDS</b>	Blue Line II, Green Line
<b>MEDIUM SOLIDS</b>	Green Line II
<b>LOW SOLIDS</b>	Blue Line, White Line

## CEILING TEXTURES

Ceiling Textures are formulated with the original coarse aggregate at different ratios to solids. The chart describes each texture's aggregate ratio at an equal viscosity (i.e. thickness). The higher aggregate ratio typically equates to heavier texture appearance. The lower aggregate level typically equates to easier application.

<b>HIGH AGGREGATE RATIO</b>	Premium Ceiling - Tex
<b>LOW AGGREGATE RATIO</b>	Hopper - Tex