



Ready-Mix Drywall Joint Compounds & Textures

LEED Material Data Sheet

Date Prepared: October 24, 2022

Details of the supplier of the L.E.E.D. data sheet

Hamilton Drywall Products
295 N. Pekin Road
Woodland, WA, 98674

Phone number: 1-800-871-4998
Fax number: 1-800-871-5007
Emergency number: Chemtrec: 1-800-424-9300

Website: www.hamiltonnw.com
www.hamiltondp.com

Quick Identifier – Common Name (on label)	Packaging	Product Code
Red Dot All Purpose	3.5 gal (13.2 L) box	895900000034
Red Dot All Purpose	30 gal (113.6 L) drum	
Blue Dot Taping	3.5 gal (13.2 L) box	895900000010
Blue Dot Taping	30 gal (113.6 L) drum	
Green Dot Topping	3.5 gal (13.2 L) box	895900000102
Red Dot Light Weight All Purpose	3.5 gal (13.2 L) box	895900000041
Red Dot Light Weight All Purpose	30 gal (113.6 L) drum	
Green Dot Light Weight Topping	3.5 gal (13.2 L) box	895900000119
Blue Dot Light Weight Taping	3.5 gal (13.2 L) box	895900000027
Blue Dot Light Weight Taping	30 gal (113.6 L) drum	
Light Weight Taping Joint Compound	14.3 kg box	000516184355
Hi Lite Mid Weight All-Purpose	3.5 gal (13.2 L) box	895900000072
Hi Lite Mid Weight All-Purpose	4.8 gal (18.2 L) pail	
Super Lite Light Weight All-Purpose	3.5 gal (13.2 L) box	895900000256
All Purpose	4.5 gal (17.03 L) pail	895900000232
All Purpose	3.5 quarts (3.3 L) pail	895900000249
All Purpose	1.75 Pints (0.83) pail	895900000393
Light Weight Joint Compound	3.5 Gal (13.2 L) box	
All Purpose Joint Compound	3.5 Gal (13.2 L) box	
Mid Weight Multi Purpose Joint Compound	3.5 Gal (13.2 L) box	
Ready Tex	3.5 gal (13.2 L) box	895900000126

Section 2 – Recycled Content (% by weight) – LEEDS® Recycled Content Credit 4.1:	
Total Recycled Content	0%

Section 3 – Local/Regional Materials – LEEDS® Local/Regional Materials Credit 5.1

To determine the distance from the manufacturing facility to the job site, use the suggested Google maps (<https://www.google.com/maps/>) straight-line distance measurement calculator:

Instructions when using Google Maps on a computer web browser (recommended):

- o Search the manufacturing facility address.
- o Right click the red pin and select “Measure distance” from the pop-up menu.
- o Search the job site address, left click on the new red pin.
- o Distance found in white box on bottom of screen (in miles and kilometers).

Instructions when using Google Maps app for Android and iOS:

- o Search the manufacturing facility address.
- o Tap the address or name of the location that is shown at the bottom of the screen and scroll down to select “Measure distance.”
- o Use your finger to slide the map and black targeting circle to the job site location, so the circle is over the site location (zoom-out/in as required).
- o The direct mileage (or kilometers) total is shown at the bottom of the screen.

Manufacturing Facility Address	<ul style="list-style-type: none"> • 295 N. Pekin Road, Woodland, WA, 98674, USA • 900 Tulip Drive, Gastonia, NC, 28052, USA • 341 West Meats Avenue, Orange, CA, 92865, USA
--------------------------------	---



Ready-Mix Drywall Joint Compounds & Textures

LEED Material Data Sheet

Date Prepared: October 24, 2022

Section 4 – VOC Content:	
VOC content (VOC of material)	< 3 g/L
VOC content for the South Coast Air Quality Management District (SCAQMD) – Regulatory VOC (less water and exempts)	Not applicable

Section 5 – Environmental Product Declaration
Environmental Product Declaration (EPD) – see website at www.hamiltonnw.com under Technical Data – LEED Reports section.

Section 6 – Greenguard Gold
Greenguard Gold Certificate of Compliance – see website at www.hamiltonnw.com under Technical Data – LEED Reports section.

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable and is offered for your consideration. LEED® applicants should use their own subjective determinations for LEED certification purposes. Hamilton Drywall Products will not be liable for claims relating to any party's use of or reliance on information and data contained herein regardless of whether it is claimed that the information and data are inaccurate, incomplete or otherwise misleading.