

#132 Screw-On Channel Slot

SECTION 04 00 00 MASONRY
Section 04 05 19.16 Masonry Anchors
Section 05 12 00 Structural Steel Framing

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

- A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.
- B. Stainless Steel AISI [Type 304] [or] [Type 316]
- C. F. ASTM A240/A240M-15b Standard Specification for Chromium and Chromium- Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Application.
- D. G. ASTM A666-15 Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar.

2.3 MATERIALS

A. Anchors welded to Structural Steel:

132 SCREW-ON CHANNEL SLOT

12 gauge x 1-5/8 inches (35 mm) wide x 6 inches (203 mm) long

19/32" x 3" slot and 9/32" holes

Materials: Type 304 Stainless Steel

PART 3: EXECUTION

A. Install as specified in applicable masonry or structural section(s).