

#253 Rectangular Wire Wall Tie  
SECTION 04 00 00 MASONRY  
Section 04 05 19.16 Masonry Anchors  
Section 04 05 23 Masonry Accessories

**PART 1: GENERAL**

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

**PART 2: MANUFACTURER**

2.1 MANUFACTURER

Acceptable Manufacturer:  
Heckmann Building Products  
110 Richards Ave.  
Norwalk, CT 06854-1685  
800-621-4140  
Email: [info@heckmannanchors.com](mailto:info@heckmannanchors.com)  
Website: [www.heckmannanchors.com](http://www.heckmannanchors.com)

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. ASTM A153/A153M-16 Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware

C. ASTM A1008/A1008M Sheet Metal Anchors and Ties (Plain Steel)

D. Stainless Steel AISI [Type 304] [or] [Type 316]

E. ASTM A580/A580M-15 Standard Specification for Stainless Steel Wire

F. ASTM A641/641M-09a (2014) Standard Specification for Zinc-Coated (Mill Galvanized) Carbon Steel Wire.

## 2.3 MATERIALS

### **NO. 253 RECTANGULAR WIRE WALL TIE**

[3/16" diameter] x [length] x [width]

Materials: [Hotdip Galvanized After Fabrication] [Stainless Steel]

## **PART 3: EXECUTION**

A. Install as specified in applicable masonry section(s).