

#419 Pin Type Stabilizing Wall Anchor

SECTION 04 00 00 MASONRY  
Section 04 05 19.16 Masonry Anchors

**PART 1: GENERAL**

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

**PART 2: MANUFACTURER**

2.1 MANUFACTURER

Acceptable Manufacturer:  
Heckmann Building Products  
110 Richards Ave.  
Norwalk, CT 06854-1685  
800-621-4140  
Email: [info@heckmannanchors.com](mailto:info@heckmannanchors.com)  
Website: [www.heckmannanchors.com](http://www.heckmannanchors.com)

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. ASTM A 36/A36M-14 Standard Specification for Carbon Structural Steel.

C. ASTM A1008/A1008M Sheet Metal Anchors and Ties (Plain Steel)

D. ASTM A153/A153M-16 Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware

2.3 MATERIALS

**NO. 419 PIN-TYPE STABILIZING WALL ANCHOR**

Plate: [12 gage] x [1-1/2" wide] x [3" long]

Pin: [3/8 diameter] x [6-3/4" long]  
7" long plastic tube with compressible filler  
Materials: [Hotdip Galvanized After Fabrication]

### **PART 3: EXECUTION**

A. Install as specified in applicable masonry section(s).