

#585 Joist Pin Anchor  
#586 Twisted Joist Pin Anchor

SECTION 04 00 00 MASONRY  
Section 04 05 19.16 Masonry Anchors

**PART 1: GENERAL**

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

**PART 2: MANUFACTURER**

2.1 MANUFACTURER

Acceptable Manufacturer:  
Heckmann Building Products  
110 Richards Ave.  
Norwalk, CT 06854-1685  
800-621-4140  
Email: [info@heckmannanchors.com](mailto:info@heckmannanchors.com)  
Website: [www.heckmannanchors.com](http://www.heckmannanchors.com)

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. ASTM A653/A653M-11 Standard Specification for Steel Sheet, Zinc-Coated (Mill Galvanized)

2.3 MATERIALS

**A. NO. 585 JOIST PIN ANCHOR**

1/8" x 1" wide x [Length [14"] [18"]] with 7/32" nailing holes and a fixed 3/8" x 5" pin centered 1" from end.

**B. NO. 586 TWISTED JOIST PIN ANCHOR**

1/8" x 1" wide x [Length [14"] [18"]] with 7/32" nailing holes and a fixed 3/8" x 5" pin centered 1" from end. Twist to start [length] from end of nailing side.

Materials: [Mill Galvanized]

### **PART 3: EXECUTION**

A. Install as specified in applicable masonry section(s).