ModifiedPlus® G100s/s Base Sheet by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 00.00

PRODUCT DESCRIPTION: ModifiedPlus® G100s/s Base Sheet is designed for use as the base or first ply in a high performance two-ply modified bitumen flashings, or as the protection/separator sheet in Henry green roof or protected membrane systems.



Section 1: Summary

Basic Method / Product Threshold

CONTENT IN	VENTORY
------------	----------------

Inventory Reporting Format

Nested Materials Method

Rasic Method

Threshold Disclosed Per

Material

Product

Threshold level

€ 100 ppm

C 1,000 ppm

Per GHS SDS Per OSHA MSDS

Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided

for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with

results disclosed

Identified

○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MOD PLUS BASE [ASPHALT LT-1 | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK STYRENE BUTADIENE RUBBER (SBR) LT-UNK ALUMINUM BM-1 | PHY | END | RES SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK QUARTZ LT-1 | CAN SULFUR LT-UNK | SKI Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

1

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: **SCREENING DATE: 2020-04-12** PUBLISHED DATE: 2020-04-12 EXPIRY DATE: 2023-04-12

ModifiedPlus G100s/s Base Sheet hpdrepository.hpd-collaborative.org



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

MOD PLUS BASE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-12		
%: 50.00 - 60.00	GS: LT-1	RC: None NANO: No ROLE: Waterproofing/flo	exibility	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled fro		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinoge but not sufficient for classification	nic effects	

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not intended for that use.

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2020-04-12			
%: 30.00 - 40.00	GS: LT-UNK	RC: None	nano: No	ROLE: Filler/film strengthener
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warr	nings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12			
%: 5.00 - 10.00	GS: LT-UNK	RC: None	nano: No	ROLE: Flexibility	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No	o warnings found	on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

ALUMINUM				ID: 7429-90-5
HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-0	4-12
%: 1.00 - 5.00	GS: BM-1	RC: None	NANO: No	ROLE: Reflection
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flamn	nable solid	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	locrine Disruptor	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (I	Rs) - sensitizer-ind	duced

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

SUBSTANCE NOTES: None

ID: 65997-17-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-12		
%: 1.00 - 5.00	gs: LT-UNK	RC: None	nano: No	ROLE: Reinforcement	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Not no	resent in a resnirable form				

QUARTZ

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-12

%: Impurity/Residual

GS: LT-1

RC: None NANO: No ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

 $\mbox{\scriptsize SUBSTANCE NOTES: } \mbox{\bf Not present in a respirable form.}$

SULFUR 1D: 7704-34-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-12		
%: Impurity/Residual	gs: LT-UNK	RC: None	nano: No	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	as		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 -	H315 - Causes skin irritation		

SUBSTANCE NOTES: None



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-

04-12

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USE WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.