



Issue Date 15-Feb-2016

Revision Date 21-Nov-2019

Version 2

1. IDENTIFICATION

Product identifier Product Name

BLUESKIN METAL CLAD WEATHER BARRIER

Other means of identification Product Code Synonyms

HE200AM None

Recommended use of the chemical and restrictions on useRecommended UseWaterproofing SealersUses advised againstNo information available

Details of the supplier of the safety data sheet

Supplier Address HENRY COMPANY 15 Wallsend Dr. Scarborough, ON M1E 3X6 Canada Web Site: www.henry.com www.ca.henry.com Manufacturer Address HENRY COMPANY 999 N. Pacific Coast Hwy., Suite 800 El Segundo, CA 90245-2716 Web Site: www.henry.com www.ca.henry.com

Emergency telephone number Company Phone Number Emergency Telephone

800-486-1278 US and Canada only (toll-free) : 3E Company - 1-866-519-4752 (access code 334832) US/Canada, all other countries: 3E Company - +1-760-476-3962 (access code 334832) Mexico (additional contact option): 3E Company - +52 55 41696225 (Code 334832)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

Not classified

Hazard statements None

Physical state Solid

Odor Slight

Precautionary Statements - Prevention Not applicable

Precautionary Statements - Response

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable.

Unknown acute toxicity

35.64268897% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use.

Chemical Name	CAS No	Weight-%
Asphalt *	8052-42-4	60 - 100
Rubber Compounds *	Proprietary	10 - 30
Distillates, petroleum, hydrotreated heavy naphthenic *	64742-52-5	5 - 10

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.	
Eye contact	Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. Wash contaminated clothing before reuse.	
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.	
Ingestion	Call a physician or poison control center immediately. Do not induce vomiting without medical advice. Rinse mouth. Never give anything by mouth to an unconscious person.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		

Symptoms

None known.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	Collect spillage. Dispose of contents/container to an approved waste disposal plant.	
Methods and material for containm	ent and cleaning up	
Methods for containment	No information available.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.	
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
Control parameters		

Exposure Guidelines This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use.

Chamical Nama			NIOSUUDIU		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH		
Asphalt	TWA: 0.5 mg/m ³ benzene-soluble	-	Ceiling: 5 mg/m ³ fume 15 min		
8052-42-4	aerosol fume, inhalable particulate				
	matter				
NIOSH IDLH Immediately Dange	erous to Life or Health				
Appropriate engineering control	ols				
Engineering Controls	Showers				
Engineering Controls	•				
	Eyewash stations				
	Ventilation systems.				
Individual protection measures	s, such as personal protective of	equipment			
Eye/face protection	Wear safety glasses with s	Wear safety glasses with side shields (or goggles).			
Skin and body protection	Wear protective gloves an	Wear protective gloves and protective clothing.			
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.				
General Hygiene Consideration	eral Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.				
	9. PHYSICAL AND CH	EMICAL PROPERTIES			

Information on basic physical and chemical properties

Physical state Appearance Color	Solid Solid sheet Multiple Colors	Odor Odor threshold	Slight No information available
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point	<u>Values</u> Not applicable No information available No information available No information available	<u>Remarks • Method</u>	
Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility	No information available No information available No information available No information available 0 No information available >1 Insoluble in water	Not applicable	
Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available >260 °C / >500 °F No information available No information available No information available Not an explosive Not applicable	Not applicable Not applicable	
Other Information Softening point Molecular weight VOC Content (%)	No information available No information available No information available		

Density Bulk density No information available No information available

10. STABILITY AND REACTIVITY

<u>Reactivity</u> No data available

 Chemical stability

 Stable under recommended storage conditions.

 Possibility of Hazardous Reactions

 None under normal processing.

 Conditions to avoid

 Storage near to reactive materials. elevated temperature.

 Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	None known.
Eye contact	None known.
Skin contact	None known.
Ingestion	Based on availa

Based on available data, the classification criteria are not met.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Asphalt 8052-42-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 94.4 mg/m³(Rat)4.5 h
Distillates, petroleum, hydrotreated heavy naphthenic 64742-52-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	Based on ava	ilable data, the classificati ilable data, the classificati ow indicates whether each		redient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
Asphalt 8052-42-4	-	Group 2B	-	Х
Distillates, petroleum, hydrotreated heavy naphthenic 64742-52-5	A2	Group 1	Known	Х
A2 - Suspected Human (IARC (International Age Group 2B - Possibly Care	ency for Research on Cancer)) of Labor)	

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Target Organ Effects	Eyes, Respiratory system, Skin.
Aspiration hazard	Based on available data, the classification criteria are not met.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	5,012.00 mg/kg
ATEmix (dermal)	2,005.00 mg/kg
ATEmix (inhalation-dust/mist)	42.18 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

100 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
Asphalt	>6
8052-42-4	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

<u>Waste treatment methods</u> Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
IECSC	Complies

KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Asphalt	Х	Х	Х
8052-42-4			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 0	Flammability 1	Physical hazards 0	Personal protection X
Issue Date	15-Feb-20)16		
Revision Date	21-Nov-20)19		
Revision Note				
No information available				
<u>Disclaimer</u>				
The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief				

at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet