

# SAFETY DATA SHEET

Issue Date 11-May-2015 Revision Date 11-May-2015 Version 1

### 1. IDENTIFICATION

Product identifier

Product Name SILICONE FORTIFIED WINDOW &

Other means of identification

Product Code HE224 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Sealant.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

HENRY COMPANY

999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716

Company Contact: Technical Services Telephone Number: 800-486-1278

Web Site: www.henry.com www.ca.henry.com

Emergency telephone number

Emergency Telephone CHEMTREC: 800-424-9300

CHEMTREC: 703-527-3887 CANUTEC: 613-966-6666

# 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute toxicity - Inhalation (Gases)	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Acute toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Respiratory sensitization	Not classified
Skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified

### Label elements

**Emergency Overview** 

#### Danger

#### Hazard statements

May damage fertility or the unborn child Causes skin irritation Causes serious eye irritation May cause respiratory irritation



Appearance viscous Physical state liquid Odor Slight

#### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Wash hands thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Do not handle until all safety precautions have been read and understood Obtain special instructions before use

### **Precautionary Statements - Response**

Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Very toxic to aquatic life with long lasting effects Very toxic to aquatic life

Unknown acute toxicity 67% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
Calcium carbonate	1317-65-3	15 - 40	*
Acrylic Polymers	Proprietary	10 - 30	*
Water	7732-18-5	10 - 30	*
Butyl benzyl phthalate	85-68-7	5 - 10	*

\_\_\_\_\_

\_\_\_\_\_

Titanium Dioxide	13463-67-7	1 - 5	*
Propylene Glycol	57-55-6	1 - 5	*
Petroleum distillates, hydrotreated light	64742-47-8	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### 7. HANDLING AND STORAGE

**Precautions for safe handling** 

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible materials**None known based on information supplied.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium carbonate 1317-65-3	<del>-</del>	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	
Titanium Dioxide 13463-67-7	-	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	-

#### **Appropriate engineering controls**

Engineering Controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state liquid Appearance viscous

Appearance viscous Odor Slight

ColorWhiteOdor thresholdNo information available

Property Values Remarks • Method

No information available

**pH** 6-11

Melting point / freezing point No information available

Boiling point / boiling range > 100 °C Flash point > 100 °C

Evaporation rate
No information available
Plammability (solid, gas)
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure

No information available
No information available

Relative density >1

Vapor density

Revision Date 11-May-2015

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available No information available **Decomposition temperature** Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

#### **Other Information**

No information available Softening point Molecular weight No information available **VOC Content (%)** No information available No information available **Density Bulk density** No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### **Incompatible materials**

None known based on information supplied.

### **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** No data available

Inhalation May cause irritation.

Eye contact Severely irritating to eyes.

Skin contact Irritating to skin.

Ingestion No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Butyl benzyl phthalate 85-68-7	= 2330 mg/kg (Rat)	= 6700 mg/kg (Rat)	> 6.7 mg/L (Rat) 4 h
Titanium Dioxide 13463-67-7	> 10000 mg/kg(Rat)	-	-
Propylene Glycol 57-55-6	= 20 g/kg (Rat)	= 20800 mg/kg ( Rabbit )	-
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg(Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h

### Information on toxicological effects

#### **HE224 - SILICONE FORTIFIED WINDOW &**

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Butyl benzyl phthalate 85-68-7	-	Group 3	-	-
Titanium Dioxide 13463-67-7	-	-	-	X

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

### Numerical measures of toxicity - Product Information

 ATEmix (oral)
 9,157.00

 ATEmix (dermal)
 20,117.00

 ATEmix (inhalation-gas)
 99,999.00

 ATEmix (inhalation-dust/mist)
 26.70

 ATEmix (inhalation-vapor)
 99,999.00

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

72 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Butyl benzyl phthalate	0.02 - 0.25: 96 h	1.0 - 10.0: 96 h Oncorhynchus	0.9 - 1.1: 48 h Daphnia magna mg/L
85-68-7	Pseudokirchneriella subcapitata	mykiss mg/L LC50 static 0.82: 96 h	EC50 Static 0.76: 48 h Daphnia
	mg/L EC50 0.2 - 28.2: 72 h	Oncorhynchus mykiss mg/L LC50	magna mg/L EC50 Flow through
	Pseudokirchneriella subcapitata	flow-through 1.39 - 3.88: 96 h	1.28: 48 h Daphnia magna mg/L
	mg/L EC50	Pimephales promelas mg/L LC50	EC50 semi-static 0.97: 48 h
		flow-through 0.78: 96 h Pimephales	Daphnia magna mg/L EC50
		promelas mg/L LC50 static 1.0 -	
		10.0: 96 h Lepomis macrochirus	
		mg/L LC50 static	
Propylene Glycol	-	-	1000: 48 h Daphnia magna mg/L
57-55-6			EC50 Static 10000: 24 h Daphnia
			magna mg/L EC50
Petroleum distillates, hydrotreated	-	45: 96 h Pimephales promelas mg/L	4720: 96 h Den-dronereides
light		LC50 flow-through 2.2: 96 h	heteropoda mg/L LC50
64742-47-8		Lepomis macrochirus mg/L LC50	
		static 2.4: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	

# Persistence and degradability

No information available.

#### **Bioaccumulation**

Bioaccumulative potential.

Chemical Name	Partition coefficient
Butyl benzyl phthalate	3.57 - 4.91
85-68-7	

Other adverse effects No information available

Ozone Not applicable

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Butyl benzyl phthalate	-	Included in waste stream:	-	-
85-68-7		F039		

# 14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA
Not regulated
IMDG
Not regulated

### 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies Does not comply DSL/NDSL **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply **KECL** Complies **PICCS** Complies **AICS** Does not comply

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Revision Date 11-May-2015

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Butyl benzyl phthalate 85-68-7	-	X	X	-

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Butyl benzyl phthalate	100 lb	-	RQ 100 lb final RQ
85-68-7			RQ 45.4 kg final RQ

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical

Properties -

Health hazards 2\* Flammability 1 Physical hazards 0 Personal protection X

 Issue Date
 11-May-2015

 Revision Date
 11-May-2015

**Revision Note** 

No information available

#### <u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**