# Henry.

# SAFETY DATA SHEET

Issue Date 05-Dec-2015

Revision Date 18-Sep-2016

Version 2

## **1. IDENTIFICATION**

Product identifier Product Name

SOLARFLEX TAN COATING

Other means of identification Product Code Synonyms

Recommended use of the chemical and restrictions on useRecommended UseCoatingsUses advised againstNo information available

HE288

None

Details of the supplier of the safety data sheet Manufacturer Address HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Web Site: www.henry.com www.ca.henry.com

## Emergency telephone number Company Phone Number Emergency Telephone

800-486-1278 CHEMTREC: 800-424-9300 CHEMTREC: 703-527-3887 CANUTEC: 613-966-6666

## 2. HAZARDS IDENTIFICATION

## **Classification**

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

## Label elements

## **Emergency Overview**

## Warning

## Hazard statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer May cause respiratory irritation



Physical state liquid

Odor Slight

## **Precautionary Statements - Prevention**

Appearance viscous cream

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Use only outdoors or in a well-ventilated area

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

## Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## Other Information Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

## Unknown acute toxicity

40.8283% of the mixture consists of ingredient(s) of unknown toxicity

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

## Substance

Not applicable

## Mixture

Chemical Name	CAS No	Weight-%
Water *	7732-18-5	30 - 60
Limestone *	1317-65-3	10 - 30
Acrylic polymer blend *	Proprietary	10 - 30
Titanium dioxide *	13463-67-7	1 - 5
Chlorothalonil *	1897-45-6	0.1 - 1

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

## **Description of first aid measures**

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.	
Eye contact	Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. Wash contaminated clothing before reuse.	
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.	
Ingestion	Call a physician or poison control center immediately. Do not induce vomiting without medical advice. Rinse mouth. Never give anything by mouth to an unconscious person.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin irritation. May cause allergic skin reaction.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, sand, earth, water spray or regular foam.

## Unsuitable extinguishing media No information available.

## Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
Environmental precautions	
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

	surface water or sanitary sewer system.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use personal protective equipment as required. Cover liquid spill with sand, earth or other non-combustible absorbent material. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.	
Incompatible materials	Strong oxidizing agents. Strong acids. Strong bases.	

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

## Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state liquid

Appearance Color	viscous cream white	Odor Odor threshold	Slight No information available
<u>Property</u> pH	<u>Values</u> 6-9	Remarks • Method	
Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)	<= 0 °C / 32 °F > 100 °C / 212 °F > 100 °C / 212 °F >= 1 No information available	Pensky-Martens Closed	Cup (PMCC)
Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure	No information available No information available 18 mmHg	@ 25 °C	
Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient	No information available 1.1-1.3 dispersible No information available		
Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available > 100 mm2/s No information available Not an explosive Not applicable	@ 40 °C	
Other Information			
Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available		

## **10. STABILITY AND REACTIVITY**

## Reactivity No data available

<u>Chemical stability</u>
Stable under recommended storage conditions.
<u>Possibility of Hazardous Reactions</u>
None under normal processing.
<u>Conditions to avoid</u>
Elevated Temperature. Keep from freezing. Incompatible materials.
<u>Incompatible materials</u>
Strong oxidizing agents. Strong acids. Strong bases.
<u>Hazardous Decomposition Products</u>
Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information	
Inhalation	May cause irritation of respiratory tract.
Eye contact	Irritating to eyes.
Skin contact	Irritating to skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

#### Ingestion

Based on available data, the classification criteria are not met.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Chlorothalonil 1897-45-6	= 10 g/kg (Rat)> 10000 mg/kg ( Rat)	> 10 g/kg (Rabbit)> 2500 mg/kg ( Rat)	= 0.1 mg/L (Rat)4 h = 0.31 mg/L (Rat)1 h

## Information on toxicological effects

Symptoms

May cause an allergic skin reaction. May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin irritation.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ cell mutagenicity Carcinogenicity May cause sensitization by skin contact. Based on available data, the classification criteria are not met. This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is a liquid. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	Х
Chlorothalonil 1897-45-6	-	Group 2B	-	Х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Aspiration hazard

Reproductive toxicity STOT - single exposure STOT - repeated exposure

Target Organ Effects

Based on available data, the classification criteria are not met. Target Organs. Respiratory system. Eyes. Based on available data, the classification criteria are not met. Eyes, lungs, Respiratory system, Skin. Based on available data, the classification criteria are not met.

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	74,009.00 mg/kg
ATEmix (dermal)	74,039.00 mg/kg

## **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Very toxic to aquatic life with long lasting effects

96.668 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

## Persistence and degradability

No information available.

## **Bioaccumulation**

Chemical Name	Partition coefficient	
Chlorothalonil	2.9	
1897-45-6		

## Other adverse effects

## No information available

## **13. DISPOSAL CONSIDERATIONS**

<u>Waste treatment methods</u> Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

## **14. TRANSPORT INFORMATION**

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
Chlorothalonil - 1897-45-6	0.1	
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	Yes	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Chlorothalonil - 1897-45-6	Carcinogen	
Quartz - 14808-60-7	Carcinogen	
Cellulose - 9004-34-6	Carcinogen	

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	Х	X	Х
Titanium dioxide 13463-67-7	Х	X	Х
Chlorothalonil 1897-45-6	Х	Х	Х
Magnesium Nitrate 10377-60-3	Х	Х	Х
Cupric Nitrate 3251-23-8	Х	Х	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Flammability 0

Flammability 0

NFPA
------

HMIS

Health hazards 2 Health hazards 2\* Instability 0 Physical hazards 0 Physical and Chemical Properties -Personal protection X

Issue Date05-Dec-2015Revision Date18-Sep-2016Devision Nate18-Sep-2016

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## End of Safety Data Sheet