Henry.

SAFETY DATA SHEET

Issue Date 18-Sep-2016

Revision Date 18-Sep-2016

Version 1

1. IDENTIFICATION

Product identifier Product Name

SBS BASE SHEET

Other means of identificationProduct CodeHE608SynonymsNone

Recommended use of the chemical and restrictions on useRecommended UseIndustrial CoatingsUses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Web Site: www.henry.com www.ca.henry.com

Emergency telephone number Company Phone Number Emergency Telephone

800-486-1278 CHEMTREC: 800-424-9300 CHEMTREC: 703-527-3887 CANUTEC: 613-966-6666

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use

Label elements

Emergency Overview

Appearance Reinforced fabric/sheet

Physical state Solid

Odor None

Hazards not otherwise classified (HNOC)

Not applicable

Other Information Causes mild skin irritation.

Unknown acute toxicity

41% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

The product contains no substances which at their given concentration, are considered to be hazardous to health.

| Chemical Name | CAS No | Weight-% | | |
|--|--------|----------|--|--|
| Asphalt * 8052-42-4 30 - 60 | | | | |
| Glass, oxide, chemicals * 65997-17-3 30 - 60 | | | | |
| *The exact percentage (concentration) of composition has been withheld as a trade secret | | | | |

The exact percentage (concentration) of composition has been withheld as a trade secret.

| 4. FIRST AID MEASURES | | |
|---|--|--|
| Description of first aid measures | | |
| General advice | In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician. | |
| Eye contact | Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician. | |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. Wash contaminated clothing before reuse. | |
| Inhalation | Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician. | |
| Ingestion | Call a physician or poison control center immediately. Do not induce vomiting without medical advice. Rinse mouth. Never give anything by mouth to an unconscious person. | |
| Self-protection of the first aider | protection of the first aider Use personal protective equipment as required. | |
| Most important symptoms and effects, both acute and delayed | | |
| ymptoms May cause redness and tearing of the eyes. May cause skin irritation. | | |
| Indication of any immediate medical attention and special treatment needed | | |
| Note to physicians | Treat symptomatically. | |
| 5. FIRE-FIGHTING MEASURES | | |

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective eq | uipment and emergency procedures |
|--------------------------------------|---|
| Personal precautions | Avoid contact with eyes and skin. Avoid creating dust. |
| Environmental precautions | |
| Environmental precautions | No information available. |
| Methods and material for containme | ent and cleaning up |
| Methods for containment | No information available. |
| Methods for cleaning up | Take up mechanically, placing in appropriate containers for disposal. |
| | 7. HANDLING AND STORAGE |
| Precautions for safe handling | |
| Advice on safe handling | Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before reuse. |
| Conditions for safe storage, includi | ng any incompatibilities |
| Storage Conditions | Store in a dry place. Store in a closed container. |
| Incompatible materials | Strong bases. Hydrogen fluoride. |
| 8. EXI | POSURE CONTROLS/PERSONAL PROTECTION |

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-------------------------|---|----------|--|
| Asphalt | TWA: 0.5 mg/m ³ benzene soluble | - | Ceiling: 5 mg/m ³ fume 15 min |
| 8052-42-4 | aerosol fume, inhalable fraction | | |
| Glass, oxide, chemicals | TWA: 1 fiber/cm3 respirable fibers: | - | - |
| 65997-17-3 | length >5 μm, aspect ratio >=3:1, as | | |
| | determined by the membrane filter | | |
| | method at 400-450X magnification | | |
| | [4-mm objective], using | | |
| | phase-contrast illumination | | |
| | TWA: 5 mg/m ³ inhalable fraction | | |

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

.

| Eye/face protection | Wear safety glasses with side shields (or goggles). |
|--------------------------|---|
| Skin and body protection | Wear protective gloves and protective clothing. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | Solid Reinforced fabric/sheet black | Odor Odor threshold | None No information available |
|--|---|-------------------------|----------------------------------|
| <u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate | <u>Values</u> Not applicable No information available No information available No information available No information available | <u>Remarks • Method</u> | |
| Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure | No information available No information available No information available 0 | @ 25 °C | |
| Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient | No information available >1 Insoluble in water No information available No information available | | |
| Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties | No information available No information available No information available No information available Not an explosive | | |
| Oxidizing properties <u>Other Information</u> | Not applicable | | |
| Softening point Molecular weight VOC Content (%) Density Bulk density | No information available No information available No information available No information available No information available | | |

10. STABILITY AND REACTIVITY

<u>Reactivity</u> No data available

Chemical stability

 Stable under recommended storage conditions.

 Possibility of Hazardous Reactions

 None under normal processing.

 Conditions to avoid

 Protect from moisture. Avoid dust formation.

 Incompatible materials

 Strong bases. Hydrogen fluoride.

 Hazardous Decomposition Products

 None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|---|-------------|-----------------|
| Ingestion | Based on available data, the classification criteria are not met. | | |
| Skin contact | Prolonged contact may cause redness and irritation. | | |
| Eye contact | Contact with eyes may cause irritation. | | |
| Inhalation | May cause irritation. | | |

| Asphalt > 5000 mg/kg (Rat) > 2000 mg/kg (Rabbit) - | | Dermai LD30 | |
|--|--------------------|-----------------------|---|
| | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - |

Information on toxicological effects

Symptoms

May cause redness and tearing of the eyes. May cause skin irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity | Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. The table below indicates whether each agency has listed any ingredient as a carcinogen. | | | |
|---|---|----------|-----|------|
| Chemical Name | ACGIH | IARC | NTP | OSHA |
| Asphalt 8052-42-4 | - | Group 2B | - | х |
| Glass, oxide, chemicals 65997-17-3 | - Group 3 | | | |
| IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present | | | | |
| Reproductive toxicity STOT - single exposure STOT - repeated exposur Target Organ Effects Aspiration hazard | Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Eyes, Respiratory system, Skin. Based on available data, the classification criteria are not met. | | | |

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity None known

41 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

Bioaccumulative potential.

| Chemical Name | Partition coefficient |
|---------------|-----------------------|
| Asphalt | 6 |
| 8052-42-4 | |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

| <u>Waste treatment methods</u> Disposal of wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. |
|--|---|
| Contaminated packaging | Do not reuse container. |

14. TRANSPORT INFORMATION

| DOT | Not regulated |
|------------|---------------|
| <u>TDG</u> | Not regulated |
| ΙΑΤΑ | Not regulated |
| IMDG | Not regulated |

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute health hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| Asphalt | Х | Х | X |
| 8052-42-4 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| <u>NFPA</u> <u>HMIS</u> | Health hazards 0 Health hazards 0 | Flammability 1 Flammability 1 | Instability 0 Physical hazards 0 | Physical and Chemical Properties - Personal protection X |
|--|--------------------------------------|----------------------------------|-------------------------------------|--|
| Issue Date Revision Date Revision Note No information available | 18-Sep-2 18-Sep-2 | | | |

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet