793 Foundation Coating – Trowel Grade by Henry Company

CLASSIFICATION: 07 26 16.00

PRODUCT DESCRIPTION: 793 FOUNDATION COATING TROWEL GRADE IS DESIGNED AS A MULTI-PURPOSE, READY TO USE, FIBRATED, SOLVENT BASED, ASPHALTIC FOUNDATION COATING FOR DAMPPROOFING THE EXTERIOR SURFACE OF BELOW-GRADE FOUNDATIONS AND OTHER DRY CONCRETE, CONCRETE BLOCK, OR MASONRY SURFACES. MADE FROM SELECTED ASPHALTS, FIBERS, MINERAL STABILIZERS, AND PETROLEUM SOLVENTS.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT INVENTORY		Based on the selected Content Inventory Threshold:		
Threshold per material 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSDS Other	Residuals and impurities considered in 1 of 1 materials • see Section 2: Material Notes	Characterized Are the Percent Weight and Role provided for all substances?		O No
		Screened Are all substances screened using Priority Hazard Lists with results disclosed?	⊙ Yes	O No
	See Section 5: General Notes	Identified Are all substances disclosed by Name (Specific or Generic) and Identifier?	⊙ Yes	O No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

FOUNDATION COATING TROWEL GRADE [ASPHALT LT-1 | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-UNK | MAM ENGLISH FULLERS EARTH UNK CELLULOSE, MICROCRYSTALLINE UNK PERLITE LT-UNK ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE LT-P1 | RES | MUL 1,2,4-TRIMETHYLBENZENE BM-2 | MAM | EYE | SKI | AQU | MUL QUARTZ LT-1 | CAN] Number of Greenscreen BM-4/BM3 contents.......0 Contents highest concern

GreenScreen Benchmark or List translator Score...... LT-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 189 Regulatory (g/l): Does the product contain exempt VOCs: No

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

Are ultra-low VOC tints available: N/A

Self-Published* VERIFIER:
 Third Party Verified VERIFICATION
 *See HPDC website for details

SCREENING DATE: January 24, 2017 RELEASE DATE: January 24, 2017 EXPIRY DATE*: January 24, 2020 * or within 3 months of significant change in product contents This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

ntory Threshold: 100 ppm erial Notes:		00.0000 - 100.0000 HPD URL: duals Considered: Yes		
ASPHALT			ID: 8052-4	42-4
%: 40.0000 - 60.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Waterproofing/flexibility
HAZARDS:		AGENC	Y(IES) WITH WARNINGS	S:
CANCER	IARC		Group 2b - Poss	ibly carcinogenic to humans
CANCER	US CDC - (Occupational Carcinogens	Occupational Ca	arcinogen
CANCER	MAK		Carcinogen Grou carcinogenic for	up 2 - Considered to be man
SUBSTANCE NOTES: application.	IARC classifies asphalt	as a carcinogen when used in r	oad paving operations. Th	nis product is not used in that
LIMESTONE; CALCIUN	I CARBONATE		ID: 1317-6	65-3
LIMESTONE; CALCIUM %: 20.0000 - 30.0000	GS: LT-UNK	RC: None	ID: 1317-6 NANO: NO	65-3 ROLE: Filler/film strengthener
				ROLE: Filler/film strengthener
%: 20.0000 - 30.0000		AGENC	NANO: NO	ROLE: Filler/film strengthener
%: 20.0000 - 30.0000		AGENC	NANO: NO Y(IES) WITH WARNINGS	ROLE: Filler/film strengthener
%: 20.0000 - 30.0000 HAZARDS: None Found	GS: LT-UNK	AGENC No warn	NANO: NO Y(IES) WITH WARNINGS	ROLE: Filler/film strengthener
%: 20.0000 - 30.0000 HAZARDS: None Found SUBSTANCE NOTES:	GS: LT-UNK	AGENC No warn	NANO: NO Y(IES) WITH WARNINGS ings found on HPD Priorit	ROLE: Filler/film strengthener
%: 20.0000 - 30.0000 HAZARDS: None Found SUBSTANCE NOTES: SOLVENT NAPHTHA (F	GS: LT-UNK	AGENC No warn M ALIPHATIC RC: None	NANO: NO Y(IES) WITH WARNINGS ings found on HPD Priorit ID: 64742	-88-7 ROLE: Filler/film strengthener

ORGAN TOXICANT				uses damage to organs through or repeated exposure	
SUBSTANCE NOTES:					
ENGLISH FULLERS EA	ARTH		ID: 8031-1	8-3	
%: 1.0000 - 5.0000	GS: UNK	RC: None	NANO: NO	ROLE: Thixotrope	
HAZARDS:		A	GENCY(IES) WITH WARNINGS	:	
None Found		Ν	lo warnings found on HPD Priority	y lists	
SUBSTANCE NOTES:					
CELLULOSE, MICROC	RYSTALLINE		ID: 9004-3	4-6	
%: 1.0000 - 5.0000	GS: UNK	RC: None	NANO: NO	ROLE: Reinforcement	
HAZARDS:		A	GENCY(IES) WITH WARNINGS	:	
None Found		Ν	lo warnings found on HPD Priority	y lists	
SUBSTANCE NOTES:					
PERLITE			ID: 93763-	70-3	
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler	
HAZARDS:		Α	GENCY(IES) WITH WARNINGS	:	
None Found		Ν	lo warnings found on HPD Priority	y lists	
SUBSTANCE NOTES:					
ALKYL(C12-16)DIMETH	HYLBENZYLAMMONIUI	M CHLORIDE	ID: 68424-	85-1	
%: 0.1000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	ROLE: Preservative	
HAZARDS:		Α	GENCY(IES) WITH WARNINGS	:	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs)	Asthmagen (Rs) - sensitizer-induced	
MULTIPLE	German FEA - Substances Hazardous to Waters		us to Waters Class 2 - Hazard	to Waters	
SUBSTANCE NOTES:					

1,2,4-TRIMETHYLBENZ	ZENE		ID: 95-63	3-6	
%: Impurity/Residual	GS: BM-2	RC: None	NANO: NO	ROLE: Impurity/Residua	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
MAMMALIAN	EU - R-phr	ases	R20 - Harmful k dust/mist)	by Inhalation (gas or vapor or	
EYE IRRITATION	EU - R-phr	ases	R36 - Irritating	to eyes	
SKIN IRRITATION	EU - R-phra	ases	R38 - Irritating	R38 - Irritating to skin	
ACUTE AQUATIC	EU - R-phra	ases	R51 - Toxic to Aquatic Organisms		
CHRON AQUATIC	EU - GHS (EU - GHS (H-Statements)		H411 - Toxic to aquatic life with long lasting effect	
SKIN IRRITATION	EU - GHS (EU - GHS (H-Statements)		H315 - Causes skin irritation	
EYE IRRITATION	EU - GHS (H-Statements) H319 - Causes serious eye in		serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
SUBSTANCE NOTES:					
QUARTZ			ID: 1480	8-60-7	
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residua	
HAZARDS:		AGENCY(IE	S) WITH WARNING	S:	
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 1: Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size occupational setting)		
CANCER	МАК		Carcinogen Group 1 - Substances that cause cancer in man		
SUBSTANCE NOTES:					

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd. Suite 800 El Segundo, CA 90245 USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

NF Not found on Priority Hazard Lists

LT-1 List Translator Likely Benchmark 1 **LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) **UNK** Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.