



# Residential and Light Commercial Building Envelope Systems®

Worry-free weatherization solutions from a single source

# Peace of mind

from roof to slab™



Whatever your application, from light commercial construction to residential and multi-family housing, Henry® has the right moisture control solution for you.



# Complete weatherization

solutions from Henry®

To prevent moisture intrusion and weatherize a building properly, you've got to start with the right solutions for every inch of the structure.

All Henry Building Envelope Systems® components are compatible, so you have more flexibility when selecting weather-resistive barriers, flashings and sealants. Available from a single source, Henry weatherization solutions are also the industry's most comprehensive. Whatever your building materials, codes, construction methods, or climate, Henry has a complete weatherization solution for every level of protection and budget.

## Henry Building Envelope Systems

- Simplify selection and installation
- Mitigate moisture intrusion that can cause mold and rot
- Eliminate uncontrolled air leakage
- Reduce energy consumption

## Industry leading warranty

Henry weatherization solutions are backed by the best warranty in the business. Our warranty provides coverage on BOTH materials and labor, ultimately allowing you to move on to your next job with confidence.

## Building confidence for 80+ years

Since the late 1930s, Henry products and systems have been helping buildings withstand the elements. Architects, builders and contractors have a single, go-to source for weatherization solutions that help manage the flow of water, vapor, air and energy to create more comfortable, energy-efficient interiors.





**A one-stop compatible  
weather-resistive barrier system**

## 3 easy steps for complete protection

It's as simple as 1-2-3 – by keeping water out of the building, the Henry® 1-2-3 Moisture Control System™ helps prevent the development of mold, mildew, or rot inside that structure's walls.

The Henry 1-2-3 Moisture Control System's compatible components make it just as easy to select and install the right solution – simply choose the barrier, flashing and sealant that works best for your project, and start building with confidence. And the Henry 1-2-3 Moisture Control System carries an industry-leading 15-year warranty covering materials PLUS labor!

# Weather-resistive barriers



### Self-adhered membrane

Blueskin® VP100 is a fully adhered, peel-n-stick system that eliminates air leakage while functioning as a water-resistant barrier. It also self-seals around siding nails when penetrated.



### Mechanically fastened membranes

The WeatherSmart® product line features a non-woven substrate and a smart polymer coating, making it surfactant-resistant and providing outstanding UV stability.



### Building papers

Jumbo Tex® Weather-Resistive Barriers are the industry standard behind stucco and masonry.

Hydro Tex™ Hybrid Weather-Resistive Barrier is the industry's first labor-saving hybrid barrier.

# Flashings



With its Building Envelope Systems, Henry is the only provider of weather barrier solutions that offers compatible flashing membranes in self-adhered, mechanically fastened and liquid-applied options. Between the FortiFlash® and Moistop® family of flashing membranes, you'll have plenty of options to meet your project's design needs.

# Sealants



### Moistop® Sealant and Liquid Flashing

Compatible with all Henry weather-resistive barriers and flashings.



## Foundation and below grade

Henry provides a wide range of foundation and below grade waterproofing solutions to prevent water infiltration through the residential building envelope. From self-adhered membranes and drainage boards to under and over slab vapor retarders, Henry has the waterproofing options that let you move forward with confidence.



## Roofing systems

The complete line of Henry roofing underlayments includes waterproofing solutions for use under shingles, tile, metal, shake, slate and other sloped roofing surfaces. All Henry roofing underlayments meet or exceed industry standards and can be installed during all seasons.

# Available products

Item	Sizes available
<b>Weather-resistive barriers</b>	
Blueskin® VP100	4", 6", 9", 12" and 48" x 100 lineal feet
WeatherSmart® Drainable	5', 9' and 10' x 125 lineal feet
WeatherSmart® Commercial	5' x 200 lineal feet; 10' x 125 lineal feet
WeatherSmart® Housewrap	3', 9' and 10' x 100 lineal feet; 4.5' x 200 lineal feet; 9' x 150 lineal feet
Super Jumbo Tex® 60 Minute	40" x 72 lineal feet
Jumbo Tex®	40" x 97.2 and 150 lineal feet
Two-Ply Super Jumbo Tex® 60 Minute	40" x 48.6 lineal feet
Two-Ply Jumbo Tex®	40" x 48.6 and 75 lineal feet
Hydro Tex™	40" x 48.6 lineal feet
Ply Dry®	9" and 10' rolls by 100 and 150 lineal feet
Henry® Sheathing and Commercial Tape	1 7/8" and 3" wide x 165 lineal feet
<b>Flashing</b>	
FortiFlash® 365	4", 6" 9" and 12" x 75 lineal feet
FortiFlash® Butyl	4", 6", 9", 12" and 18" x 75 lineal feet
FortiFlash® 25 and 40 mil	4", 6", 9", 12", 18" and 36" x 75 lineal feet
Moistop® E-Z Seal	4", 6", 9" and 12" x 75 lineal feet
FortiFlex® Butyl	6" and 9" x 50 lineal feet
Moistop® neXT	6", 9" and 12" x 200 lineal feet
Moistop® PF	6", 9", 12" and 18" x 300 lineal feet
Moistop® Corner Shield	Flexible or rigid
<b>Sealant, liquid flashing and primer</b>	
Moistop® Sealant and Liquid Flashing	10 oz and 20 oz sausage
Air-Bloc LF®	20 oz sausage
Blueskin® Spray Prep	15 oz spray can
Henry® 212 All Purpose Crystal Clear Sealant*	10.1 oz tube
Aquatac® Primer	1 gallon; 5 gallon
<b>Roofing</b>	
Blueskin® PE200HT High Temperature Roof Underlayment	36" x 65 lineal feet
Blueskin® RF200 Ice and Water Barrier	36" x 65 lineal feet
Eaveguard® Self-Adhered Shingle Underlayment	36" x 65 lineal feet
<b>Below grade and slab</b>	
Blueskin® WP200 Sheet Waterproofing	36" x 66.7 lineal feet
Henry® DB200 Drainage Composite	48" x 50 lineal feet
Moistop® Ultra 15	144" x 163 lineal feet
Moistop® Ultra 10	168" x 210 lineal feet
Moistop® Tape	4" x 180 lineal feet

\* Can only be used with Blueskin VP100 and FortiFlash Butyl in a reverse lap application.



## One-stop compatibility and simplicity

The Henry 1-2-3 Moisture Control System makes it easy to select the right moisture control components and build with confidence.



**Henry**

**Building Envelope Systems®**  
Wall & Window | Roof | Foundation

Ask us today about other Henry® solutions that help manage the flow of water, air, vapor and energy.

1-800-773-4777  
[www.henry.com](http://www.henry.com)

© 2022 Henry Company All rights reserved.  
Printed in U.S.A. 100.2US.E433 (05/22)