LiquidFoil™ Attic Barrier by Henry Company

CLASSIFICATION: 07 14 16.00

Health Product Declaration v2.0

created via: HPDC Online Builder

PRODUCT DESCRIPTION: HENRY LIQUIDFOIL™ ATTIC BARRIER IS A LOW EMISSIVITY (LOW-E) ENERGY SAVING COATING, MOST COMMONLY APPLIED TO THE UNDERSIDE OF ROOF DECKS AND GABLE ENDS. IT COMES IN A LIQUID FORM AND DRIES TO A SHINY, METALLIC FINISH. IN SUMMER, HENRY LIQUIDFOIL™ ATTIC BARRIER WORKS TO KEEP THE HEAT OUT OF THE BUILDING. IN WINTER, IT WORKS TO KEEP THE HEAT IN THE BUILDING. WHEN PROPERLY APPLIED, HENRY LIQUIDFOIL™ ATTIC BARRIER WILL BLOCK UP TO 84% OF THE RADIANT HEAT FROM PENETRATING THE SURFACE, REDUCING BOTH SUMMER COOLING AND WINTER HEATING COSTS. HENRY LIQUIDFOIL™ ATTIC BARRIER IS CLASSIFIED AS AN INTERIOR RADIATION CONTROL COATING SYSTEM (ASTM C1321) WITH AN EMITTANCE RATING OF 0.16 AS TESTED IN ACCORDANCE WITH ASTM C1371 OVER A WOOD SUBSTRATE.



CONTENT

Section 1: Summary

INVENTORY		Based on the selected Content Inventory Threshold:		
Threshold per material	Residuals and impurities considered in	Characterized Are the Percent Weight and Role provided for all substances?		O No
• 100 ppm • 1,000 ppm • Per GHS SDS	1 of 1 materials o see Section 2: Material Notes	Screened Are all substances screened using Priority Hazard Lists with results disclosed?	• Yes	O No
O Per OSHA MSDS O Other	● see Section 5: General Notes	IdentifiedAre all substances disclosed by Name (Specific or Generic) and Identifier?	• Yes	O No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

LIQUIDFOIL BARRIER [WATER BM-4 ALUMINUM LT-P1 | RES | END | PHY STYRENE BUTADIENE RUBBER (SBR) LT-UNK DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB) LT-UNK MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) LT-UNK | SKI MAGNESIUM NITRATE 67% SOLUTION LT-UNK ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK]

INVENTORY AND SCREENING NOTES:

Nanomaterial..... No

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 185 Regulatory (g/l): Does the product contain exempt VOCs:

Are ultra-low VOC tints available: N/A

No

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

● Self-Published* VERIFIER:

SCREENING DATE: January 30, 2017

EXPIRY DATE*: January 30, 2020

* or within 3 months of significant change in product contents



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

UIDFOIL BARRIER entory Threshold: 100 ppm erial Notes:	%: 100.0000 - 100.000 Residuals Considered				
WATER			ID: 7732-18-5		
%: 75.0000 - 85.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent	
HAZARDS:		AGENC	Y(IES) WITH WARNINGS	S:	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
ALUMINUM			ID: 7429-90-5		
%: 5.0000 - 10.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Heat reflection	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
RESPIRATORY	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalable forms only		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H228 - Flammable solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fire spontaneously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H261 - In contact with water releases flammable gases		
SUBSTANCE NOTES: N	Not available in a free po	owder form.			
STYRENE BUTADIENE RUBBER (SBR)			ID: 9003-55-8		
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Flexible polyme	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				

None Found	No warnings found on HPD Priority lists					
SUBSTANCE NOTES:						
DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB)			ID: 29911-28-2			
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Co-solvent		
HAZARDS:	AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					
SUBSTANCE NOTES:						
		OISOTHIAZOL-3-ONE [26 [2682-20-4] MIXTURE IN F				
%: 0.0100 - 0.1000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Preservative		
HAZARDS:		AGE	NCY(IES) WITH WARNINGS):		
SKIN SENSITIZE	MAK Sensitizing Substance Sh - Danger of skin sensitization					
SUBSTANCE NOTES:						
MAGNESIUM NITRATE	E 67% SOLUTION		ID: 10377	-60-3		
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: NO	ROLE: Impurity/Residu		
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	3:		
None Found	No warnings found on HPD Priority lists					
SUBSTANCE NOTES:						
ETHYLENE VINYL ACE	ETATE POLYMER (EVA)		ID: 24937	-78-8		
ETHYLENE VINYL ACE %: Impurity/Residual	ETATE POLYMER (EVA) GS: LT-UNK	RC: None	ID: 24937			
		RC: None		ROLE: Impurity/Residu		
%: Impurity/Residual		RC: None	NANO: NO	ROLE: Impurity/Residu		



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd.

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown **None** Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.