



WATERPROOFING

MiraCLAY® Sealant

Description

CCW MiraCLAY Sealant is an accessory product to the MiraCLAY waterproofing membrane. MiraCLAY Sealant is used as a detail Sealant at termination bars, soldier piles, pipe penetrations, transitions, inside corners and other critical areas.

Installation

No primer or surface preparation is required for the installation of MiraCLAY Sealant.

Coverage Rate

Application rate will vary based on the installation details. A ¾" (20 mm) trowel bead of MiraCLAY Sealant will cover approximately 10–15 sq. ft. (75–112.86 m²) per gallon.

Storage

Do not store MiraCLAY Sealant in direct sunlight or at temperatures exceeding 95°F (35°C). Improper storage could lead to product deterioration, making proper installation of MiraCLAY Sealant difficult.

Packaging

5-gallon (19-liter pails) containers.

Technical Data

Sodium bentonite is suspended in a solvent carrier and made into a trowel-grade sealant. This sealant facilitates the placement of the sodium bentonite in critical areas for enhanced waterproofing performance.

Limited Warranty

Carlisle Coatings & Waterproofing Incorporated (Carlisle) warrants this product to be free of defects in workmanship and materials only at the time of shipment from our factory. If any Carlisle materials prove to contain manufacturing defects that substantially affect their performance, Carlisle will, at its option, replace the materials or refund its purchase price. This limited warranty is the only warranty extended by Carlisle with respect to its materials. There are no other warranties, including the implied warranties of merchantability and fitness for a particular purpose. Carlisle specifically disclaims liability for any incidental, consequential, or other damages, including but not limited to, loss of profits or damages to a structure or its contents, arising under any theory of law whatsoever. The dollar value of Carlisle's liability and buyer's remedy under this limited warranty shall not exceed the purchase price of the Carlisle material in question.