created via: HPDC Online Builder

0

Nο

0

No

0

No

PRODUCT DESCRIPTION: PART A OF A TWO COMPONENT, POLYURETHANE, SPRAY FOAM SYSTEM.



Section 1: Summary

CONTENT	
INVENTORY	

Threshold per material ● 100 ppm **O** 1,000 ppm O Per GHS SDS O Per OSHA MSDS Other

Residuals and impurities considered in 1 of 1 materials • see Section 2: Material Notes see Section 5:

General Notes

Based on the selected Content Inventory Threshold:

0 Characterized..... Are the Percent Weight and Role provided for all substances? Yes 0 Screened..... Are all substances screened using Priority Hazard Lists with results Yes disclosed? 0 Identified.....

Are all substances disclosed by Name (Specific or Generic) and Identifier?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

PERMAX - A COMPONENT [POLYMERIC MDI (PMDI) LT-UNK | RES | MUL | CAN METHYLENE BISPHENYL DİİSOCYANATE (PURE MDİ) LT-UNK | MAM | EYE | SKI | CAN | RES | MUL DIPHENYLMETHANE DIISOCYANATE (MDI) - NON ISOMER SPECIFIC LT-UNK | MAM | EYE | SKI | CAN | RES | MUL]

Number of Greenscreen BM-4/BM3 contents...... 0 Contents highest concern GreenScreen Benchmark or List translator

Yes

Score.....LT-UNK Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE

VOC Content data is not applicable for this product category.

No certifications have been added to this HPD.

O Self-Published* VERIFIER: SCREENING DATE: January 17, 2017

EXPIRY DATE*: January 17, 2020

or within 3 months of significant change in product contents

Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

POLYMERIC MDI (PMDI)			ID: 9016-87-9	
%: 50.0000 - 60.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Curing agent
HAZARDS:		AGENC	Y(IES) WITH WARNINGS	3 :
RESPIRATORY	AOEC - Asthmagens		Asthmagen (G) - generally accepted	
RESTRICTED LIST	US EPA - PPT Chemical Action Plans		EPA Chemical of Concern - Action Plan published	
RESPIRATORY	US EPA - PPT Ch	emical Action Plans	Inhalation sensit damage	izer causing asthma and lung
CANCER	MAK			up 4 - Non-genotoxic carcinoge ler MAK/BAT levels
RESPIRATORY	MAK		Sensitizing Subs	stance Sah - Danger of airway &
	Reacts with B Component upo		ID: 101 69	2.0
METHYLENE BISPHEN	YL DIISOCYANATE (PURE	MDI)	ID: 101-68	
			ID: 101-68 NANO: NO	3-8 ROLE: Curing agent
METHYLENE BISPHEN	YL DIISOCYANATE (PURE	MDI) RC: None		ROLE: Curing agent
METHYLENE BISPHEN' %: 35.0000 - 45.0000	YL DIISOCYANATE (PURE	MDI) RC: None	NANO: NO Y(IES) WITH WARNINGS	ROLE: Curing agent
METHYLENE BISPHEN' %: 35.0000 - 45.0000 HAZARDS:	YL DIISOCYANATE (PURE I	MDI) RC: None	NANO: NO Y(IES) WITH WARNINGS R20 - Harmful b	ROLE: Curing agent 3: y Inhalation (gas or vapor or
METHYLENE BISPHEN %: 35.0000 - 45.0000 HAZARDS: MAMMALIAN	YL DIISOCYANATE (PURE I GS: LT-UNK EU - R-phrases	MDI) RC: None	NANO: NO Y(IES) WITH WARNINGS R20 - Harmful by dust/mist)	ROLE: Curing agent S: y Inhalation (gas or vapor or o eyes
METHYLENE BISPHEN %: 35.0000 - 45.0000 HAZARDS: MAMMALIAN EYE IRRITATION	YL DIISOCYANATE (PURE GS: LT-UNK EU - R-phrases EU - R-phrases	MDI) RC: None	NANO: NO Y(IES) WITH WARNINGS R20 - Harmful by dust/mist) R36 - Irritating to	ROLE: Curing agent S: y Inhalation (gas or vapor or o eyes
METHYLENE BISPHEN %: 35.0000 - 45.0000 HAZARDS: MAMMALIAN EYE IRRITATION SKIN IRRITATION	YL DIISOCYANATE (PURE I GS: LT-UNK EU - R-phrases EU - R-phrases EU - R-phrases	MDI) RC: None	NANO: NO Y(IES) WITH WARNINGS R20 - Harmful by dust/mist) R36 - Irritating to R38 - Irritating to R40 - Limited Events	ROLE: Curing agent S: y Inhalation (gas or vapor or o eyes

ORGAN TOXICANT	EU - R-phrases	R48: Danger of serious damage to health by prolonged exposure.
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: Reacts with B Component upon application

%: 1.0000 - 5.0000

GS: LT-UNK

ID: 26447-40-5

ROLE: Curing agent

NANO: NO

HAZARDS:	AGENCY	AGENCY(IES) WITH WARNINGS:		
MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)		
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes		
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin		
CANCER	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects		
RESPIRATORY	EU - R-phrases	R42 - May cause sensitization by inhalation		
SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact		
ORGAN TOXICANT	EU - R-phrases	R48: Danger of serious damage to health by prolonged exposure.		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		

RC: None

RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		
SUBSTANCE NOTES: Reacts with B Component upon application.				



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PERMAX - B COMPONENTS (ALL FOAM DENSITIES)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Must be used in conjunction with B Component to form cured foam.

HPD URL: No HPD link provided



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation **PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown **None** Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.