

TECH-TALK BULLETIN

Effective 07/01/2013
Supersedes all previous versions

PERMAX™ Wall Foam R-value Fact Sheet

This is Spray Polyurethane Foam Insulation

Product	1 Inch	3.5 Inch	4 Inch
Permax 0.5lb OC SPF	3.7	13.0	15.0
Permax 1.8lb CC SPF	6.47	22.6	25.8
Permax 2.0lb CC SPF	6.46	20.8	25.0

In accordance with ASTM C518 Aged R value per inch (140°F @ 90 days)

READ THIS BEFORE YOU BUY

What You Should Know About R-values

The Chart shows the R-value of this insulation. R means resistance to heat flow. The higher the R-value, the greater the insulating power. Compare insulation R-values before you buy.

There are other factors to consider. The amount of insulation you need depends mainly on the climate you live in. Also, your fuel savings from insulation will depend upon the climate, the type and size of your house, the amount of insulation already in your house, and your fuel use patterns and family size. If you buy too much insulation, it will cost you more than what you'll save on fuel.

To get the marked R-value, it is essential that this insulation be installed properly.

For Additional Information Contact:

Henry Product Support
999 North Sepulveda Blvd., Suite 800
El Segundo, CA 90245
1-800-486-1278
ProductSupport@henry.com