Pro-Grade® 155 Low Temp by Henry Company

Health Product Declaration v2.0

created via: HPDC Online Builder

PRODUCT DESCRIPTION: PRO-GRADE 155 LOW TEMP IS A PREMIUM QUALITY SBS-MODIFIED FLASHING CEMENT SUPPLIED IN TROWEL-GRADE CONSISTENCY FOR DRY SURFACE APPLICATIONS IN ALL TEMPERATURE CONDITIONS. THIS MATERIAL IS MADE FROM HEAVY-BODIED ASPHALT REINFORCED WITH ORGANIC FIBERS. PRO-GRADE 155 FORMS A TOUGH FILM THAT WON'T BECOME BRITTLE OR MUD-CRACK, WILL NOT SAG/SLIP, AND HAS A HIGH RESISTANCE TO WEATHERING.



CONTENT

Section 1: Summary

| INVENTORY | | based on the selected Content Inventory Threshold. | | |
|---|--|---|----------|---------|
| Threshold per material | Residuals and impurities considered in | Characterized Are the Percent Weight and Role provided for all substances? | • Yes | O No |
| ⊙ 100 ppm | 1 of 1 materials | Screened | • | 0 |
| O 1,000 ppm O Per GHS SDS O Per OSHA MSDS | see Section 2:Material Notessee Section 5: | Are all substances screened using Priority Hazard Lists with results disclosed? | Yes | No |
| Other | General Notes | Identified | • | 0 |
| Outer | General Notes | Are all substances disclosed by Name (Specific or Generic) and Identifier? | Yes | No |

Based on the selected Content Inventory Threshold

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

FLASH 505 [ASPHALT LT-1 | CAN SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-UNK | MAM ATTAPULGITE LT-1 | CAN CELLULOSE, MICROCRYSTALLINE UNK LIMESTONE; CALCIUM CARBONATE LT-UNK 1,2,4-TRIMETHYLBENZENE BM-2 | MAM | EYE | SKI | AQU | MUL QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents..... 0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Regulatory (g/l): 275 Does the product contain exempt VOCs:

Yes

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD

O Self-Published* VERIFIER: SCREENING DATE: January 18, 2017 EXPIRY DATE*: January 19, 2020

VERIFICATION #: or within 3 months of significant change in product contents



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

| ntory Threshold: 100 ppm rial Notes: | Hesiduals Considered: | Yes | | | |
|---|----------------------------|--|---|------------------------------------|--|
| ASPHALT | | | ID: 8052-42-4 | | |
| %: 40.0000 - 60.0000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Waterproofing/flexibility | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | |
| CANCER | IARC | | Group 2b - Poss | sibly carcinogenic to humans | |
| CANCER | US CDC - Od | - Occupational Carcinogens Occupational Carcinogen | | | |
| CANCER | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man | | | |
| SUBSTANCE NOTES: I | ARC classifies asphalt a | s a carcinogen for road paving | g. This product is not used | for that application. | |
| SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC | | ALIPHATIC | ID: 64742-88-7 | | |
| %: 20.0000 - 30.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Solvent | |
| HAZARDS: | | AGENO | CY(IES) WITH WARNINGS | S: | |
| MAMMALIAN | EU - GHS (H-Statements) | | H304 - May be fatal if swallowed and enters airways | | |
| ORGAN TOXICANT | EU - GHS (H-Statements) | | H372 - Causes damage to organs through prolonged or repeated exposure | | |
| SUBSTANCE NOTES: | | | | | |
| ATTAPULGITE | ID: 12174-11-7 | | | | |
| %: 5.0000 - 10.0000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Thixotrope | |
| | AGENCY(IES) WITH WARNINGS: | | | | |
| HAZARDS: | | AGENC | (.20) | | |

| CANCER | CA EPA - Prop | CA EPA - Prop 65 | | Carcinogen | |
|----------------------|------------------------------|---|--|--|--|
| CANCER | MAK | | Carcinogen Group 2 - Considered to be carcinogenic for man | | |
| SUBSTANCE NOTES: N | ot present in a respirable | form. | | | |
| | | | | | |
| CELLULOSE, MICROCF | RYSTALLINE | | ID: 9004-34-6 | | |
| %: 5.0000 - 10.0000 | GS: UNK | RC: None | NANO: NO | ROLE: Thickener | |
| HAZARDS: | | AG | ENCY(IES) WITH WARNINGS: | | |
| None Found | | No | warnings found on HPD Priority | lists | |
| SUBSTANCE NOTES: | | | | | |
| LIMESTONE; CALCIUM | LIMESTONE; CALCIUM CARBONATE | | ID: 1317-65-3 | | |
| %: 3.0000 - 7.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Filler | |
| HAZARDS: | | AG | GENCY(IES) WITH WARNINGS: | | |
| None Found | | No | warnings found on HPD Priority | lists | |
| SUBSTANCE NOTES: | | | | | |
| 1,2,4-TRIMETHYLBENZ | ENE | | ID: 95-63-6 | | |
| %: Impurity/Residual | GS: BM-2 | RC: None | NANO: NO | ROLE: Impurity/Residual | |
| HAZARDS: | | AG | ENCY(IES) WITH WARNINGS: | | |
| MAMMALIAN | EU - R-phrases | 3 | R20 - Harmful by dust/mist) | Inhalation (gas or vapor or | |
| EYE IRRITATION | EU - R-phrases | 3 | R36 - Irritating to | eyes | |
| SKIN IRRITATION | EU - R-phrases | EU - R-phrases | | R38 - Irritating to skin | |
| ACUTE AQUATIC | EU - R-phrases | EU - R-phrases | | R51 - Toxic to Aquatic Organisms | |
| CHRON AQUATIC | EU - GHS (H-S | EU - GHS (H-Statements) | | H411 - Toxic to aquatic life with long lasting effects | |
| SKIN IRRITATION | EU - GHS (H-S | EU - GHS (H-Statements) | | H315 - Causes skin irritation | |
| EYE IRRITATION | EU - GHS (H-S | EU - GHS (H-Statements) | | H319 - Causes serious eye irritation | |
| MULTIPLE | German FEA - | German FEA - Substances Hazardous to Waters | | Class 2 - Hazard to Waters | |
| | | | | | |

| QUARTZ | | ID: 14808-60-7 | | | |
|----------------------|-----------------------------------|----------------|--|---|--|
| %: Impurity/Residual | GS: LT-1 | RC: None | NANO: NO | ROLE: Impurity/Residual | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | S: | |
| CANCER | US CDC - Occupational Carcinogens | | Occupational Carcinogen | | |
| CANCER | CA EPA - Prop 65 | | Carcinogen - specific to chemical form or exposure route | | |
| CANCER | IARC | | Group 1: Agent is carcinogenic to humans - inhaled from occupational sources | | |
| CANCER | US NIH - Report on Carcinogens | | | Known to be Human Carcinogen (respirable size occupational setting) | |
| CANCER | MAK | | Carcinogen Group 1 - Substances that cause cancer in man | | |
| SUBSTANCE NOTES: N | Not present in a respira | ble form. | | | |



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown **None** Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.