Pro-Grade® 197 Asphalt Emulsion by Henry Company

CLASSIFICATION: 07 26 16.00

created via: HPDC Online Builder

Health Product

Declaration v2.0

PRODUCT DESCRIPTION: PRO-GRADE® 197 ASPHALT EMULSION IS A PREMIUM, COLD-APPLIED PROTECTIVE COATING FOR NEW OR AGED MODIFIED BITUMEN, SMOOTH BUILT-UP ROOF SURFACES AND AGED METAL ROOFING. IT RESISTS MOISTURE INTRUSION AND LEVELS IRREGULARITIES IN ROOF SURFACES TO PROVIDE A FOUNDATION FOR REFLECTIVE SURFACE COATINGS SUCH AS PRO-GRADE® 280 ELASTOMERIC WHITE ROOF COATING AND PRO-GRADE® 586, 588 & 599 ALUMINUM ROOF COATINGS. PRO-GRADE® 197 MAY BE REINFORCED WITH HENRY 189 FIBERGLASS ROVING OR HENRY 195 POLYESTER FABRIC TO PROVIDE INCREASED STRENGTH, SAG RESISTANCE AND LONGER WARRANTY DURATION.

CONTENT

Section 1: Summary

INVENTORY		Based on the selected Content Inventory Threshold:		
Threshold per material	Residuals and impurities considered in	Characterized Are the Percent Weight and Role provided for all substances?	⊙ Yes	O No
• 100 ppm • 1,000 ppm • Per GHS SDS	1 of 1 materials • see Section 2: Material Notes	Screened Are all substances screened using Priority Hazard Lists with results disclosed?	• Yes	O No
O Per OSHA MSDS O Other		IdentifiedAre all substances disclosed by Name (Specific or Generic) and Identifier?	⊙ Yes	O No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ASPHALT EMULSION [WATER BM-4 ASPHALT LT-1 | CAN KAOLIN CLAY LT-UNK | CAN BENTONITE LT-UNK MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) LT-UNK | SKI QUARTZ LT-1 | CAN]

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l):

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

• Self-Published* VERIFIER: SCREENING DATE: January 22, 2017 EXPIRY DATE*: January 22, 2020

Third Party Verified VERIFICATION #: RELEASE DATE: January 22, 2017 * or within 3 months of significant change in product contents

*See HPDC website for details

Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

rial Notes:					
WATER			ID: 7732-18-5		
%: 40.0000 - 50.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	3 :	
None Found	No warnings found on HPD Priority lists				
SUBSTANCE NOTES:					
ASPHALT	ID: 8052-42-4				
%: 35.0000 - 45.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Waterproofing/flexibilit	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	IARC		Group 2b - Poss	sibly carcinogenic to humans	
CANCER	US CDC - O	ccupational Carcinogens	Occupational Ca	arcinogen	
CANCER	MAK		Carcinogen Gro	up 2 - Considered to be man	
SUBSTANCE NOTES: I that use.	ARC classifies asphalt a	as a carcinogen when used in	road paving applications. T	This product is not intended for	
KAOLIN CLAY		ID: 1332-58-7			
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope/film strengthener	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
CANCER	MAK			up 3B - Evidence of carcinoger ufficient for classification	

BENTONITE ID: 1302-78-9 %: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: NO ROLE: Thixotrope/film strengthener **HAZARDS: AGENCY(IES) WITH WARNINGS:** None Found No warnings found on HPD Priority lists SUBSTANCE NOTES: MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND ID: 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) %: 0.0010 - 0.0100 GS: LT-UNK RC: None NANO: NO **ROLE: Preservative AGENCY(IES) WITH WARNINGS: HAZARDS:** MAK SKIN SENSITIZE Sensitizing Substance Sh - Danger of skin sensitization SUBSTANCE NOTES: **QUARTZ** ID: 14808-60-7 RC: None %: Impurity/Residual GS: LT-1 NANO: NO ROLE: Impurity/Residual **AGENCY(IES) WITH WARNINGS: HAZARDS: CANCER** US CDC - Occupational Carcinogens Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route **CANCER IARC** Group 1: Agent is carcinogenic to humans inhaled from occupational sources **CANCER** US NIH - Report on Carcinogens Known to be Human Carcinogen (respirable size -

~
\otimes

CANCER

Section 3: Certifications and Compliance

SUBSTANCE NOTES: Not present in a respirable form.

MAK

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

occupational setting)

cancer in man

Carcinogen Group 1 - Substances that cause

+ Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown **None** Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.