# Henry.

# SAFETY DATA SHEET

Issue Date 12-Dec-2015

Revision Date 05-Dec-2017

Version 2

## **1. IDENTIFICATION**

Product identifier Product Name

PRO-GRADE® 276 ELASTOMERIC WHITE ROOF COATING

Other means of identification Product Code Synonyms

PG276 None

Recommended use of the chemical and restrictions on useRecommended UseCoatingsUses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address HENRY COMPANY 999 N. Sepulveda Blvd., Suite 800 El Segundo, CA 90245-2716 Web Site: www.henry.com www.ca.henry.com

Emergency telephone number Company Phone Number Emergency Telephone

800-486-1278 US and Canada only (toll-free) : 3E Company - 1-866-519-4752 (access code 334832) US/Canada, all other countries: 3E Company - +1-760-476-3962 (access code 334832) Mexico (additional contact option): 3E Company - +52 55 41696225 (Code 334832)

## 2. HAZARDS IDENTIFICATION

**Classification** 

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

## Label elements

**Emergency Overview** 

## Warning

## Hazard statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer May cause respiratory irritation



Appearance viscous cream

Physical state liquid

Odor Slight

## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

## **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

<u>Other Information</u> Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

## Unknown acute toxicity

55% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Not applicable

## <u>Mixture</u>

CAS No	Weight-%
7732-18-5	30 - 60
1317-65-3	15 - 40
Proprietary	10 - 30
13463-67-7	1 - 5
1897-45-6	0.1 - 1
	7732-18-5 1317-65-3 Proprietary 13463-67-7

The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

#### **Description of first aid measures**

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.		
Eye contact	Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. If symptoms persist, call a physician.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician. Wash contaminated clothing before reuse.		
Inhalation	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.		
Ingestion	Call a physician or poison control center immediately. Do not induce vomiting without medical advice. Rinse mouth. Never give anything by mouth to an unconscious person.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin irritation. May cause allergic skin reaction.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

## **5. FIRE-FIGHTING MEASURES**

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Environmental precautions

Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system.	
Methods and material for containme	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use personal protective equipment as required. Cover liquid spill with sand, earth or other non-combustible absorbent material. Dam up. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.	

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.

## Conditions for safe storage, including any incompatibilities

 Storage Conditions
 Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

 Incompatible materials
 Strong oxidizing agents. Strong acids. Strong bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

## Appropriate engineering controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

## PG276 - PRO-GRADE® 276 ELASTOMERIC WHITE ROOF COATING

Physical state Appearance Color	liquid viscous cream white	Odor Odor threshold	Slight No information available
Property	Values	Remarks • Method	
pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	6-9 <= 0 °C / 32 °F > 100 °C / 212 °F > 100 °C / 212 °F >= 1 No information available	Pensky-Martens Closed	l Cup (PMCC)
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density	No information available No information available 18 mmHg No information available 1.1-1.3	@ 25 °C	
Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	dispersible No information available No information available No information available No information available > 100 mm2/s No information available Not an explosive Not applicable	@ 40 °C	
Other Information Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available		

## **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

<u>Chemical stability</u>
 Stable under recommended storage conditions.
 <u>Possibility of Hazardous Reactions</u>
 None under normal processing.
 <u>Conditions to avoid</u>
 Elevated Temperature. Keep from freezing. Incompatible materials.
 <u>Incompatible materials</u>
 Strong oxidizing agents. Strong acids. Strong bases.
 <u>Hazardous Decomposition Products</u>
 Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

## **Product Information**

Inhalation

May cause irritation of respiratory tract.

Irritating to eyes.

Eye contact

#### Skin contact

Ingestion

Irritating to skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Chlorothalonil 1897-45-6	= 10 g/kg ( Rat ) > 10000 mg/kg ( Rat )	> 10 g/kg (Rabbit)> 2500 mg/kg ( Rat)	= 0.1 mg/L (Rat)4 h = 0.31 mg/L (Rat)1 h

Based on available data, the classification criteria are not met.

#### Information on toxicological effects

Symptoms

May cause an allergic skin reaction. May cause redness and tearing of the eyes. Coughing and/ or wheezing. May cause skin irritation.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure\_

 Sensitization
 May cause sensitization by skin contact.

 Germ cell mutagenicity
 Based on available data, the classification criteria are not met.

 Carcinogenicity
 This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is a liquid. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	Х
Chlorothalonil	-	Group 2B	-	Х

 IARC (International Agency for Research on Cancer)

 Group 2B - Possibly Carcinogenic to Humans

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 Reproductive toxicity
 Based on available data, the classification criteria are not met.

 STOT - single exposure
 Target Organs. Respiratory system. Eyes.

 STOT - repeated exposure
 Based on available data, the classification criteria are not met.

 Target Organ Effects
 Eyes, lungs, Respiratory system, Skin.

 Aspiration hazard
 Based on available data, the classification criteria are not met.

Numerical measures of toxicity - Product Information

## The following values are calculated based on chapter 3.1 of the GHS document . mg/kg

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects

#### 99 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethylene glycol	6500 - 13000: 96 h	41000: 96 h Oncorhynchus mykiss	46300: 48 h Daphnia magna mg/L
107-21-1	Pseudokirchneriella subcapitata	mg/L LC50 14 - 18: 96 h	EC50
	mg/L EC50	Oncorhynchus mykiss mL/L LC50	
		static 40000 - 60000: 96 h	
		Pimephales promelas mg/L LC50	
		static 27540: 96 h Lepomis	
		macrochirus mg/L LC50 static	
		16000: 96 h Poecilia reticulata mg/L	
		LC50 static 40761: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static	
Chlorothalonil	0.57: 72 h Desmodesmus	0.012: 96 h Oncorhynchus mykiss	0.0342 - 0.143: 48 h Daphnia
1897-45-6	subspicatus mg/L EC50 0.0068: 72	mg/L LC50 semi-static 0.0076: 96 h	magna mg/L EC50 Static

	h Pseudokirchneriella subcapitata mg/L EC50 static	Oncorhynchus mykiss mg/L LC50 flow-through 0.045 - 0.057: 96 h Lepomis macrochirus mg/L LC50 static 0.0221 - 0.032: 96 h Lepomis macrochirus mg/L LC50 flow-through	
--	---	--	--

#### Persistence and degradability

No information available.

## **Bioaccumulation**

Chemical Name	Partition coefficient	
Chlorothalonil	2.9	
1897-45-6		

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.

	14. TRANSPORT INFORMATION
DOT	Not regulated
TDG	Not regulated
	Not regulated
IMDG	Not regulated

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %		
Chlorothalonil - 1897-45-6	0.1		
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

## California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Ethylene glycol - 107-21-1	Developmental	
Chlorothalonil - 1897-45-6	Carcinogen	

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	X	X	X
Titanium dioxide 13463-67-7	Х	X	Х
Ethylene glycol 107-21-1	Х	X	Х
Chlorothalonil 1897-45-6	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA_	Health hazards 2	Flammability 0	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 2*	Flammability 0	Physical hazards 0	Personal protection X
Issue Date Revision Date Revision Note No information available <u>Disclaimer</u>	12-Dec-20 05-Dec-20	•		
The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief				

at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet