## Pro-Grade® 294 by Henry Company

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: PRO-GRADE® 294 BASE COAT & SEALER IS A ONE-COMPONENT, WATER-BASED ELASTOMERIC BASE COATING AND SEALER THAT IS HIGHLY RESISTANT TO DISBONDING AND PROHIBITS PASSAGE OF ASPHALTIC OILS FROM THE EXISTING ROOF MEMBRANE. IT IS USED AS A BASE COAT FOR PRO-GRADE® 280 WHITE ELASTOMERIC ROOF COATING AND STAIN-BLOCKING SEALER FOR PRO-GRADE® 988 SILICONE ROOF COATING AND MAY BE APPLIED OVER PREVIOUSLY COATED ROOFS, ASPHALT EMULSION, SMOOTH ASPHALT BUILT-UP ROOFING (BUR), MODIFIED BITUMEN (MB), AGED EPDM, HYPALON® AND PVC ROOFS, METAL ROOFS, CONCRETE ROOFS AND STUCCO AND MASONRY PARAPET WALLS.

# Section 1: Summary

#### CONTENT INVENTORY

Threshold per material • 100 ppm • 1,000 ppm • Per GHS SDS • Per OSHA MSDS • Other Residuals and impurities considered in 1 of 1 materials • see Section 2: Material Notes • see Section 5: General Notes Based on the selected Content Inventory Threshold:

Characterized Are the Percent Weight and Role provided for all substances?	o Yes	O No
Screened Are all substances screened using Priority Hazard Lists with results disclosed?	<b>⊙</b> Yes	<b>O</b> No
Identified Are all substances disclosed by Name (Specific or Generic) and Identifier?	<b>⊙</b> Yes	<b>O</b> No

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

PROGRADE 294 [ WATER BM-4 2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN ZINC OXIDE BM-1 | AQU | RES | MUL PROPYLENE GLYCOL BM-2 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE LT-UNK | CAN HYDROXYETHYL CELLULOSE LT-UNK OCTHILINONE LT-P1 | MAM | SKI | AQU | MUL QUARTZ LT-1 | CAN ] Number of Greenscreen BM-

Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

 Material (g/l): 10
 Regulatory (g/l):

 Does the product contain exempt VOCs: No

 Are ultra-low VOC tints available: N/A

#### CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

Self-Published\* VERIFIER:
 Third Party Verified VERIFICATION #:
 \*Soo HPDC website for datails

SCREENING DATE: January 29, 2017 RELEASE DATE: January 29, 2017 EXPIRY DATE\*: January 29, 2020 \* or within 3 months of significant change in product contents

# Health Product Declaration v2.0

created via: HPDC Online Builder This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

Inve	DGRADE 294 entory Threshold: 100 ppm erial Notes:	%: 100.0000 - 100.000 Residuals Considered			
	WATER			ID: 773	2-18-5
	%: 30.0000 - 40.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Solvent
	HAZARDS:		AG	ENCY(IES) WITH WARNIN	GS:
	None Found		No	warnings found on HPD Price	ority lists
	SUBSTANCE NOTES:				
	2-PROPENOIC ACID, PO PROPENOATE		NYLBENZENE AND 2-ETH	IYLHEXYL 2- ID: 250	85-19-2
	%: 25.0000 - 35.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Protective polymer film
	HAZARDS:		AG	ENCY(IES) WITH WARNIN	GS:
	None Found		No	warnings found on HPD Price	prity lists
	SUBSTANCE NOTES:				
	LIMESTONE; CALCIUM	CARBONATE		ID: 131	7-65-3
	%: 20.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler/film strengthener
	HAZARDS:		AG	ENCY(IES) WITH WARNIN	GS:
	None Found		No	warnings found on HPD Price	ority lists
	SUBSTANCE NOTES:				
	TITANIUM DIOXIDE			ID: 134	63-67-7
	%: 5.0000 - 10.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Pigment

HAZARDS:		AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occ	upational Carcinogens	Occupational Ca	arcinogen	
CANCER	CA EPA - Prop	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER MAK			Carcinogen Group 3A - Evidence of carcinogen effects but not sufficient to establish MAK/BAT value		
SUBSTANCE NOTES: N	lo available in a respirable	e form.			
ZINC OXIDE ID: 1314-13-2				13-2	
%: 1.0000 - 5.0000	GS: BM-1	RC: None	NANO: NO	ROLE: Fungus, mold, mildew resistance	
HAZARDS:	DS: AGENCY(IES) WITH WARNINGS:				
ACUTE AQUATIC	EU - R-phrase	EU - R-phrases		R50 - Very Toxic to Aquatic Organisms	
RESPIRATORY	AOEC - Asthm	AOEC - Asthmagens		Asthmagen (ARs) - sensitizer-induced - inhalab forms only	
ACUTE AQUATIC	EU - GHS (H-5	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H-S	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects	
MULTIPLE	German FEA -	Substances Hazardous to V	Waters Class 2 - Hazard	Class 2 - Hazard to Waters	
SUBSTANCE NOTES: N	lot available in a respirab	le form.			
PROPYLENE GLYCOL			ID: 57-55-	6	
%: 1.0000 - 5.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Coalecsing age	
HAZARDS:		AGEN	CY(IES) WITH WARNINGS	3:	
None Found No warnings found on HPD Priority lists					
SUBSTANCE NOTES:					
1,3-PENTANEDIOL, 2,2,	4-TRIMETHYL-, MONOIS	SOBUTYRATE	ID: 25265	-77-4	
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: UV stability	

Pı

CANCER MAK				Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value	
SUBSTANCE NOTES:					
HYDROXYETHYL CELI	LULOSE		ID: 9004-6	62-0	
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope	
HAZARDS: AGENCY(IES) WITH WARNINGS:					
None Found		No w	rarnings found on HPD Priorit		
SUBSTANCE NOTES:					
OCTHILINONE		ID: 26530-20-1			
%: 0.0100 - 0.1000	GS: LT-P1	RC: None	NANO: NO	ROLE: Preservative	
HAZARDS: AGENCY(IES) WITH WARNINGS:					
MAMMALIAN	EU - R-phras	EU - R-phrases		R22 - Harmful if Swallowed	
MAMMALIAN	EU - R-phras	EU - R-phrases		R23 - Toxic by Inhalation (gas, vapour, dust/mist)	
MAMMALIAN	EU - R-phras	EU - R-phrases		R24 - Toxic in Contact with Skin	
SKIN IRRITATION	EU - R-phrases		R34 - Causes bu	R34 - Causes burns	
SKIN SENSITIZE	EU - R-phras	EU - R-phrases		R43 - May cause sensitization by skin contact	
ACUTE AQUATIC	EU - R-phras	EU - R-phrases		R50 - Very Toxic to Aquatic Organisms	
ACUTE AQUATIC	EU - GHS (H	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life	
CHRON AQUATIC	EU - GHS (H	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects	
MAMMALIAN	EU - GHS (H	EU - GHS (H-Statements)		H311 - Toxic in contact with skin	
SKIN IRRITATION	EU - GHS (H	EU - GHS (H-Statements)		H314 - Causes severe skin burns and eye damage	
SKIN SENSITIZE	EU - GHS (H	EU - GHS (H-Statements)		H317 - May cause an allergic skin reaction	
MAMMALIAN	EU - GHS (H	EU - GHS (H-Statements)		H331 - Toxic if inhaled	
MULTIPLE	German FEA	- Substances Hazardous t	o Waters Class 3 - Severe	Hazard to Waters	
SKIN SENSITIZE	MAK	МАК		Sensitizing Substance Sh - Danger of skin sensitization	
SUBSTANCE NOTES:					

~			
$\cap$	ΙΙΔ	R	Γ7
S.			~

ID: 14808-60-7

QUANTZ		ID: 14808-80-7			
%: Impurity/Residual	GS: LT-1	RC: None	NANO: NO	ROLE: Impurity/Residual	
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65			Carcinogen - specific to chemical form or exposure route	
CANCER	IARC		Group 1: Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size occupational setting)		
CANCER MAK			Carcinogen Group 1 - Substances that cause cancer in man		
SUBSTANCE NOTES: N	Not available in a respira	able form.			

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



### MANUFACTURER INFORMATION

### MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd. Suite 800 El Segundo, CA 90245 USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

### KEY

OSHA MSDSOccupational Safety and Health Administration Material Safety Data SheetGHS SDSGlobally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

NF Not found on Priority Hazard Lists LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) **UNK** Unknown (no data on List Translator Lists)

**Recycled Types** 

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

#### Other

Nano Composed of nanoscale particles or nanotechnology

#### **Declaration Level**

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.