Pro-Grade® 920 Silicone White Roof Sealant by Henry Company

Health Product Declaration

created via: HPDC Online Builder

PRODUCT DESCRIPTION: PRO-GRADE® 920 SILICONE ROOF SEALANT IS A SOLVENT-FREE SEALANT OFFERING EXCELLENT UV RESISTANCE AND WEATHERING CHARACTERISTICS WITH NO HARDENING, CHALKING, CRAZING, CRACKING OR REVERTING. IT ALSO OFFERS EXCELLENT ADHESION TO A WIDE VARIETY OF BUILDING MATERIALS. THIS ONE-COMPONENT, MOISTURE-CURING, SILICONE SEALANT IS USED ON EXISTING SPRAY POLYURETHANE FOAM, SMOOTH BUILT-UP, SMOOTH MODIFIED BITUMEN, GRANULATED MODIFIED BITUMEN, AGED SINGLE PLY MEMBRANE ROOFS, AND METAL ROOF SEAMS, FLASHINGS, FASTENERS, DRAINS AND OTHER VARIOUS REPAIR AREAS. PRO-GRADE® 920 SILICONE ROOF SEALANT IS ALSO USED IN NON-STRUCTURAL GLAZING, AS A WEATHER SEAL, FOR VERTICAL AND HORIZONTAL CRACK REPAIRS, VERTICAL AND HORIZONTAL 2-POINT ADHESION ON CONTROL JOINTS, AND CAN ALSO BE USED IN CONCRETE RESTORATION, STUCCO REPAIRS/RESTORATION, EIFS INSTALLATION AND RESTORATION. IT IS FUNGUS AND MILDEW RESISTANT.



Section 1: Summary

| CONTENT INVENTORY | Residuals and | Based on the selected Content Inventory Threshold: | | | | |
|------------------------------|-----------------------------------|---|-----|----|--|--|
| Threshold per | impurities | Characterized | • | 0 | | |
| material | considered in | Are the Percent Weight and Role provided for all substances? | Yes | No | | |
| ● 100 ppm | 1 of 1 materials | Screened | • | 0 | | |
| O 1,000 ppm O Per GHS SDS | see Section 2: Material Notes | Are all substances screened using Priority Hazard Lists with results disclosed? | Yes | No | | |
| Per OSHA MSDS Other | see Section 5: General Notes | Identified | • | 0 | | |
| Outer | General Notes | Are all substances disclosed by Name (Specific or Generic) and Identifier? | Yes | No | | |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

92 SILICONE ROOF SEALANT [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK POLYDIMETHYL SILOXANE LT-P1 | PBT 2-BUTANONE, O,O',O"-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE LT-UNK TITANIUM DIOXIDE LT-1 | CAN CARBON BLACK LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents...... 0 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1 Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l): Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

O Self-Published* SCREENING DATE: January 29, 2017 EXPIRY DATE*: January 29, 2020

or within 3 months of significant change in product contents



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

| SILICONE ROOF SEALANT entory Threshold: 100 ppm terial Notes: | %: 100.0000 - 100. Residuals Consider | | | | |
|---|--|----------|--|--------------------------------|--|
| SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED | | | ID: 70131-67-8 | | |
| %: 30.0000 - 40.0000 | GS: BM-2 | RC: None | NANO: NO | ROLE: Polymer | |
| HAZARDS: | | AGE | NCY(IES) WITH WARNINGS | S: | |
| None Found | No warnings found on HPD Priority lists | | | | |
| SUBSTANCE NOTES: | | | | | |
| NEPHELINE SYENITE | ID: 37244-96-5 | | | -96-5 | |
| %: 30.0000 - 40.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Filler/film strengthener | |
| HAZARDS: | | AGE | NCY(IES) WITH WARNINGS | S: | |
| None Found | | No w | arnings found on HPD Priorit | ty lists | |
| SUBSTANCE NOTES: | | | | | |
| POLYDIMETHYL SILOXAI | NE | | ID: 9016-00-6 | | |
| %: 20.0000 - 30.0000 | GS: LT-P1 | RC: None | NANO: NO | ROLE: Plasticizer | |
| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | |
| PBT | EC - CEPA DSL | | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans | | |
| SUBSTANCE NOTES: | | | | | |
| 2-BUTANONE, O,O',O"-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI | | | ID: 22984-54-9 | | |
| %: 3.0000 - 7.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Catalyst | |

| HAZARDS: | AGENCY(IES) WITH WARNINGS: | | | | | | | |
|--|-------------------------------------|---|-------------------------------|---|--|--|--|--|
| None Found | | arnings found on HPD Priorit | s found on HPD Priority lists | | | | | |
| SUBSTANCE NOTES: | | | | | | | | |
| FUMED SILICA, CRYSTALLINE-FREE | | | ID: 112945-52-5 | | | | | |
| %: 1.0000 - 5.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Thixotrope | | | | |
| HAZARDS: | HAZARDS: AGENCY(IES) WITH WARNINGS: | | | | | | | |
| None Found | | No warnings found on HPD Priority lists | | | | | | |
| SUBSTANCE NOTES: | | | | | | | | |
| TITANIUM DIOXIDE | | ID: 13463-67-7 | | | | | | |
| %: 0.0000 - 7.0000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Pigment | | | | |
| HAZARDS: AGENCY(IES) WITH WARNINGS: | | | | | | | | |
| CANCER | US CDC - Od | US CDC - Occupational Carcinogens Occupational Carcinogen | | arcinogen | | | | |
| CANCER | CA EPA - Pro | CA EPA - Prop 65 | | Carcinogen - specific to chemical form or exposure route | | | | |
| CANCER | IARC | IARC Group 2B - Possibly carcinogenic to humans inhaled from occupational sources | | | | | | |
| CANCER | MAK | MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value | | | | | | |
| SUBSTANCE NOTES: Not available in a respirable form. | | | | | | | | |
| CARBON BLACK | CARBON BLACK | | ID: 1333-8 | ID: 1333-86-4 | | | | |
| %: 0.0000 - 3.0000 | GS: LT-1 | RC: None | NANO: NO | ROLE: Pigment | | | | |
| HAZARDS: AGENCY(IES) WITH WARNINGS: | | | | | | | | |
| CANCER | US CDC - Od | US CDC - Occupational Carcinogens | | Occupational Carcinogen | | | | |
| CANCER | CA EPA - Pro | CA EPA - Prop 65 | | Carcinogen - specific to chemical form or exposure route | | | | |
| CANCER | IARC | | | sibly carcinogenic to humans - cupational sources | | | | |
| CANCER | MAK | | | up 3B - Evidence of carcinogenic ufficient for classification | | | | |
| | | | | | | | | |



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity GLO Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation **PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.