Pro-Grade® Pitch Pocket & Self-Leveling Roof Sealer by Henry Company

CLASSIFICATION: 07 14 16.00

Health Product
Declaration v2.0
created via: HPDC Online

Builder

PRODUCT DESCRIPTION: PRO-GRADE® 928 PITCH POCKET & SELF-LEVELING ROOF SEALER IS A ONE-COMPONENT, MOISTURE-CURING SEALANT DESIGNED TO REDUCE FLOW AND SAG PROPERTIES IN ORDER TO IMPROVE THE HANG OF THE SEALANT ON LOW AND SEMI-STEEP SLOPED APPLICATIONS. IT IS USED TO SEAL FASTENERS ON LOW AND SEMI-STEEP SLOPED METAL ROOFS BY APPLYING A DOLLOP OF SEALANT TO EACH FASTENER HEAD, WHICH COMPLETELY ENCAPSULATES THE FASTENER AND SEALS THE PERIMETER TO THE METAL PANEL. THIS SELF-LEVELING SEALANT FORMS A WATERTIGHT SEAL FOR PIPE PENETRATIONS THROUGH ROOF DECKS IN METAL PITCH POCKET FLASHINGS, WITH ZERO SHRINKAGE. IT IS FUNGUS AND MILDEW RESISTANT, AND EASILY APPLIED IN A STANDARD CARTRIDGE.

_
_

CONTENT

Section 1: Summary

INVENTORY		Based on the selected Content Inventory Threshold:		
	Residuals and			
Threshold per	impurities	Characterized	•	0
material .	considered in	Are the Percent Weight and Role provided for all substances?	Yes	No
o 100 ppm	1 of 1 materials	Screened	•	0
O 1,000 ppm O Per GHS SDS	see Section 2: Material Notes	Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Per OSHA MSDS Other	• see Section 5:	Identified	•	0
Otner	General Notes	Are all substances disclosed by Name (Specific or Generic) and	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

92 SILICONE ROOF SEALANT [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK POLYDIMETHYL SILOXANE LT-P1 | PBT 2-BUTANONE, O,O',O"-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE LT-UNK TITANIUM DIOXIDE LT-1 | CAN CARBON BLACK LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents........ 0
Contents highest concern GreenScreen
Benchmark or List translator Score...... LT-1
Nanomaterial............ No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l):
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

Self-Published* VERIFIER: SCREENING DATE: January 29, 2017 EXPIRY DATE*: January 29, 2020

Third Party Verified VERIFICATION #: RELEASE DATE: January 29, 2017 * or within 3 months of significant change in product contents

*See HPDC website for details



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

SILICONE ROOF SEALANT ventory Threshold: 100 ppm aterial Notes:	%: 100.0000 - 100. Residuals Conside			
SILOXANES AND SILICON	NES, DI-ME, HYDRO	XY-TERMINATED	ID: 70131-	67-8
%: 30.0000 - 40.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Polymer
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	:
None Found		No w	arnings found on HPD Priority	y lists
SUBSTANCE NOTES:				
NEPHELINE SYENITE	ID: 37244-96-5			
%: 30.0000 - 40.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler/film strengthener
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	:
None Found		No w	arnings found on HPD Priority	y lists
SUBSTANCE NOTES:				
POLYDIMETHYL SILOXAI	DXANE		ID: 9016-00-6	
%: 20.0000 - 30.0000	GS: LT-P1	RC: None	NANO: NO	ROLE: Plasticizer
HAZARDS:		AGE	NCY(IES) WITH WARNINGS	:
PBT	EC - CEPA	DSL	Persistent, Bioac (PBiTH) to huma	ccumulative and inherently Toxic
SUBSTANCE NOTES:				
2-BUTANONE, O,O',O"-(M	ETHYLSILYLIDYNE	TRIOXIME (8CI)(9CI)	ID: 22984-	54-9
%: 3.0000 - 7.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Catalyst

HAZARDS:		AGENCY(IES) WITH WARNINGS:				
None Found		No warnings found on HPD Priority lists				
SUBSTANCE NOTES:						
FUMED SILICA, CRYS	TALLINE-FREE	LINE-FREE ID: 112945-52-5				
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope		
HAZARDS:		AGENCY(IES) WITH WARNINGS:				
None Found		No warnings found on HPD Priority lists				
SUBSTANCE NOTES:						
TITANIUM DIOXIDE		ID: 13463-67-7				
%: 0.0000 - 7.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Pigment		
HAZARDS:	HAZARDS: AGENCY(IES) WITH WARNINGS:					
CANCER	US CDC - O	ccupational Carcinogens	Occupational Ca	arcinogen		
CANCER	CA EPA - Pr	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC Group 2B - Possibly carcinogenic to human inhaled from occupational sources				
CANCER	MAK	MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value				
SUBSTANCE NOTES: Not available in a respirable form.						
CARBON BLACK		ID: 1333-86-4		86-4		
%: 0.0000 - 3.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Pigment		
HAZARDS:	HAZARDS: AGENCY(IES) WITH WARNINGS:					
CANCER	US CDC - O	US CDC - Occupational Carcinogens Occupational Carcinogen		arcinogen		
CANCER	CA EPA - Pr	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC			sibly carcinogenic to humans - cupational sources		
CANCER	MAK			up 3B - Evidence of carcinogenic ufficient for classification		



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd.

Suite 800

El Segundo, CA 90245

USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **GLO** Global warming

CAN Cancer MAM Mammalian/systemic/organ toxicity

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

GEN Gene mutation PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity **RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2

Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspeci ed (insu cient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 **LT-1** List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer **Unk** Inclusion of recycled content is unknown **None** Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.