

HIT-RE 10

Safety information for 2-Component-products

Issue date: 23/06/2020 Revision date: 23/06/2020 Supersedes: 05/07/2018 Version: 2.0

SECTION 1: Kit identification

1.1 Product identifier

Product name HIT-RE 10
Product code BU Anchor

1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti, Inc. Legacy Tower, Suite 1000 7250 Dallas Parkway TX 75024 Plano - USA T +1 9724035800

1-800-879-8000 toll free - F +1 918 254 0522

SECTION 2: General information

Storage Storage temperature: 5 - 25 °C

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

This Kit should be handled in accordance with good laboratory practices and appropriate personal protective equipment should be used

SECTION 3: Kit contents

Classification of the Product

GHS-US classification

Skin Corr. 1B H314 - Causes severe skin burns and eye damage. Skin Sens. 1 H317 - May cause an allergic skin reaction. Muta. 2 H341 - Suspected of causing genetic defects.

Repr. 1B H360 - May damage fertility...

Label elements

GHS US labelling

Hazard pictograms (GHS US)



GHS05



GHS07

GHS08

Signal word (GHS US) Danger

Hazardous ingredients Epoxy resin, Amines

Hazard statements (GHS US)

Causes severe skin burns and eye damage.

May cause an allergic skin reaction. Suspected of causing genetic defects.

May damage fertility..

Precautionary statements (GHS US) Wear eye protection, protective clothing, protective gloves.

Do not get in eyes, on skin, or on clothing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

23/06/2020 US-OSHA - en 1/24




HIT-RE 10

Safety information for 2-Component-products

Additional information

Component A: Epoxy resin, Reactive diluent, inorganic filler Component B: Amine hardener, inorganic filler



Name	General description	Quantity	Unit	GHS-US classification
HIT-RE 10, B		1	pcs (pieces)	Skin Corr. 1B, H314 Skin Sens. 1, H317
HIT-RE 10, A		1	pcs (pieces)	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360

SECTION 4: General advice

General advice For professional users only

SECTION 5: Safe handling advice

General measures Spilled material may present a slipping hazard

Environmental precautions Prevent entry to sewers and public waters

Notify authorities if liquid enters sewers or public waters

Avoid release to the environment

Full or only partially emptied cartridges must be disposed of as special waste in accordance

with official regulations.

After curing, the product can be disposed of with household waste.

Storage conditions Protect from sunlight. Store in a well-ventilated place.

Technical measures Comply with applicable regulations

Precautions for safe handling Wear personal protective equipment

Avoid contact with skin and eyes

Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work

Avoid contact during pregnancy/while nursing

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation

Mechanically recover the product

On land, sweep or shovel into suitable containers

Store away from other materials.

For containment Collect spillage.

Incompatible materials Sources of ignition
Direct sunlight
Incompatible products Strong bases
Strong acids

SECTION 6: First aid measures

First-aid measures after eye contact Get immediate medical advice/attention.

Immediately rinse with water for a prolonged period while holding the eyelids wide open

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an eye specialist

First-aid measures after ingestion Do not induce vomiting

Rinse mouth

Immediately call a POISON CENTER/doctor.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing

23/06/2020 US-OSHA - en 2/24



HIT-RE 10

Safety information for 2-Component-products

First-aid measures after skin contact

Wash with plenty of water/...

Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get immediate medical advice/attention.

First-aid measures general Never give anything by mouth to an unconscious person

If you feel unwell, seek medical advice (show the label where possible)

Symptoms/effects Causes severe skin burns and eye damage.

Symptoms/effects after eye contact Causes serious eye damage.

Symptoms/effects after inhalation May cause an allergic skin reaction.

SECTION 7: Fire fighting measures

Firefighting instructions

Use water spray or fog for cooling exposed containers

Exercise caution when fighting any chemical fire

Prevent fire fighting water from entering the environment

Protection during firefighting Self-contained breathing apparatus

Do not enter fire area without proper protective equipment, including respiratory protection

Hazardous decomposition products in case of

fire

Thermal decomposition generates:

Carbon dioxide Carbon monoxide

SECTION 8: Other information

No data available

23/06/2020 US-OSHA - en 3/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 06/23/2020 Revision date: 06/23/2020 Supersedes: 07/05/2018

SECTION 1: Identification

1.1. Identification

Product form Mixture
Product name HIT-RE 10, A
Product code BU Anchor

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture For professional use only

Composite mortar component for fasteners in the construction industry

Version: 2.0

1.3. Details of the supplier of the safety data sheet

Supplier

Hilti, Inc. Legacy Tower, Suite 1000 7250 Dallas Parkway TX 75024 Plano - USA T +1 9724035800

1-800-879-8000 toll free - F +1 918 254 0522

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH Hiltistraße 6

86916 Kaufering - Deutschland

T +49 8191 906876 anchor.hse@hilti.com

1.4. Emergency telephone number

Emergency number Chem-Trec

Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada)

Tel.: 703 527 3887 (Other countries)

+1 918 8723000

1-800-879-8000 toll free

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irrit. 2 H315 - Causes skin irritation.

Eye Dam. 1 H318 - Causes serious eye damage.

Skin Sens. 1 H317 - May cause an allergic skin reaction.

Muta. 2 H341 - Suspected of causing genetic defects.

Repr. 1B H360 - May damage fertility... Full text of H statements : see section 16

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)







GHS05

Danger

GHS07

GHS08

Signal word (GHS US)

Hazard statements (GHS US) H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage.

H341 - Suspected of causing genetic defects.

H360 - May damage fertility...

Precautionary statements (GHS US) P280 - Wear eye protection, protective clothing, protective gloves.

23/06/2020 EN (English) 4/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P302+P352 - If on skin: Wash with plenty of water.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Quartz (SiO2)	(CAS-No.) 14808-60-7	25 - 40	Carc. 1A, H350
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	(CAS-No.) 1675-54-3	25 - 40	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	(CAS-No.) 9003-36-5	10 - 25	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Benzyl alcohol	(CAS-No.) 100-51-6	5 - 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
trimethylolpropane triglycidylether	(CAS-No.) 30499-70-8	2.5 - 5	Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Muta. 2, H341 Repr. 1B, H360

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention.

irritation occurs: Get immediate medical advice/attention.

First-aid measures after eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical

attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and No additional information available.

symptoms

Symptoms/effects after inhalation May cause an allergic skin reaction.

Symptoms/effects after skin contact Causes skin irritation.

Symptoms/effects after eye contact Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

23/06/2020 EN (English) 5/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment. Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. After curing, the product can be disposed of with household waste.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation.

Mechanically recover the product. On land, sweep or shovel into suitable containers. Store

away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other

exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Protect from sunlight.

Incompatible products Strong bases. Strong acids.

23/06/2020 EN (English) 6/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 41 - 77 °F

Heat and ignition sources Keep away from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

0 (0:00) (44000 00 =)		
ACGIH	Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (R - Respirable particulate matter)
ACCILI	ACCILL T.M.A. (res. r./res.3)	0.005 mm/m3/D. Dominable mentionlets mentals
HIT-RE 10, A		

Quartz (SiO2) (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (Respirable fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
OSHA	Remark (OSHA)	(3) See Table Z-3.

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)

Not applicable

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)

Not applicable

Benzyl alcohol (100-51-6)

Not applicable

trimethylolpropane triglycidylether (30499-70-8)

Not applicable

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant

for this product.

8.2. Exposure controls

Appropriate engineering controls Ensure good ventilation of the work station.

Personal protective equipment Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.







Hand protection Wear protective gloves. The permeation time is not the maximum wearing time! Generally

speaking, it must be reduced. Contact with either mixtures of substances or different

substances may shorten the protective function's effective duration.

Eye protection Wear security glasses which protect from splashes.

Skin and body protection Wear suitable protective clothing. Environmental exposure controls Avoid release to the environment.

Consumer exposure controls Avoid contact during pregnancy/while nursing.

Other information Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance Thixotropic paste.

23/06/2020 EN (English) 7/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Colour Light grey
Odour Sweet

Odour threshold No data available

pH 6.3

Melting point No data available Freezing point No data available Boiling point No data available No data available Flash point Relative evaporation rate (butylacetate=1) No data available Flammability (solid, gas) No data available **Explosive limits** No data available Explosive properties No data available Oxidising properties No data available Vapour pressure No data available Relative density No data available No data available Relative vapour density at 20 °C Density 1.51 g/cm³ Solubility No data available Log Pow No data available Auto-ignition temperature No data available Decomposition temperature No data available No data available Viscosity Viscosity, kinematic No data available Viscosity, dynamic No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : fume. Carbon monoxide. Carbon dioxide.

23/06/2020 EN (English) 8/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Not classified

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)		
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)		
LD50 oral rat	> 5000 mg/kg bodyweight (Rat; ECHA)	
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; ECHA)	
Benzyl alcohol (100-51-6)		
LD50 oral rat	1620 mg/kg	
LC50 inhalation rat (mg/l)	> 4178 mg/m³	
ATE US (oral)	1620 mg/kg bodyweight	

Skin corrosion/irritationCauses skin irritation.Serious eye damage/irritationCauses serious eye damage.Respiratory or skin sensitisationMay cause an allergic skin reaction.Germ cell mutagenicitySuspected of causing genetic defects.

Carcinogenicity Not classified

Quartz (SiO2) (14808-60-7)	
IARC group 1 - Carcinogenic to humans	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)	
IARC group	3 - Not classifiable

Reproductive toxicity May damage fertility. STOT-single exposure Not classified

STOT-repeated exposure Not classified

Aspiration hazard Not classified

Potential adverse human health effects and

symptoms

No additional information available.

Symptoms/effects after inhalation May cause an allergic skin reaction.

Symptoms/effects after skin contact Causes skin irritation.

Symptoms/effects after eye contact Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water Toxic to aquatic life with long lasting effects.

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)		
LC50 fish 1	2.3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration)	
EC50 Daphnia 1	2 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
LC50 fish 2	2.3 mg/l (96 h; Oncorhynchus mykiss; Nominal concentration)	
Threshold limit algae 1	> 11 mg/l (72 h; Scenedesmus sp.)	
Threshold limit algae 2	4.2 mg/l (72 h; Scenedesmus sp.)	

23/06/2020 EN (English) 9/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability

HIT-RE 10, A	
Persistence and degradability	May cause long-term adverse effects in the environment.
Quartz (SiO2) (14808-60-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)	
Persistence and degradability	Not readily biodegradable in water.

12.3. Bioaccumulative potential

HIT-RE 10, A		
Bioaccumulative potential Not established.		
Quartz (SiO2) (14808-60-7)		
Bioaccumulative potential No bioaccumulation data available.		
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)		
BCF other aquatic organisms 1	31 (Estimated value, Fresh weight)	
Log Pow	3 (Estimated value, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

12.4. Mobility in soil

Quartz (SiO2) (14808-60-7)	
Ecology - soil Low potential for mobility in soil.	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3)	
Surface tension	59 mN/m (20 °C, 0.09 g/l)
Log Koc	2.65 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects

Other information Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Disposal must be done according to official regulations.

Product/Packaging disposal recommendations After curing, the product can be disposed of with household waste. Full or only partially

emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with

local/national regulations.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

23/06/2020 EN (English) 10/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR	IMDG	IATA	RID
14.1. UN number			
1759	1759	1759	1759
14.2. UN proper shipping i	name		
CORROSIVE SOLID, N.O.S. (trimethylolpropane	CORROSIVE SOLID, N.O.S. (trimethylolpropane	Corrosive solid, n.o.s. (trimethylolpropane	CORROSIVE SOLID, N.O.S. (trimethylolpropane
triglycidylether)	triglycidylether)	triglycidylether)	triglycidylether)
Transport document descript	ion		
UN 1759 CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether), 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 1759 CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether), 8, III, MARINE POLLUTANT/ENVIRONMENTALL Y HAZARDOUS	UN 1759 Corrosive solid, n.o.s. (trimethylolpropane triglycidylether), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1759 CORROSIVE SOLID, N.O.S. (trimethylolpropane triglycidylether), 8, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard cla	ss(es)		
8	8	8	8
	8	8	**************************************
14.4. Packing group			
III	III	III	III
14.5. Environmental hazar	ds		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
	No supplementary i	nformation available	

14.6. Special precautions for user

- Overland transport

Classification code (ADR) C10
Special provisions (ADR) 274
Limited quantities (ADR) 5kg

Packing instructions (ADR) P002, IBC08, LP02, R001

Mixed packing provisions (ADR) MP10
Transport category (ADR) 3

Orange plates

80 1759

Tunnel restriction code (ADR)

- Transport by sea

Special provisions (IMDG)

Packing instructions (IMDG)

EmS-No. (Fire)

EmS-No. (Spillage)

Stowage category (IMDG)

223, 274

P002, LP02

F-A

S-B

A

23/06/2020 EN (English) 11/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Air transport

PCA packing instructions (IATA) 860
PCA max net quantity (IATA) 25kg
CAO packing instructions (IATA) 864
Special provisions (IATA) A3, A803

- Rail transport

Special provisions (RID) 274

Packing instructions (RID) P002, IBC08, LP02, R001

Carriage prohibited (RID) No

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	
trimethylolpropane triglycidylether (30499-70-8)		
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).	

15.2. International regulations

CANADA

Quartz (SiO2) (148	808-60-7)
--------------------	-----------

Listed on the Canadian DSL (Domestic Substances List)

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)] bisoxirane~(1675-54-3)

Listed on the Canadian DSL (Domestic Substances List)

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Quartz (SiO2) (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

23/06/2020 EN (English) 12/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Benzyl alcohol(100-51-6)	
Quartz (SiO2)(14808-60-7)	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane(1675-54-3)	
trimethylolpropane triglycidylether(30499-70-8)	

SECTION 16: Other information

Revision date

Abbreviations and acronyms

06/23/2020

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. European Agreement concerning the International Carriage of Dangerous Goods by Road. Acute Toxicity Estimate. Bioconcentration factor. Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008. Derived-No Effect Level. Derived Minimal Effect level. Median effective concentration. International Agency for Research on Cancer. International Air Transport Association. International Maritime Dangerous Goods. Median lethal concentration. Lowest Observed Adverse Effect Level. No-Observed Adverse Effect Concentration. No-Observed Adverse Effect Level. No-Observed Effect Concentration. Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. Organisation for Economic Co-operation and Development. Predicted No-Effect Concentration. Persistent Bioaccumulative Toxic. Very Persistent and Very Bioaccumulative. Safety Data Sheet. Regulations concerning the International Carriage of Dangerous Goods by Rail. Median lethal dose.

Full text of H-statements:

or in statements.	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.

NFPA health hazard


2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

1 - Materials that must be preheated before ignition can

NFPA reactivity

0 - Material that in themselves are normally stable, even under fire conditions.



Indication of changes:

Section	Changed item	Change	Comments
2.1	GHS-US classification	Modified	
2.2	Hazard statements (GHS US)	Modified	
3	Composition/information on ingredients	Modified	
14	Transportation information	Modified	

23/06/2020 EN (English) 13/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS_US_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

23/06/2020 EN (English) 14/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 06/23/2020 Revision date: 06/23/2020 Supersedes: 07/05/2018 Version: 1.3

SECTION 1: Identification

1.1. Identification

Product form Mixture HIT-RE 10, B Product name Product code **BU** Anchor

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture For professional use only

Composite mortar component for fasteners in the construction industry

1.3. Details of the supplier of the safety data sheet

Supplier

Hilti, Inc. Legacy Tower, Suite 1000 7250 Dallas Parkway TX 75024 Plano - USA T+19724035800

1-800-879-8000 toll free - F +1 918 254 0522

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH Hiltistraße 6

86916 Kaufering - Deutschland

T +49 8191 906876 anchor.hse@hilti.com

1.4. Emergency telephone number

Emergency number Chem-Trec

Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada)

Tel.: 703 527 3887 (Other countries)

+1 918 8723000

1-800-879-8000 toll free

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Corr. 1B H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction. Skin Sens. 1

Full text of H statements : see section 16

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)





GHS05

GHS07

Signal word (GHS US)

Hazard statements (GHS US)

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

Precautionary statements (GHS US) P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P302+P352 - If on skin: Wash with plenty of water.

23/06/2020 EN (English) 15/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Quartz (SiO2)	(CAS-No.) 14808-60-7	60 - 80	Carc. 1A, H350
m-Xylylenediamine	(CAS-No.) 1477-55-0	10 - 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317
Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene	(CAS-No.) 710292-85-6	10 - 25	Skin Sens. 1B, H317

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Wash with plenty of water/.... Take off immediately all contaminated clothing. Wash

contaminated clothing before reuse. If skin irritation or rash occurs: Get immediate medical

advice/attention.

First-aid measures after eye contact Get immediate medical advice/attention. Immediately rinse with water for a prolonged period

while holding the eyelids wide open. Remove contact lenses, if present and easy to do.

Continue rinsing. Consult an eye specialist.

First-aid measures after ingestion Do not induce vomiting. Rinse mouth. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and No ac

No additional information available.

symptoms
Symptoms/effects

Causes severe skin burns and eye damage.

Symptoms/effects after inhalation May cause an allergic skin reaction.

Symptoms/effects after eye contact Causes serious eye damage.

4.3. Immediate medical attention and special treatment, if necessary

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

23/06/2020 EN (English) 16/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture

Reactivity Corrosive vapours.

5.3. Advice for firefighters

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment,

including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment. Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. After curing, the product can be disposed of with household waste.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local legislation.

Mechanically recover the product. On land, sweep or shovel into suitable containers. Store

away from other materials

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other

exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work. Avoid contact during pregnancy/while nursing.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures Comply with applicable regulations.

Storage conditions Protect from sunlight. Store in a well-ventilated place.

Incompatible products Strong bases. Strong acids.
Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 41 - 77 °F

Heat and ignition sources Keep away from heat and direct sunlight.

23/06/2020 EN (English) 17/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

HIT-RE 10, B		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (R - Respirable particulate matter)
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	ACGIH STEL (ppm)	20 ppm
ACGIH	ACGIH Ceiling (ppm)	0.018 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: CNS & hearing impair; URT irr; peripheral neuropathy; visual disorders. Notations: OTO; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
OSHA	OSHA PEL (TWA) (mg/m³)	3.5 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
OSHA	OSHA PEL (Ceiling) (ppm)	200 ppm

Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene (710292-85-6)

Not applicable

m-Xylylenediamine (1477-55-0)		
ACGIH Ceiling (ppm) 0.018 ppm		
ACGIH Remark (ACGIH) Eye, skin, & GI irr		

Quartz (SiO2) (14808-60-7)		
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (Respirable fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
OSHA	Remark (OSHA)	(3) See Table Z-3.

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

8.2. Exposure controls

Personal protective equipment Safety glasses. Gloves. Protective clothing. Avoid all unnecessary exposure.







Hand protection Wear protective gloves. The permeation time is not the maximum wearing time! Generally

speaking, it must be reduced. Contact with either mixtures of substances or different

substances may shorten the protective function's effective duration.

Eye protection Wear security glasses which protect from splashes.

Skin and body protection Wear suitable protective clothing.

Environmental exposure controls Avoid release to the environment.

Consumer exposure controls Avoid contact during pregnancy/while nursing.

Other information Do not eat, drink or smoke during use.

23/06/2020 EN (English) 18/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid

Appearance Thixotropic paste.

ColourBlackOdourAmine-likeOdour thresholdNo data available

pH 11.5

Melting point No data available Freezing point No data available Boiling point No data available No data available Flash point Relative evaporation rate (butylacetate=1) No data available Flammability (solid, gas) No data available Explosive limits No data available Explosive properties No data available Oxidising properties No data available Vapour pressure No data available Relative density No data available Relative vapour density at 20 °C No data available

Density 1.75 g/cm³
Solubility insoluble in water.

Log Pow No data available
Auto-ignition temperature No data available
Decomposition temperature No data available
Viscosity No data available
Viscosity, kinematic No data available
Viscosity, dynamic 150 - 185 Pa·s 25 °C

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

23/06/2020 EN (English) 19/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: fume. Carbon monoxide. Carbon dioxide. Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Not classified

Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene (710292-85-6)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
m-Xylylenediamine (1477-55-0)	
LD50 oral rat	1090 mg/kg
LD50 dermal rat	> 3100 mg/kg
ATE US (oral)	660 mg/kg bodyweight
ATE US (dust,mist)	1.34 mg/l/4h
Skin corrosion/irritation	Causes severe skin burns and eye damage.

Serious eye damage/irritation Serious eye damage, category 1, implicit

pH: 11.5

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Not classified Carcinogenicity Not classified

Quartz (SiO2) (14808-60-7)	
IARC group 1 - Carcinogenic to humans	
Reproductive toxicity Not classified	

STOT-single exposure Not classified

STOT-repeated exposure Not classified

Aspiration hazard Not classified

Potential adverse human health effects and

symptoms

No additional information available.

Symptoms/effects after inhalation May cause an allergic skin reaction.

Symptoms/effects after eye contact Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water Harmful to aquatic life with long lasting effects.

Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene (710292-85-6)		
LC50 fish 1	>= 50 mg/l	
LC50 other aquatic organisms 1	>= 31.8 mg/l	
EC50 Daphnia 1	2.4 mg/l	
NOEC chronic algae	6.25 mg/l	
m-Xylylenediamine (1477-55-0)		
LC50 fish 1	75 mg/l	

23/06/2020 EN (English) 20/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

m-Xylylenediamine (1477-55-0)	
LC50 other aquatic organisms 1	20.3 ppb
EC50 Daphnia 1	15 mg/l
LOEC (chronic)	15 mg/l
NOEC (acute)	10.5 mg/kg
NOEC (chronic)	4.7 mg/l
NOEC chronic crustacea	4.7 mg/l

12.2. Persistence and degradability

HIT-RE 10, B	
Persistence and degradability	May cause long-term adverse effects in the environment.

Quartz (SiO2) (14808-60-7)		
Persistence and degradability Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	

12.3. Bioaccumulative potential

HIT-RE 10, B	
Bioaccumulative potential	Not established.
Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene (710292-85-6)	
Bioconcentration factor (BCF REACH)	>= 12.9
Log Pow	5.14
Quartz (SiQ2) (14808-60-7)	

Quartz (SiO2) (14808-60-7)	
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

Quartz (SiO2) (14808-60-7)	
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

Other information Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) Disposal must be done according to official regulations.

Product/Packaging disposal recommendations After curing, the product can be disposed of with household waste. Full or only partially

emptied cartridges must be disposed of as special waste in accordance with official regulations.

Packaging contaminated by the product : Dispose in a safe manner in accordance with

local/national regulations.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

23/06/2020 EN (English) 21/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR	IMDG	IATA	RID
14.1. UN number			
3259	3259	3259	3259
14.2. UN proper shipping n	ame		
AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)	AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)	Amines, solid, corrosive, n.o.s. (m- Xylylenediamine)	AMINES, SOLID, CORROSIVE, N.O.S. (m-Xylylenediamine)
Transport document descripti	on		
UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m- Xylylenediamine), 8, II, (E)	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m- Xylylenediamine), 8, II	UN 3259 Amines, solid, corrosive, n.o.s. (m-Xylylenediamine), 8, II	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (m- Xylylenediamine), 8, II
14.3. Transport hazard class	ss(es)		
8	8	8	8
14.4. Packing group			
II S S S S S S S S S S S S S S S S S S	II	II	II
14.5. Environmental hazard	ds		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No
	No supplementary i	nformation available	

14.6. Special precautions for user

- Overland transport

Classification code (ADR)

Special provisions (ADR)

Limited quantities (ADR)

Packing instructions (ADR)

Mixed packing provisions (ADR)

Transport category (ADR)

C8

1kg

P002, IBC08

MP10

Transport category (ADR)

2

Transport category (ADR) 2
Orange plates

80 3259

Ε

Tunnel restriction code (ADR)

- Transport by sea

Special provisions (IMDG) 274
Limited quantities (IMDG) 1 kg
Packing instructions (IMDG) P002
EmS-No. (Fire) F-A
EmS-No. (Spillage) S-B
Stowage category (IMDG) A

Stowage and segregation (IMDG) Separated from acids.

MFAG-No 154

23/06/2020 EN (English) 22/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Air transport

PCA packing instructions (IATA) 859
PCA max net quantity (IATA) 15kg
CAO packing instructions (IATA) 863
Special provisions (IATA) A3

- Rail transport

Special provisions (RID) 274 Limited quantities (RID) 1kg

Packing instructions (RID) P002, IBC08

Carriage prohibited (RID) No

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

No additional information available

m-Xylylenediamine (1477-55-0)

Listed on the Canadian DSL (Domestic Substances List)

Quartz (SiO2) (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Quartz (SiO2) (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Formaldehyde, telomer with 1,3-benzenedimethanamine, 1,3-benzenediol and ethenylbenzene(710292-85-6)	
m-Xylylenediamine(1477-55-0)	

23/06/2020 EN (English) 23/24



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Quartz (SiO2)(14808-60-7)	

SECTION 16: Other information

Revision date

Abbreviations and acronyms

06/23/2020

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. European Agreement concerning the International Carriage of Dangerous Goods by Road. Acute Toxicity Estimate. Bioconcentration factor. Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008. Derived Minimal Effect level. Derived-No Effect Level. Median effective concentration. International Agency for Research on Cancer. International Air Transport Association. International Maritime Dangerous Goods. Median lethal concentration. Median lethal dose. Lowest Observed Adverse Effect Level. No-Observed Adverse Effect Concentration. No-Observed Adverse Effect Level. No-Observed Effect Concentration. Organisation for Economic Co-operation and Development. Persistent Bioaccumulative Toxic. Predicted No-Effect Concentration. Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. Regulations concerning the International Carriage of Dangerous Goods by Rail. Safety Data Sheet. Very Persistent and Very Bioaccumulative.

Full text of H-statements:

	t of 11 statements.		
H302		Harmful if swallowed.	
H314 Causes sever		Causes severe skin burns and eye damage.	
H317 May cause an allergic skin reaction.		May cause an allergic skin reaction.	
H318 Causes serious eye damage. H332 Harmful if inhaled. H350 May cause cancer.		Causes serious eye damage.	
		Harmful if inhaled.	
		May cause cancer.	

NFPA health hazard

3 - Materials that, under emergency conditions, can cause serious or permanent injury.

NFPA fire hazard

1 - Materials that must be preheated before ignition can

NFPA reactivity

0 - Material that in themselves are normally stable, even under fire conditions.



Indication of changes:

Section	Changed item	Change	Comments
2.1	GHS-US classification	Modified	
2.2	Hazard statements (GHS US)	Modified	
3	Composition/information on ingredients	Modified	

SDS US Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

23/06/2020 EN (English) 24/24