



TLSX.R13203

Roof Deck Fasteners

See General Information for Roof Deck Fasteners

HILTI INC

R13203

5400 S 122ND EAST AVE
TULSA, OK 74146 USA

Powder actuated fasteners identified as X-EDNK22 THQ12, X-EDN19 THQ12, ENP2K-20 L15, ENPH2-21 L15, and X-ENP-19 L15 for use in Construction Nos. **58, 87, 156 and 157.**

Note: These fasteners may also be used in all Roof Deck Assemblies Classified for uplift purposes, where the structural supports are a minimum of 1/8- inch thick when using X-EDNK22 THQ12 and ENP2K-20 L15 nails, or a minimum of 3/16-inch thick when using X-EDN19-THQ12 nails, or a minimum of 1/4-inch thick when using ENPH2-21 L15 and X-ENP-19 L15 nails; and the deck units are A, B or F, or any other similar types having a minimum thickness of 22 MSG.

Note: In addition to the single fastener descriptions, the fasteners are more commonly provided in collated strips of 10 for installation tools with a magazine and are described as follows: X-EDNK22 THQ12M, ENP2K-20 L15MX, and ENPH2-21 L15MX, and X-ENP-19 L15MX or X-ENP-19 L15MXR. They are to be used under the same conditions as those without the "M", "MX" or "MXR" designation.

Last Updated on 2005-01-10

This page and all contents are Copyright © 2005 by Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2005 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

