

MATERIAL SAFETY DATA SHEET

Primer-SA

WATER-BASED PRIMER FOR ALL HOHMANN & BARNARD/SANDELL SELF-ADHESIVE FLASHINGS

SECTION 1: PRODUCT INFORMATION

PRODUCT NAME: Primer-SA
MANUFACTURER: Hohmann & Barnard, Inc.
30 Rasons Court
Hauppauge, NY 11788
CHEMICAL FAMILY: Synthetic Latex

EMERGENCY TELEPHONE NO.: 631-234-0600
OTHER INFORMATION CALLS: 610-873-0070
DATE PREPARED: 10/1/2012

SECTION 2: HAZARDOUS INGREDIENTS/ IDENTITY

Hazardous Component(s) (Chemical & Common Name(s))	OSHA PEL	ACHIG TLV	Other Exposure Limits	%	CAS NO.
NONE	-	-	-	-	-

SECTION 3: PHYSICAL & CHEMICAL CHARACTERISTICS

BOILING POINT: Approx. 100° C
SPECIFIC GRAVITY: Greater Than 1.0 of Water
VAPOR PRESSURE (mm Hg):
SOLUBILITY IN WATER: Infinite

REACTIVITY IN WATER: N/A
MELTING POINT: N/A
APPEARANCE AND ODOR: White Milky Liquid-
Pleasant Odor

HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0 PERSONAL PROTECTION: B

SECTION 4: FIRE & EXPLOSION DATA

FLASH POINT: None
FLAMMABLE LIMITS (%): N/A
EXTINGUISHING MEDIA: For dry polymer use water or carbon dioxide
FIRE AND EXPLOSION HAZARD: There are no unusual fire or explosion hazards

MATERIAL SAFETY DATA SHEET

SECTION 5: PHYSICAL HAZARDS (REACTIVITY DATA)

STABILITY: Stable
CONDITIONS TO AVOID: Do Not Freeze
HAZARDOUS DECOMPOSITION PRODUCTS: No Data
HAZARDOUS POLYMERIZATION: Will Not Occur

SECTION 6: HEALTH HAZARDS

SIGNS AND SYMPTOMS OF EXPOSURE:

Wash from skin or eyes with pure water. If ingested, treat symptomatically and contact a physician.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

May cause asthmatic response in persons with asthma who are sensitive to airway irritation.

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN:

NATIONAL TOXICOLOGY PROGRAM: No

I.A.R.C. MONOGRAPHS: No

OSHA: No

EMERGENCY AND FIRST AID PROCEDURES: As with signs of symptoms of exposure.

ROUTES OF ENTRY:

1. INHALATION: N/A
 2. EYES: Flush with pure water for 15 minutes.
 3. SKIN: Wash with pure water.
 4. INGESTION: Contact Physician
-

SECTION 7: SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Do not allow to freeze as coagulation will occur.

SEE SECTION 8 FOR PROTECTION MEASURES BEFORE COMING INTO CONTACT WITH THIS PRODUCT.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

EMERGENCY SPILL CONTACT: CHEMTREC 800-424-9300

SMALL SPILL: Soak spill up with an absorbent (sawdust, floor absorbent, etc). Transfer to a container. Wash area with soap and water.

MATERIAL SAFETY DATA SHEET

LARGE SPILL: Contain spill. Use an absorbent to soak up material. Transfer material and all other supplies used to contain the spill into a container. Wash area with soap and water.

CONSULT WITH FEDERAL, STATE, AND LOCAL REGULATIONS FOR DISPOSAL.

TOTE OR DRUM LEAK: TRANSFER CONTENTS TO A CLEAN, DRY, SEALED CONTAINER. IF MATERIAL IS RECOVERED WITHOUT CONTAMINATION, IT MAY BE USED. IF MATERIAL IS CONTAMINATED, DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL ENVIRONMENTAL CONTROL REGULATION. INCINERATION IS THE PREFERRED METHOD.

SECTION 8: SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

RESPIRATORY PROTECTION:

N/A unless sprayed- then use particulate filter and ventilation.

VENTILATION:

Provide sufficient ventilation to maintain airborne concentrations below the exposure guideline.

EYE PROTECTION:

Use safety goggles when splash potential exists.

HAND PROTECTION:

Rubber protective gloves are recommended.

WORK/ HYGIENIC PRACTICES: Normal cleanliness- store in cool place- minimize contact with air.

The information contained herein is based on current knowledge and experience, no responsibility is accepted that the information is sufficient or correct in all cases. Users should consider this data only a supplement to other information. Users should make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials, the safety and health of employees and customers, and the protection of the environment.