


Proven Performance™



ARMOURSHAKE™

Designer Shingles



Shadow Black only.



iko.com/na



Premium Designer Shingles for Exceptional Homes

IKO's Armourshake line gives you high-end features, protection, and beauty in one luxurious shingle. Armourshake has it all — dimensional thickness, heavyweight construction, generous exposure, and even the highest ratings for impact resistance⁶ depending on your chosen style.



IKO Armourshake shingles qualify for a Class 3 or 4 (Shadow Black only) impact resistance rating⁶, possibly enabling you to a reduction in your homeowner insurance premium, if available.

*Shadow Black only.



Color Featured: Weathered Stone





Color Featured: Shadow Black



The IKO Difference

With a legacy of craftsmanship that spans over 75 years, we know quality. That's why contractors and their customers trust IKO to deliver beautiful, high-performing roofing systems that can withstand rigorous conditions — and continue protecting families for generations to come.



Color Featured: Greystone



When you want to wow onlookers, Armourshake shingles provide a unique dimensional pattern for curb appeal that doesn't disappoint.



Color Featured: Shadow Black

What Sets Armourshake Shingles Apart



SEE IT ON A ROOF



Color Featured: Weathered Stone

- 1 Heavyweight core strength**
 IKO Armourshake shingles are engineered for performance thanks to a durable fiberglass mat core. Thick asphalt coating provides superior protection against wind uplift and water infiltration.
- 2 Exceptional bonding**
 IKO's proprietary **FastLock**® sealant strips get extra tacky when activated by the heat of the sun to maximize bonding and protect against wind uplift and blow-off.
- 3 Ultraviolet and Algae-resistant granules**
 IKO is a vertically integrated manufacturer. Our proprietary colorfast granules help prevent discoloration from the sun's UV rays and inhibit the growth of blue-green algae that can cause unattractive black stains and streaks.

STANDARDS & SPECIFICATIONS^{4,5}

Limited Warranty ¹	Limited Lifetime ³
Iron Clad Protection ¹	15 Years
Limited Wind Warranty ¹	110 mph
Limited High-Wind Warranty Upgrade ^{1,2}	130 mph
Limited Algae Resistance Warranty ¹	10 years (blue-green)
Length	37 3/8 in (950 mm)
Width	18 11/16 in (475 mm)
Exposure	5 1/2 in (140 mm)
Approximate Coverage	5 bdls/sq.
Shingle per Square	70

ASTM D3462 • ASTM D3018 • ASTM D3161 - Class F • ASTM D7158 - Class H • ASTM E108/UL 790 - Class A • FM 4473/UL 2218 - Class 3⁶ • FM 4473/UL 2218 - Class 4⁶ available in Shadow Black only.



Elegant Design From Core to Surface




Color Featured: Greystone

Armourshake shingles offer many desirable features, from designs that boost your curb appeal to high-quality construction that gives you peace of mind:


- ✔ Deep, contrasting shadows.
- ✔ Durable fiberglass mat core.
- ✔ Thick weathering asphalt coating for strength, durability, and flexibility.
- ✔ FastLock® sealant, activated by the warmth of the sun to seal down and help protect against wind uplift.
- ✔ Class 3 or 4 (*Shadow Black only*) impact resistance rating⁶.
- ✔ Four elegant, blue-green algae-resistant color blends that may resist discoloration from ultraviolet exposure
- ✔ When Armourshake shingles are installed with IKO PROFORMAX Integrated Roofing Accessories in accordance with IKO's High Wind Application instructions, you qualify for our High Wind Limited Warranty Upgrade, offering limited wind coverage up to 130 mph.

⁶The impact resistance ratings are solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. This is not a guarantee of impact resistance against hail. Damage from hail is not covered under the limited warranty.



Color Featured: Weathered Stone

COLOR BLENDS | *Inspired by Nature*





Greystone



Chalet Wood

GREYSTONE: Timeless, exclusive, stylish, elegant
Perfect Pairings: White or grey stone, brick or siding; black, white, or grey trim
Metal Pairings: Copper, black, nickel, chrome, brass


CHALET WOOD: Rustic but elevated, modern, notable
Perfect Pairings: Log, beige stone, or brick (especially red) facings; brown trim
Metal Pairings: Copper, black, bronze



WEATHERED STONE: Soft, timeless, welcoming, high-end
Perfect Pairings: Stone, wood, brick, masonry, siding (especially cream, beige, or grey)
Metal Pairings: Copper, black, bronze

SHADOW BLACK: Elegant, defined, traditional, up-scale
Perfect Pairings: Stone, brick, masonry, siding (especially red, white, or grey)
Metal Pairings: Copper, black, nickel, chrome, brass

Shingles are your home's first line of defense, but they protect, perform and look their best installed with the **IKO Proformax Integrated Roofing Accessories** shown below.



PROFORMAX ROOFING COMPONENTS

1 DECK PROTECTION	2 SYNTHETIC UNDERLAYMENT	3 ROOF STARTERS	4 CAPPING SHINGLES
IKO GoldSeam™ IKO StormShield®	IKO Stormtite®	IKO Leading Edge Plus™ IKO EdgeSeal® IKO Armour Starter™	IKO Ultra-HP® IR IKO Hip & Ridge Class 4 IKO Hip & Ridge 12™

IMPORTANT! To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle color and do not fully represent the entire color blend range nor the impact of sunlight.

NOTE: Product and color availability may vary by region. Products with Miami-Dade NOA and FBC product approval listings are available. Meets requirements of the Texas Department of Insurance. Please contact IKO for details. ¹See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. ²High Wind Application is required. Armour Starter strips along with either Leading Edge Plus or EdgeSeal are required, as well as capping shingles are required with High-Wind Application. ³"Lifetime" means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the original Owner owns the building on which the shingles were installed. ⁴All values shown are approximate. ⁵Products are developed with reference to these standards. ⁶This impact rating is solely for the purpose of enabling residential property owners to obtain a reduction in their residential insurance premium, if available. It is not to be construed as any type of express or implied warranty or guarantee of the impact performance of this shingle by the manufacturer, supplier or installer and damage from hail is not covered by the Limited Warranty. IKO recommends the use of its Class 4 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 4 impact resistance rated shingles, and the use of no less than its Class 3 impact resistance rated Hip and Ridge cap shingle in conjunction with the use of Class 3 impact resistance rated shingles. For further detail concerning the FM 4473 standard, visit the FM Approvals website. For the UL 2218 standard, visit the UL Solutions website.



The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature. Find out more about our products now by talking to an IKO sales representative or contact us directly:

In the United States, call 1-888-IKO-ROOF (1-888-456-7663).