MATERIAL SAFETY DATA SHEET MSDS # 1150 ROOFCRAFT 95/180 BASE FR POLYESTER

BramCal Production Co.

305 Rutherford Road South, Brampton, ON L6W 3R5 Tel.:(905) 457-2880 ext.3354

CANUTEC EMERGENCY TEL. NO.: (613) 996-6666

I – PRODUCT INFORMATION				
PRODUCT NAME	ROOFCRAFT 95/180 BASE FR POLYESTER			
PRODUCT TYPE	ROOFING COVER BOARD			
PRODUCT USE	ROOFING			

II – HAZARDOUS INGREDIENTS				
INGREDIENTS	%	CAS#	EXPOSURE LIMITS	
Boric Acid	5-15%	010043353	Acute Oral (DL50): 3500 mg/kg (rat) Acute Skin (DL50): 2000 mg/kg (rabbit)	

III- PHYSICAL DATA			
PHYSICAL STATE [] GAS [] LIQUID [X] SOLID ODOUR & APPEARANCE Slight petroleum odour		ODOUR THRESHOLD (ppm) Not determined	VOLATILE (VOL.) Not determined
VAPOUR PRESSURE (mm Hg) N/A	VAPOUR DENSITY (AIR=1) N/A	EVAPORATION RATE (BuAc=1) N/A	BOILING POINT (°C) N/A
FREEZING POINT (°C) N/A SPEC. GRAVITY (WATER – 1) >1.0		DENSITY (g/ml)	SOLUBILITY (IN WATER) None
COEF. OF WATER/OIL DIST. Not determined		pH 4.0 to 6.0 (1% water suspension of	1.0%)

	IV – FIRE & EXPLOSION HAZ	LOSION HAZARD		
FLAMMABILITY [X]YES [] NO	CONDITIONS OF FLAMMABILITY Avoid excessive heat and open flames.	AUTO-IGNITION TEMP (°C) Not determined		
FLASH POINT (°C) N/A	FLAMMABLE LIMITS (% VOLUME)	SENSITIVITY TO MECHANICAL IMPACT None		
METHOD:	TDG FLAMMABILITY CLASS	SENSITIVITY TO STATIC DISCHARGE Yes		
HAZARDOUS COMBUSTION PRODUCTS Exposure to flames or fire may cause thermal degradation with evolution CO and CO ₂ .	MEANS OF EXTINCTION Foam, carbon dioxide, dry chemicals, water fog.	SPECIFIC FIRE FIGHTING PROCEDURES Respirators required for fire fighting.		

V – PREPARATION OF M.S.D.S.				
PREPARED BY:	HSE Department		PHONE NUMBER (905) 457-2880 EXT. 3354	DATE August 3, 2015

MATERIAL SAFETY DATA SHEET MSDS # 1150 ROOFCRAFT 95/180 BASE FR POLYESTER

VI – REACTIVITY DATA				
CHEMICAL []YES				
[X] NO				
CONDITIONS TO AVOID:				
Sources of ignition, excessive heat.				
INCOMPATABILITY (SUBSTANCE TO AVOID)				
Strong oxidizing agents.				
CONDITIONS OF REACTIVITY				
None.				
HAZARDOUS DECOMPOSITION PRODUCTS				
If exposed to very high temperatures, thermal degradation will give of CO and CO₂.				

	VII	– TOXILOGIO	AL PROPE	RTIES	
THRESHOLD LIMIT VALUE				(estimated) at) = 3479 mg/kg nouse) = 3989 mg/	/kg
ROUTE OF ENTRY	[X] SKIN CONTACT	[] SKIN ABS	[X] EYES	[] INGESTION	[X] INHALATION
EFFECTS OF ACUTE EXPOSURE					
EFFECTS OF CHRONIC EXPOSURE	Repeated skin contact n	nay cause moderate	e irritation or dern	natitis.	
IRRITANCY	Eye, skin and respiratory	rract irritant.	SENSITIZAT None known		RGISTIC MATERIALS known
[] CARCINOGENICITY	[] REPRODUCTIVE EI	FFECTS []	TERATOGENICI		AGENICITY

WARNING: This product may contain oxidized bitumens. The International Agency for Research on Cancer (the "IARC") published a monograph in 2013 which concluded that "occupational exposure to oxidized bitumens and their emissions during roofing operations are probably carcinogenic to humans." The IARC found that there is "limited evidence" in humans for the carcinogenicity of occupational exposures to bitumens and bitumen emissions during roofing and mastic-asphalt work. The IARC also found that there is "sufficient evidence" in experimental animals for carcinogenicity of fume condensates generated from oxidized bitumen. All other evidence of cancer in humans and experimental animals was judged "inadequate" or "limited." The physical nature of this product may help limit any inhalation hazard from oxidized asphalt during application in its hardened state. However, physical forces such as grinding, drilling and other demolition work on this product may liberate dust containing oxidized asphalt. Burning or heating of the product may cause fumes, vapors or mists.

VIII – FIRST AID MEASURES				
SKIN	Wash exposed areas with waterless hand cleaner or soap and water.			
EYES	Flush eyes thoroughly with plenty of lukewarm water for at least 20 minutes. Get medical attention immediately.			
INHALATION	Remove victim to fresh air. Administer artificial respiration. If breathing has stopped, administer oxygen. Consult a physician immediately.			
INGESTION	If swallowed, induce vomiting immediately by giving two glasses of water and sticking finger down throat. Never give anything by mouth to an unconscious person. Get medical attention immediately.			

IX – PREVENTIVE MEASURES				
PERSONAL PROTECTIVE EQUIPMENT	EYES: GLOVES:	Safety goggles or goggles when necessary. Protective gloves.		
ENGINEERING CONTROLS (VENTILATION, ETC.)	Exhaust ventilation required in confined spaces, face velocity 60 fpm.			
WASTE DISPOSAL	Follow all, federal, provincial/state and municipal regulations.			
HANDLING PROCEDURES	Handle with reasonable care and caution.			
STORAGE REQUIREMENTS	Store in cool, well-ventilated areas. Keep away from ignition sources.			
SHIPPING INFORMATION	N/A			

While Bramcal Production Co. believes that the data contained herein are factual and opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as warranty or representation for which BramCal Production Co. assumes legal responsibility. These are offered solely for your consideration, investigation and verification. Any use of this data and information must be determined by the user to be in accordance with federal, provincial or municipal laws and regulations.