



Metal Building Fasteners


Selector Guide 2024



Metal Building Selector Guide

1 Trapezoidal SSR Purlin Clip Fastener


TEKS® Self-Drilling Fasteners for Clip Attachment to Purlins



Part Number	Description	Head Style	Drill Point	Max Material Attachment
1136000	12-14 x 1"	HWH	#3	.520
1120000	12-14 x 1-1/4"	HWH	#3	.550
1123000	12-14 x 1-1/2"	HWH	#3	.800
1140000	12-14 x 2"	HWH	#3	1.450
1553000	12-14 x 2-1/2"	HWH	#3	1.950
1143000	12-14 x 3"	HWH	#3	2.450
1146000	12-14 x 4"	HWH	#3	3.450
1149000	1/4-14 x 1"	HWH	#3	.400
1150000	1/4-14 x 1-1/4"	HWH	#3	.650
1152000	1/4-14 x 1-1/2"	HWH	#3	.900
1155000	1/4-14 x 2"	HWH	#3	1.400
1554000	1/4-14 x 2-1/2"	HWH	#3	1.900
1157000	1/4-14 x 3"	HWH	#3	2.400
1304000	1/4-14 x 4"	HWH	#3	3.400

3 Longlife Roof Applications


The Original Buildex SCOTS® TEKS®



Part Number	Description	Head Style	Drill Point	Max Material Attachment
1167253	12-14 x 1-1/4"	Scots 5/16" AF	#2	.560
1163000	12-14 x 2"	Scots 5/16" AF	#5	1.000
1175153	1/4-14 x 1-1/8"	Scots 5/16" AF	#1	.395
1616000	1/4-14 x 1-1/4"	Scots 5/16" AF	#3	.630


5 Carbon Roof Applications

The Original Maxiseal® Integral Head Fasteners for Roof Applications



Part Number	Description	Head Style	Drill Point	Max Material Attachment
1026053	12-14 x 1"	HWH	#3	.490


BONDED WASHER TRUGRIP™



Part Number	Description	Head Style	Drill Point	Max Material Attachment
1264053	9-15 x 1-1/2"	BDW	Gimlet	0-750
1267053	9-15 x 2"	BDW	Gimlet	.500-1.250

2 Trapezoidal SSR Bar Joist Clip Fastener


TEKS® Self-Drilling Fasteners for Structural Steel or Bar Joists up to 1/2" Thick



Part Number	Description	Head Style	Drill Point	Max Material Attachment
1088000	12-24 x 7/8"	HWH	#4	.325
1414000	12-24 x 1-1/4"	HWH	#4.5	.575
1007000	12-24 x 1-1/4"	HWH	#5	.375
1770000	12-24 x 1-1/2"	HWH	#5	.625
1772000	12-24 x 2"	HWH	#5	1.125


4 Wall Applications

TEKS® Self-Drilling Fasteners for Attaching Wall Panels to girts



Part Number	Description	Head Style	Drill Point	Max Material Attachment
1136000	*12-14 x 1"	HWH	#2	.580
1120000	*12-14 x 1-1/4"	HWH	#2	.980
1123000	*12-14 x 1-1/2"	HWH	#3	.290
1140000	*12-14 x 2"	HWH	#3	.525
1553000	12-14 x 2-1/2"	HWH	#3	1.525
1143000	*12-14 x 3"	HWH	#3	2.025
1146000	*12-14 x 4"	HWH	#3	2.525
1147000	1/4-14 x 3/4"	HWH	#3	3.425
1399000	1/4-14 x 7/8"	HWH	#1	.210
1149000	*1/4-14 x 1"	HWH	#3	.460
1150000	*1/4-14 x 1-1/4"	HWH	#3	.710
1152000	*1/4-14 x 1-1/2"	HWH	#3	.960
1155000	*1/4-14 x 2"	HWH	#3	1.460
1554000	*1/4-14 x 2-1/2"	HWH	#3	1.960
1157000	*1/4-14 x 3"	HWH	#3	2.460
1304000	*1/4-14 x 4"	HWH	#3	3.460

"Original Buildex Trugrip™" for Attachment of Wall Panels to Wood Substrate



Part Number	Description	Head Style	Drill Point	Max Material Attachment
1272000	9-15 x 1-1/2"	HWH	Gimlet	0-750
1276000	9-15 x 3"	HWH	Gimlet	1.500-2.250

6 Flashing Applications


For Flashing Pipe Penetration



Part Number	Description	Head Style	Drill Point	Max Material Attachment
DEKTITE®				
4003910	#1	1/4" - 2"	4-3/4"	3"
4009910	#3	1/4" - 4"	7-3/4"	4"
4011910	#4	3" - 6"	9-1/4"	5"
4016910	#5	4" - 7"	10-3/4"	5"
4025910	#8	7" - 13"	16-1/2"	6"
DEK-CAP™				
4146910	Dek-Cap			3-5/16"

7 Wood-to-Metal Applications

TEKS® Self-Drilling Fasteners for Attaching Plywood, Batten Wood Strips or 2 x 4's to Steel Framing, Purlins or Structural Steel




Part Number	Description	Head Style	Drill Point	Wood Attachment Range
1082000	10-24 x 1-7/16	PFH*	#3	1/4" - 3/4"
1791000	10-16 x 1-13/16	PSD Flat**	#3	1/4" - 3/4"
1092000	12-24 x 2-1/4	PFH*	#4	3/4" - 1-3/8"
1094000	12-24 x 2-3/4	PFH*	#4	3/4" - 1-5/8"
1096000	1/4-20 x 3	PFH*	#4	3/4" - 2"

* With wings

** With ribs under head

8 Tapper Fastener Matrix


For Attachment of Metal-to-Wood and Metal-to-Metal Applications.



Part Number	Description	Pipe Outside Diameter	Dektite Base Diameter	Steel Drill & Tap Capacity	Max Material Attachment
MAXISEAL® INTEGRAL EPDM WASHER					
1063053	17-14 x 1"	5/16" AF HWH	Type AB	---	.685"
BONDED WASHER					
1526053	14-10 x 1-1/2"	3/8" AF HWH	Type 17	.012" - .048"	0-.750"


9 Low Profile Architectural SSR Clip Fasteners

TEKS® Self-Drilling and A-Type Fasteners for Attaching Metal Roof Clips to Steel Purlin and Wood Supports



Part Number	Description	Head Style	Drill Point	Max Material Attachment
1560553	10-16 x 1"	#2 Phillips Pancake	#3	.550
1596553	10-12 x 1"	#2 Phillips Pancake	Type A	.250
1575553	12-14 x 1"	#2 PSD Pancake	#3	.550

Metal Building Selector Guide



- 1. Trapezoidal SSR Purlin Clip Fastener
- 2. Trapezoidal SSR Bar Joist Clip Fastener
- 3. Longlife Roof Applications
- 4. Wall Applications
- 5. Carbon Roof Applications
- 6. Flashing Applications
- 7. Wood-to-Metal Applications
- 8. Tapper Fastener Matrix
- 9. Low Profile Architectural SSR Clip Fasteners



155 Harlem Ave, Glenview IL 60025
www.itwbuildex.com • 800-848-5611

Tapcon®, Tek®, Dek-Cap™, Scots®, and Maxiseal® are trademarks of ITW Buildex and Illinois Tool Works, Inc.

Dektitle® is a trademark of Dek's Industries Pty. Ltd.

© 2024 Illinois Tool Works, Inc.

800-848-5611

WWW.ITWBUILDEX.COM