

# **Tapcon®**

**Concrete Screw Anchors**

TAKE THE JOB TO THE  
**NEXT**  
— LEVEL —

**NEW!**



#### **UNDERHEAD RIBS**

Resist head snaps  
and spinouts.



#### **STAR RECESS**


Eliminate bit slip.



**THE ORIGINAL,  
TRUE BLUE  
SCREW.**

# THE NEW TAPCON® SCREW ANCHOR IS MORE RELIABLE THAN EVER, MINIMIZES REWORK AND HELPS YOU GET THE JOB DONE FASTER

No matter the substrate, tool or your experience level, Tapcon installs right the first time, every time. Experience superior performance, installation success and increased confidence with the new Tapcon Star Drive and slotted hex washer head with underhead ribs.



## NO. 1 CHOICE OF PROFESSIONALS

Tapcon is the No. 1 recognized screw anchor brand in the industry. The blue, corrosion-resistant coating enables the screw anchors to withstand the harshest conditions. And their unmatched performance in concrete, block and brick applications make them an excellent alternative to expansion anchors, plugs and lag shields. When professionals look for quality, strength and ease of installation, their No. 1 choice is Tapcon.





## COMMON APPLICATIONS

- Electrical equipment
- Furring strips
- 2x4 lumber
- Drywall track
- Wood frames/sill plates
- HVAC/ductwork
- Concrete forms

| Features                       | Benefits                                                                                                           |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Star recess                    | <ul style="list-style-type: none"> <li>• Increase productivity with fewer cam outs</li> </ul>                      |
| Underhead ribs                 | <ul style="list-style-type: none"> <li>• Resist spinouts</li> <li>• Resist head snaps</li> </ul>                   |
| Advanced Threadform Technology | <ul style="list-style-type: none"> <li>• Lower installation torque</li> <li>• Less fatigue</li> </ul>              |
| Long-life Climaseal™ coating   | <ul style="list-style-type: none"> <li>• 720 hours corrosion resistance</li> <li>• Long-lasting quality</li> </ul> |

## Installation Tool & Accessories

| Part Number | Description                                                                                                                | Diameter | Length |
|-------------|----------------------------------------------------------------------------------------------------------------------------|----------|--------|
| 3103910     | CONDRIBE INSTALLATION TOOL KIT<br>Kit includes: Drill Adapter, Sleeve, 3/16" Socket, 1/4" Socket, Phillips Bits, Star Bits | -        | -      |
| 3096910     | TAPCON DRILL BIT 10/TUBE                                                                                                   | 5/32"    | 4-1/2" |
| 3097910     | TAPCON DRILL BIT 10/TUBE                                                                                                   | 5/32"    | 5-1/2" |
| 3098910     | TAPCON DRILL BIT 10/TUBE                                                                                                   | 3/16"    | 3-1/2" |
| 3099910     | TAPCON DRILL BIT 10/TUBE                                                                                                   | 3/16"    | 4-1/2" |
| 3100910     | TAPCON DRILL BIT 10/TUBE                                                                                                   | 3/16"    | 5-1/2" |
| 3311910     | SDS TAPCON DRILL BIT 1/TUBE                                                                                                | 5/32"    | 7"     |
| 7901060     | SDS TAPCON BIT 1/TUBE                                                                                                      | 3/16"    | 5"     |
| 3517910     | T-25 STAR DRIVE FOR 3/16" DIAMETER TAPCON 2/PACK                                                                           | -        | -      |
| 3518910     | T-30 STAR DRIVE FOR 1/4" DIAMETER TAPCON 2/PACK                                                                            | -        | -      |

**The Condribe Kit** makes for fast and easy change over from drill bit to driver and controls the driving torque to prevent thread stripping and head snapping in hard base materials.



# SMALL DIAMETER TAPCON OFFERING

| Part Number                                                                                                                                                                             | Diameter | Length | Description                  | Drill Bit Dia. | Head Style            | Inner Box Qty | Outer Box Qty |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|------------------------------|----------------|-----------------------|---------------|---------------|
| <b>Next Gen Tapcon - Carbon</b>                                                                                                                                                         |          |        |                              |                |                       |               |               |
| 3152400                                                                                                                                                                                 | 1/4"     | 1-1/4" | HWH TAPCON BLUE CL           | 3/16"          | HWH w/ underhead ribs | N/A           | 4000          |
| 3153407                                                                                                                                                                                 | 1/4"     | 1-1/4" | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | 100           | 500           |
| 3154400                                                                                                                                                                                 | 1/4"     | 1-3/4" | HWH TAPCON BLUE CL           | 3/16"          | HWH w/ underhead ribs | N/A           | 2500          |
| 3155407                                                                                                                                                                                 | 1/4"     | 1-3/4" | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | 100           | 500           |
| 3406100                                                                                                                                                                                 | 1/4"     | 1-3/4" | HWH TAPCON WHITE ULSD        | 3/16"          | HWH w/ underhead ribs | N/A           | 2500          |
| 3157407                                                                                                                                                                                 | 1/4"     | 2-1/4" | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | 100           | 500           |
| 3156400                                                                                                                                                                                 | 1/4"     | 2-1/4" | HWH TAPCON BLUE CL           | 3/16"          | HWH w/ underhead ribs | N/A           | 2000          |
| 3159407                                                                                                                                                                                 | 1/4"     | 2-3/4" | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | 100           | 500           |
| 3158400                                                                                                                                                                                 | 1/4"     | 2-3/4" | HWH TAPCON BLUE CL           | 3/16"          | HWH w/ underhead ribs | N/A           | 1500          |
| 3161407                                                                                                                                                                                 | 1/4"     | 3-1/4" | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | 100           | 500           |
| 3160400                                                                                                                                                                                 | 1/4"     | 3-1/4" | HWH TAPCON BLUE CL           | 3/16"          | HWH w/ underhead ribs | N/A           | 1000          |
| 3163407                                                                                                                                                                                 | 1/4"     | 3-3/4" | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | 100           | 500           |
| 3139407                                                                                                                                                                                 | 3/16"    | 1-1/4" | HWH TAPCON BLUE CL W/BIT     | 5/32"          | HWH w/ underhead ribs | 100           | 500           |
| 3138400                                                                                                                                                                                 | 3/16"    | 1-1/4" | HWH TAPCON BLUE CL           | 5/32"          | HWH w/ underhead ribs | N/A           | 5000          |
| 3141407                                                                                                                                                                                 | 3/16"    | 1-3/4" | HWH TAPCON BLUE CL W/BIT     | 5/32"          | HWH w/ underhead ribs | 100           | 500           |
| 3143407                                                                                                                                                                                 | 3/16"    | 2-1/4" | HWH TAPCON BLUE CL W/BIT     | 5/32"          | HWH w/ underhead ribs | 100           | 500           |
| 3145407                                                                                                                                                                                 | 3/16"    | 2-3/4" | HWH TAPCON BLUE CL W/BIT     | 5/32"          | HWH w/ underhead ribs | 100           | 500           |
| 3147407                                                                                                                                                                                 | 3/16"    | 3-1/4" | HWH TAPCON BLUE CL W/BIT     | 5/32"          | HWH w/ underhead ribs | 100           | 500           |
| 3165407                                                                                                                                                                                 | 1/4"     | 4"     | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | 100           | 500           |
| 3166400                                                                                                                                                                                 | 1/4"     | 5"     | HWH TAPCON BLUE CL           | 3/16"          | HWH w/ underhead ribs | N/A           | 500           |
| 3167407                                                                                                                                                                                 | 1/4"     | 5"     | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | 100           | 500           |
| 3205407                                                                                                                                                                                 | 1/4"     | 6"     | HWH TAPCON BLUE CL W/BIT     | 3/16"          | HWH w/ underhead ribs | N/A           | 100           |
| 3183407V2                                                                                                                                                                               | 1/4"     | 1-1/4" | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 500           |
| 3185407V2                                                                                                                                                                               | 1/4"     | 1-3/4" | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 500           |
| 3186400V2                                                                                                                                                                               | 1/4"     | 2-1/4" | SFH TAPCON BLUE CL           | 3/16"          | SFH                   | N/A           | 2000          |
| 3187407V2                                                                                                                                                                               | 1/4"     | 2-1/4" | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 500           |
| 3189407V2                                                                                                                                                                               | 1/4"     | 2-3/4" | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 500           |
| 3188400V2                                                                                                                                                                               | 1/4"     | 2-3/4" | SFH TAPCON BLUE CL           | 3/16"          | SFH                   | N/A           | 1500          |
| 3191407V2                                                                                                                                                                               | 1/4"     | 3-1/4" | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 500           |
| 3193407V2                                                                                                                                                                               | 1/4"     | 3-3/4" | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 500           |
| 3195407V2                                                                                                                                                                               | 1/4"     | 4"     | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 500           |
| 3197407V2                                                                                                                                                                               | 1/4"     | 5"     | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 500           |
| 3203407V2                                                                                                                                                                               | 1/4"     | 6"     | SFH TAPCON BLUE CL W/BIT     | 3/16"          | SFH                   | 100           | 100           |
| 3169407V2                                                                                                                                                                               | 3/16"    | 1-1/4" | SFH TAPCON BLUE CL W/BIT     | 5/32"          | SFH                   | 100           | 500           |
| 3171407V2                                                                                                                                                                               | 3/16"    | 1-3/4" | SFH TAPCON BLUE CL W/BIT     | 5/32"          | SFH                   | 100           | 500           |
| 3173407V2                                                                                                                                                                               | 3/16"    | 2-1/4" | SFH TAPCON BLUE CL W/BIT     | 5/32"          | SFH                   | 100           | 500           |
| 3175407V2                                                                                                                                                                               | 3/16"    | 2-3/4" | SFH TAPCON BLUE CL W/BIT     | 5/32"          | SFH                   | 100           | 500           |
| 3404100V2                                                                                                                                                                               | 3/16"    | 2-3/4" | SFH TAPCON WHITE ULSD        | 5/32"          | SFH                   | N/A           | 2000          |
| 3177407V2                                                                                                                                                                               | 3/16"    | 2-3/4" | SFH TAPCON BLUE CL W/BIT     | 5/32"          | SFH                   | 100           | 500           |
| <b>Stainless Steel Tapcon</b>                                                                                                                                                           |          |        |                              |                |                       |               |               |
| 3367907                                                                                                                                                                                 | 1/4"     | 1-1/4" | HWH 410SS TAPCON CL W/BIT    | 3/16"          | HWH                   | 100           | 500           |
| 3373907                                                                                                                                                                                 | 1/4"     | 1-1/4" | PFH 410SS TAPCON CL W/BIT    | 3/16"          | PFH                   | 100           | 500           |
| 3368907                                                                                                                                                                                 | 1/4"     | 1-3/4" | HWH 410SS TAPCON CL W/BIT    | 3/16"          | HWH                   | 100           | 500           |
| 3374907                                                                                                                                                                                 | 1/4"     | 1-3/4" | PFH 410SS TAPCON CL W/BIT    | 3/16"          | PFH                   | 100           | 500           |
| 3369907                                                                                                                                                                                 | 1/4"     | 2-1/4" | HWH 410SS TAPCON CL W/BIT    | 3/16"          | HWH                   | 100           | 500           |
| 3375907                                                                                                                                                                                 | 1/4"     | 2-1/4" | PFH 410SS TAPCON CL W/BIT    | 3/16"          | PFH                   | 100           | 500           |
| 3370907                                                                                                                                                                                 | 1/4"     | 2-3/4" | HWH 410SS TAPCON CL W/BIT    | 3/16"          | HWH                   | 100           | 500           |
| 3376907                                                                                                                                                                                 | 1/4"     | 2-3/4" | PFH 410SS TAPCON CL W/BIT    | 3/16"          | PFH                   | 100           | 500           |
| 3371907                                                                                                                                                                                 | 1/4"     | 3-1/4" | HWH 410SS TAPCON CL W/BIT    | 3/16"          | HWH                   | 100           | 500           |
| 3377907                                                                                                                                                                                 | 1/4"     | 3-1/4" | PFH 410SS TAPCON CL W/BIT    | 3/16"          | PFH                   | 100           | 500           |
| 3372907                                                                                                                                                                                 | 1/4"     | 3-3/4" | HWH 410SS TAPCON CL W/BIT    | 3/16"          | HWH                   | 100           | 500           |
| 3378907                                                                                                                                                                                 | 1/4"     | 3-3/4" | PFH 410SS TAPCON CL W/BIT    | 3/16"          | PFH                   | 100           | 500           |
| 3460907                                                                                                                                                                                 | 1/4"     | 5"     | HWH 410SS TAPCON CL W/BIT    | 3/16"          | PFH                   | 100           | 500           |
| 3418907                                                                                                                                                                                 | 3/16"    | 1-3/4" | PFH 410SS TAPCON CL W/BIT    | 5/32"          | PFH                   | 100           | 500           |
| 3419907                                                                                                                                                                                 | 3/16"    | 2-1/4" | PFH 410SS TAPCON CL W/BIT    | 5/32"          | PFH                   | 100           | 500           |
| 3420907                                                                                                                                                                                 | 3/16"    | 2-3/4" | PFH 410SS TAPCON CL W/BIT    | 5/32"          | PFH                   | 100           | 500           |
| <b>Maxi-Set Tapcon</b>                                                                                                                                                                  |          |        |                              |                |                       |               |               |
| The large diameter flange on Maxi-Set Tapcon screws provides more surface area coverage for reduced cracking and maximum security.                                                      |          |        |                              |                |                       |               |               |
| 3294000                                                                                                                                                                                 | 1/4"     | 1-3/4" | MAXI-SET TAPCON SILVER ULSD  | 3/16"          | Maxi-Set              | N/A           | 1000          |
| 3383100                                                                                                                                                                                 | 1/4"     | 1-3/4" | MAXI-SET TAPCON WHITE ULSD   | 3/16"          | Maxi-Set              | N/A           | 1000          |
| 3384100                                                                                                                                                                                 | 1/4"     | 2-1/4" | MAXI-SET TAPCON WHITE ULSD   | 3/16"          | Maxi-Set              | N/A           | 1000          |
| 3409100                                                                                                                                                                                 | 1/4"     | 3-1/4" | MAXI-SET TAPCON WHITE ULSD   | 3/16"          | Maxi-Set              | N/A           | 750           |
| <b>Scots Tapcon</b>                                                                                                                                                                     |          |        |                              |                |                       |               |               |
| The SCOTS model is a premium concrete anchor that combines the corrosion protection of stainless steel with the well-known performance of Tapcon anchors.                               |          |        |                              |                |                       |               |               |
| 3358407                                                                                                                                                                                 | 3/16"    | 1-3/4" | SCOTS TAPCON SILVER CL W/BIT | 5/32"          | SCOTS                 | 100           | 500           |
| <b>Tapcon XL</b>                                                                                                                                                                        |          |        |                              |                |                       |               |               |
| Delivering over 3,000 pounds of holding power in concrete, the XL family of screw anchors lives up to its claim as our heaviest-duty, corrosion-resistant Tapcon Screw anchor solution. |          |        |                              |                |                       |               |               |
| 3395902                                                                                                                                                                                 | 5/16"    | 2-1/4" | TAPCON XL SILVER ULSD        | 1/4"           | BUTTON HEAD T-40      | 100           | 800           |

For more information or to order [www.itwredhead.com](http://www.itwredhead.com)

©2022 Illinois Tool Works, Inc. ITWCCNA - 697 rev. 0722

**Tapcon**  
Concrete Screw Anchors