


FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL - Part Number Guide (sample number below)



CABINET	
C	Cabinet
TUB MATERIAL (optional)	
AL	Aluminum
SS	#4 Stainless steel

TUB SIZE (Series)	
Ambassador, Academy, Cosmopolitan, Cavalier, Panorama	
81	9" x 18" x 5-1/2"
17	10-1/2" x 24" x 5"
18	10-1/2" x 24" x 5-1/2"
10	10-1/2" x 24" x 6"
20	12" x 27" x 7-3/4"
30	16" x 32" x 7-3/4"
40	20" x 27" x 7-3/4"
Clear Vu	
15	10-1/2" x 24" x 4"
25	14" x 30" x 4"
45	28" x 30" x 4"
Embassy	
56	10-1/2" x 24" x 5-3/4"
57	16" x 32" x 7-3/4"
59	16" x 40" x 8-3/4"
55	18" x 18" x 7-3/4"
58	32" x 32" x 7-3/4"
Crownline	
60	24" x 30" x 6"
61	24" x 30" x 8"
62	24" x 34-3/4" x 6"
64	24" x 34-3/4" x 8"
66	24" x 38-3/4" x 8"
63	30" x 30" x 8"
65	32-3/4" x 34-3/4" x 8"
72	32-3/4" x 38-3/4" x 8"
85	18" x 18" x 8"
84	18" x 18" x 10"
87	26" x 26" x 8"
86	26" x 26" x 10"
80	16" x 40" x 9"
Royal 3600 Series	
36	12" x 36" x 8"
Orbit	
21	12" x 27" x 3-1/4"

Note: For surface mount cabinets, add 3 3/16" to width and height measurements.

DOOR/TRIM MATERIAL	
1	Cold-rolled Steel, White
2	Aluminum
3	Stainless Steel
4	Satin Bronze (US10)
5	Polished Brass (US3)
7	Satin Brass (US4)
8	Oil-rubbed Bronze (US10B)
9	Dark Anodized Aluminum

TRIM PROJECTION	
4	Trimless 1" overlapping door
4W	Trimless for wallboard bead
4P	Trimless with recessed 3/4" plaster
5	3/8" Square edge
6	1-1/4" or 1-1/2" Square edge
0	2-1/4" Square edge
7	2-1/2" or 3" Rolled edge
2	4" Rolled edge with flush pull
8	4-1/2" Rolled edge
3	Surface mount square edge
9	Surface mount square edge

DOOR STYLES	
STANDARD DOORS	
A	Cntr Duo Saf-T-Lok™
B	Small View Saf-T-Lok™
D	Horz Duo, pull
E	Horz Duo Saf-T-Lok™
F	Full View, pull
G	Full View Saf-T-Lok™
V	Vert duo, pull
W	Vert duo Saf-T-Lok™
S21	Solid, pull
S21	Solid Saf-T-Lok™
L24	Solid Saf-T-Lok™, no pull
PANORAMA DOORS	
P	Colored acrylic, pull
Q	Colored acrylic, Saf-T-Lok™ pull,
C	Clear polycarbonate, frameless


DOOR GLAZING		
STANDARD CABINETS		
10	0.090" Clear acrylic	
13	1/4" Clear wired glass	
15	1/8" Bronze acrylic	
16	1/8" Gray acrylic	
17	1/8" Clear tempered glass	
18	1/4" Clear safety glass	
PANORAMA DOOR (P&Q STYLE) 3/16" ACRYLIC & LETTERING		
40	Black acrylic	White vertical
41	Red acrylic	Black vertical
42	White acrylic	Black vertical
43	White acrylic	Red vertical
45	Black acrylic	White horizontal
46	Red acrylic	Black horizontal
47	White acrylic	Black horizontal
48	White acrylic	Red horizontal
50	Black acrylic	White ascending
51	Red acrylic	Black ascending
52	White acrylic	Black ascending
53	White acrylic	Red ascending
PANORAMA (C STYLE)		
70	3/16" Clear poly, pull	
71	3/16" Clear poly, Saf-T-Lok™	
CLEAR VU, SMB		
25	Clear Bubble	
26	Red Bubble	
27	Bronze Bubble	

Continue below with Options


FIRE-RATING	HANDLE	ALARM	MATERIAL	FINISH		LETTERING	
				COLOR	COMPONENT		
FX2 Fire-rated	(None) Std. handle A Recessed handle LH Lever handle MC Magnetic catch (steel only) FM Futura FIRE Mill FR Futura FIRE Red FW Futura FIRE White	CA Commander SA Strobe BA Brigadier	F6 #6 Stainless steel F7 #7 Polished stainless steel F8 #8 Mirror stainless steel F26D Satin Chrome F9 US9 Bright polished bronze F3 #316 Stainless steel	Std. White: Door, Trim, & Tub (for CRS) AB AMS Beige B Bronze BA Brass BK Black BT Bronze Textured FB Flat Black G Gray GH Grey Hammertone GT Gray Textured O Orange	R Red RH Red Hammertone RT Red Textured SB SC Beige SI Silver ST Silver Textured W White WH White Hammertone WT White Textured Y Yellow	1 Door 2 Trim 12 Door & trim 3 Tub 4 Door, trim & tub	SS01 Silk screening, SS-FELVR FIRE EXTINGUISHER, vertical red ET01 Etching, ET-FELVR FIRE EXTINGUISHER, vertical red EN01 Engraving, EN-FELVR FIRE EXTINGUISHER, vertical red

NOTE: Not all options are available with all series. Refer to product submittal for details.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating, of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.

 <p>JL INDUSTRIES 9702 Newton Avenue S, Bloomington, MN 55431</p>	<p>800-554-6077 sales@activarcpg.com www.activarcpg.com</p>	Distributor:	Project:
		Contractor:	Approved By:
		Date:	Architect:
		Scale: N/A	Page 1 of 8





FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL - Door/Trim Material and Optional Finish



DOOR/TRIM MATERIAL - PART NUMBER CODE (when made-to-order on cabinet)


								
1	2	3	4	5	6	7	8	9
Cold Rolled Steel, white powdercoat	Aluminum, #180 clear satin anodized finish	Stainless Steel, #4 stain finish	Bronze, US10 satin, clear coat finish	Brass, US3 polished, clear coat finish	Galvanneal Steel, white powdercoat	US4 Satin Bronze	US10B, Oil-rubbed Bronze	Dark Anodized Aluminum

OPTIONAL MATERIAL - PART NUMBER CODE (when made-to-order on cabinet)


					
F6	F7	F8	F9	F26D	F3
#6 Stainless Steel	#7 Polished Stainless Steel	#8 Mirror Stainless Steel	US9 Bright Polished Bronze	Satin Chrome	316 Stainless Steel

Colors are reference only. For accuracy, order physical color samples by contacting customer service at 800-554-6077.


FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL - Trim Projection



TRIM PROJECTION - PART NUMBER CODE (when made-to-order on cabinet)										
TRIMLESS		RECESSED		SEMI-RECESSED				SURFACE-MOUNT		
4P	4W	4	5	6	0	7	2	8	3	9
Flush Flange Recessed 3/4" Plaster	Flush Flange Walboard Bead	1" Overlapping Door	3/8" Flat Square	1-1/4" or 1-1/2" Square	2-1/4" Square	2-1/2" or 3" Rolled	4" Rolled w/ Rec. Hndl	4-1/2" Rolled	5-1/2" to 8-1/4" Square	5-1/2" to 8-1/4" Rolled



TRIM PROJECTION CLEAR VU - PART NUMBER CODE (when made-to-order on cabinet)				
5	6	7	3	9
3/8" Flat Square	1-1/4" or 1-1/2" Square	2-1/2" or 3" Rolled	5-1/2" to 8-1/4" Square	5-1/2" to 8-1/4" Rolled




FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL - Door and Latch Style

DOOR AND LATCH STYLE PART NUMBER CODE (when made-to-order on cabinet)

	Architectural & Crowline				Architectural	Crowline	Panorama	
	SOLID	FULL VIEW	VERTICAL DUO	HORIZONTAL DUO	SMALL WINDOW	CENTERED HORIZONTAL DUO	TEXTURED	CLEAR
STANDARD PULL	S21	F	V	D	(Not available)		P	C70
STANDARD PULL & SAF-T-LOK	L22	G	W	E	B	A*	Q	C71
RECESSED PULL	S21A	F_A	V_A	D_A	(Not available)		P_A	
RECESSED PULL & SAF-T-LOK	L22A	G_A	W_A	E_A	B_A	A_A*	Q_A	
NO HANDLE & SAF-T-LOK	L24							


*Crowline option only




DOOR & TRIM PARTS - SOLD SEPARATELY

QTY	FOR CABINET SERIES	MODEL	DESCRIPTION
Trim			
1000		T-1016	CRS, white, 1-1/2" sq
		T-1017	CRS, white, 3" rolled
		T-1027	Alum, 3" rolled
		T-1037	SS #4, 3" rolled
Door			
1000		D-101F	CRS, white, full view, std pull
		D-101G	CRS, white, full view w Saf-T-Lok, std pull
		D-101V	CRS, white, vertical duo, std pull
		D-102F	Alum, full view, std pull
		D-103F	SS #4, full view, std pull
2000		D-201F	CRS, white, full view, std pull
		D-201V	CRS, white, vertical duo, std pull
Embassy		D-561S	CRS, white, solid door, concealed pull
		D-561V	CRS, white, vertical duo, concealed pull
Door & Trim			
1000		TD-1016G	CRS, white, 1-1/2" sq, full view w Saf-T-Lok, std pull
		TD-1017F	CRS, white, 3" rolled, full view, std view

Other: Specify below



FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL - Glazing



GLAZING PART NUMBER CODE (when made-to-order on cabinet)

GLAZING: AMBASSADOR, ACADEMY, COSMOPOLITAN, CAVALIER, ROYAL, CROWNLINE, EMBASSY, ORBIT			
Acrylic	10	15	16
	.090 Clear	1/8" Bronze	1/8" Gray
Glass	13	17	18
	1/4" Clear Wireshield	1/8" Clear Tempered	1/4" Clear Laminated

BUBBLE STYLES: CLEAR VU, SMB			
Acrylic	25	26	27
	Clear	Red	Bronze

GLAZING PART NUMBER CODE (when made-to-order on cabinet)


PANORAMA GLAZING/LETTERING						
P & Q STYLE DOORS						C STYLE DOORS
White text on Black	Vertical Lettering	Horizontal Lettering	Ascending Lettering	3/16" Acrylic		
		40	45	50	70	
White text on Red	41	46	51	71		
Black text on White	42	47	52			
Red text on White	43	48	53			

GLAZING PARTS - SOLD SEPARATELY


FOR QTY	CABINET SERIES	MODEL	DESCRIPTION	FITS DOOR STYLES
	1000	G10F10	.090 Clear acrylic 8-1/2" x 22-3/4"	F10, G10, V10, W10
		G10F13	1/4" Wireshield 8-1/2" x 22-3/4"	F13, V13
		G10F17	1/8" Tempered 8-1/2" x 22-3/4"	F17, V17
		G10F10A	.090 Clear acrylic 5-3/8" x 22-3/4"	F10, V10A
		G10F17A	1/8" Tempered 5-3/8" x 22-3/4"	F17A, V17A
	2000	G20F10	.090 Clear acrylic 10" x 25-3/4"	F10, V10
		G20F17	1/8" Tempered 10" x 25-3/4"	F17, V17
		G20F10A	.090 Clear acrylic 6-7/8" x 25-3/4"	F10A, V10A
		G10F17A	1/8" Tempered 6-7/8" x 25-3/4"	F17A, V17A

FOR QTY	CABINET SERIES	MODEL	DESCRIPTION
	Clear Vu 1500	BCV10F25	Clear bubble 8-1/2" x 22-1/4"
		BCV10F26	Red bubble 8-1/2" x 22-1/4"
		BCV10F27	Bronze bubble 8-1/2" x 22-1/4"
	Clear Vu 2500	BCV25F25	Clear bubble 12" x 28-1/2"
		BCV25F27	Bronze bubble 12" x 28-1/2"




FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL OPTIONS - Fire-rated, Handles



FIRE-RATED PART NUMBER CODE




HANDLE PART NUMBER CODE (when made-to-order on cabinet)


PULL HANDLES	(None)	(None*)	(None*)	(None*)	(None*)	(None**)
	Std. pull	Satin oil-rubbed bronze US10B	Satin bronze US10	Polished brass US3	Satin stainless US32D	Chrome
OTHER HANDLES	FM	FR	FW	A	LH	(None◇)
	Futura mill	Futura red	Futura white	Recessed pull	Lever handle	Concealed
LATCHES & LOCKS	(None)	G, E, W, B, L	MC	*Comes standard on Cavalier cabinets with same finish **Comes standard on premium grade cabinet materials (F7, F8, F26D) ◇Comes standard on Embassy cabinets		
	Roller, Std.	(Door style PN) Saf-T-Lok	Magnetic catch			
						
	The roller catch is the standard latch on cabinet doors. It has a spring loaded nylon roller.	Cabinets with Saf-T-Lok appear to be locked, but can be opened with a sharp pull that breaks or bends the plastic cam.	The adhesive backed magnetic catch requires 5 lb force to operate. It can only be used on steel doors.			

HARDWARE PARTS - SOLD SEPARATELY

QTY	MODEL	DESCRIPTION
Pull Handles		
	PUS	Std. pull handle 4", zinc-plated steel, 2 screws
	PUS-US10B	Pull handle, 4", stain oil-rubbed bronze, 2 screws
	PUS-US10	Pull handle, 4", stain bronze, 2 screws
	PUS-US3	Pull handle, 4", polished brass, 2 screws
	PUS-US32D	Pull handle, 4", satin stainless steel, 2 screws
	PUCH	Pull handle, 4", chrome finish, 2 screws
Other Handles		
	PUF	Futura "FIRE" Mill
	PUFR	Futura "FIRE" Red
	PUFW	Futura "FIRE" White
	PRH	Recessed pull handle, black plastic
	C-KIT-LH	Lever handle kit w/ lever handle, catch, bracket, screws
	CBE-001	Concealed handle, black ABS for Embassy
Latches & Locks		
	SL-LC	Saf-T-Lok with lock and cam, includes keys (2)
	SL	Saf-T-Lok, includes keys (2)
	LC	Saf-T-Lok polycarbonate cam
	SL-KEY	Saf-T-Lok keys (2)
	MC-KIT	Magnetic catch kit with tape
	RC	Roller catch with 2 screws
Hardware Packs		
	HPF	Hdw pack: 4 glass clips, 1 roller catch, 6 screws
	HPFPUS	Pull & hdw pack kit: HPF + PUS 4 glass clips, 1 roller catch, 6 screws, 1 pull










FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL OPTIONS - Alarms



ALARM PART NUMBER CODE (when made-to-order on cabinet)

CA	SA	BA
<p>COMMANDER ALARM</p>  <p>Audio alarm</p> <ul style="list-style-type: none"> • 85dB warning horn sounds alert when plunger switch is activated as the cabinet door is opened • Alarm is deactivated when the door closes • Installed inside of the cabinet near the door and includes a 9V battery (14-9V) 	<p>STROBE ALARM</p>  <p>Visual and audio strobe alarm</p> <ul style="list-style-type: none"> • Sounds a 110 dB warning horn and flashes red light when door is opened. • The strobe alarm works in conjunction with the commander alarm to sound an alert for 2 minutes when plunger switch is activated as the cabinet door is opened. • The commander alarm is installed inside the cabinet near the door and includes a 9V battery. (14-9V) • The strobe is installed on cabinet tops with at least 3" or wider trim. For cabinets with less than 3" trim, the alarm ships loose for field installation on the wall. 	<p>BRIGADIER ALARM</p>  <p>Mini Theft Stopper (r) audio alarm with door position sensor for fire extinguishers in cabinets</p> <ul style="list-style-type: none"> • Includes compact 3-3/8" x 1" STOP sign to discourage wrongful use • Sounds a 105dB warning horn when seal is broken one of two different ways: <ul style="list-style-type: none"> - When magnet (mounted on door jamb) senses door is open - When extinguisher is removed with steel clip through handle • Alarm stays on until cord is plugged back into the alarm unit • Deactivation pin provided for service by authorized personnel • 9-volt battery is provided

ALARM PARTS - SOLD SEPARATELY


QTY	Model & Description	QTY	Model & Description	QTY	Model & Description
	C-KIT-CA Commander Alarm Kit Commander alarm, 9V battery, 3 screws		C-KIT-SA Strobe Alarm KIT Strobe alarm with 2 screws, Commander alarm with 3 screws, Zip tie, zip tie mount, double-sided tape		BA Brigadier Alarm Mini Theft Stopper® for extinguishers in cabinets (see details above)
	C-KIT-CA-BRKTS Commander Alarm Kit Commander alarm, 9V battery, 6 screws, brackets (surface mount & Embassy)		SA Strobe Alarm Strobe alarm with 2 screws (Replacement part only)		BA-A002 Brigadier 2 Alarm Theft stopper® for wall mounted extinguishers. Includes a visible 5-3/8" x 2" STOP sign to discourage wrongful use. Sounds a 105dB warning horn when seal is broken when extinguisher moved from its normal position.
	CA Commander Alarm Commander alarm only, no battery, no screws (Replacement part only)				Mini Theft Stopper and Theft Stopper are trademarks registered by Safety Technology International

FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL OPTIONS - Finish Color & Lettering

COMMON FINISH COMBINATIONS PN CODE	
(none)	Std. White door, trim, & tub (steel)
R1	Red Door, White Trim & Tub
R12	Red Door/Trim, White Tub
R3	Red Tub, White Trim/Tub
R4	Red Door/Trim/Tub
BK1	Black Door, White Trim/Tub
BK12	Black Door/Trim, White Tub
BK3	Black Tub, White Door/Trim
BK4	Black Door/Trim/Tub
BK4R1FB23	Red Door, Flat Black Trim/Tub
G12BK3	Gray Door/Trim, Black Tub
Other - Specify below:	




C2017S21FX2-R12




COMMON LETTERING COMBINATIONS PN CODE	
SS01	SS-FELVR, Silkscreen, FIRE EXTINGUISHER, vertical, red
SS01D	SS-FELVRD, Silkscreen, FIRE EXTINGUISHER, vertical, red, on door of duo
SS01G	SS-FELVRD, Silkscreen, FIRE EXTINGUISHER, vertical, red, on glazing of duo
SSC01	SS-FELVR, Silkscreen, FIRE EXTINGUISHER, vertical, red, centered
SS02	SS-FELVB, Silkscreen, FIRE EXTINGUISHER, vertical, black
SS03	SS-FELVW, Silkscreen, FIRE EXTINGUISHER, vertical, white
ET01	ET-FELVR, Etching, FIRE EXTINGUISHER, vertical, red
EN01	EN-RELVR, Engraving, FIRE EXTINGUISHER, vertical, red
Other - Specify below:	

FINISH COLORS PN CODE		COMPONENT PN CODE
AB	AMS Beige	1 Door
B	Bronze	2 Trim
BA	Brass	3 Tub
BK	Black	4 Door, trim, tub
BT	Bronze Texture	12 Door & trim
FB	Flat Black	13 Door & tub
G	Gray	23 Trim & tub
GH	Gray Hammertone	Other - Specify below
GT	Gray Texture	Door
O	Orange	Trim
R	Red	Tub
RH	Red Hammertone	
RT	Red Texture	
SB	SC Beige	
SI	Silver	
ST	Silver Texture	
W	White	
WH	White Hammertone	
WT	White Texture	
Y	Yellow	
Other - Specify below:		


LETTERING PROCESS	WORDING	ORIENTATION	COLOR	COMPONENT*
SS Silkscreen (door or glazing)	FE FIRE EXTINGUISHER	V Vertical	R Red	D Door
ET Etching (glazing)	FB FIRE BLANKET	H Horizontal	B Black	G Glazing
EN Engraving (door)	FH FIRE HOSE	A Ascending	W White	*For silk screen only on DUO style doors (V, W, D, E, A)
	FDV FIRE DEPARTMENT VALVE			




SSC02D/ENC02D centered in black shown on door




SSC02/ETC02 centered in black shown on glazing



SS01/ET01 in red shown on glazing



SS01D/EN01D in red shown on door



SS01G/ET01G in red shown on glazing