# Stainless Steel Fire Extinguisher Cabinets by Activar Construction Products Group

**Health Product** Declaration v2.3

Yes ○ No

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 31079** 

CLASSIFICATION: 10 44 00 Fire Protection Specialties

PRODUCT DESCRIPTION: This HPD covers non-rated and fire-rated fire extinguisher cabinets with stainless steel trims and door by Activar Construction Products Group, Inc. - JL Industries. More specifically this HPD covers fire extinguisher cabinet models: Cosmopolitan Series 8135, 8136, 8137, 8133, 1730, 1835, 1836, 1837, 1832, 1838, 1035, 1036, 1037, 1032, 1038, 1033, 2035, 2036, 2037, 2032, 2038, 2033, 3035, 3036, 3037, 3032, 3038, 3033, 4035, 4036, 4037, 4032, 4038, 4033 and corresponding FX2 models, Embassy Series 5634, 5734, 5534, 5834, 5934, and FX2 models, Clear Vu Series 1535, 1536, 1537, 1533, 2535, 2536, 2537, 2533, 4535, 4533 and corresponding FX2 models, Royal Series 3635, 3636, 3637, 3632, 3638, 3633 and corresponding FX2 models. Fire extinguisher cabinets are available in different sizes to accommodate different size fire extinguishers. In addition, different options are also complementary to this product. This HPD also covers custom stainless steel fire extinguisher cabinets.

# Section 1: Summary

# **Nested Method / Product Threshold**

# **CONTENT INVENTORY**

**Inventory Reporting Format** 

Nested Materials Method

C Basic Method

**Threshold Disclosed Per** 

Material

Product

Threshold Level

C 100 ppm

⊙ 1,000 ppm C Per GHS SDS

Other

**Residuals/Impurities Evaluation** 

Completed in 4 of 11 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No.

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

O Yes @ No Identified

Provided name and CAS RN or other identifier.

#### **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR

**GREENSCREEN SCORE | HAZARD TYPE** 

COLD ROLLED STEEL [ IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP | MAM | AQU NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM PHOSPHORUS BM-2 | MAM | PHY | EYE | AQU | SKI SILICON LT-UNK COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU MOLYBDENUM LT-UNK | SKI | REP CARBON LT-UNK | TRIM & DOOR [ IRON LT-P1 | END NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM MANGANESE LT-P1 | END | MUL | REP | MAM | AQU SILICON LT-UNK MOLYBDENUM LT-UNK | SKI | REP COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU COBALT LT-1 | CAN | REP | MUL | RES | GEN | EYE | MAM | SKI TUNGSTEN METAL LT-UNK TITANIUM LT-UNK PHY FIRE-RATED INSULATION [ CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK PHENOL FORMALDEHYDE LT-P1 RES ] WIRESHIELD GLASS [ SILICON DIOXIDE (PRIMARY CASRN IS 7631-86-9) BM-1 | CAN | MAM CALCIUM OXIDE BM-2 | SKI | MAM | EYE SODIUM OXIDE BM-2 POTASSIUM OXIDE (PRIMARY CASRN IS 12136-45-7) BM-2 MAGNESIUM OXIDE BM-3dg | CAN ALUMINUM OXIDE BM-2 | MAM IRON LT-P1 | END CARBON LT-UNK MANGANESE LT-P1 | END | MUL | REP | MAM | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM ] ACRYLIC SHEET [ UNDISCLOSED LT-P1 | RES ] POWDER COAT [ UNDISCLOSED NoGS UNDISCLOSED LT-1 | CAN | END | MAM UNDISCLOSED BM-3dg UNDISCLOSED LT-1 | MUL | RES | GEN | MAM | EYE | SKI | AQU | REP UNDISCLOSED BM-1 | CAN | MAM UNDISCLOSED BM-2 | SKI | EYE ] HARDWARE/HINGE SS [ IRON LT-P1 | END CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, BM-1, LT-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

HPD prepared using the Nested Materials Inventory with product threshold at 1,000 ppm. Activar Construction Products Group - JL Industries cabinets are all made from the same cold rolled steel and stainless steel so all similar cabinet models have been included in this stainless steel cabinet HPD. This HPD is identified-NO because there are proprietary substances reported in it.

MANGANESE LT-P1 | END | MUL | REP | MAM | AQU NICKEL LT-1 |
CAN | RES | MUL | MAM | SKI | AQU SILICON LT-UNK MOLYBDENUM
LT-UNK | SKI | REP | PLASTIC BUBBLE [ 2-PROPENOIC ACID, 2METHYL-, METHYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE
LT-UNK | SAFETY LOCK [ ZINC LT-P1 | END | MUL | PHY | AQU
CHROMIUM CHLORIDE (3) LT-P1 | SKI | MAM | AQU | PULL HANDLE [
ZINC LT-P1 | END | MUL | PHY | AQU DIPROPYLENE GLYCOL
DIMETHYL ETHER LT-UNK OXIRANE, (CHLOROMETHYL)-,
HOMOPOLYMER LT-UNK 2-BUTOXYETHYL ACETATE LT-UNK | CAN |
MAM | ROLLER CATCH [ AISI 10B21 STEEL NOGS NYLON 6 LT-UNK
ZINC LT-P1 | END | MUL | PHY | AQU ]

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: VOC content data is not applicable for this product category.

# **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

© No

PREPARER: Self-Prepared

**VERIFICATION #:** 

**VERIFIER:** 

SCREENING DATE: 2023-01-18
PUBLISHED DATE: 2023-01-18
EXPIRY DATE: 2026-01-18

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

COLD ROLLED STEEL %: 50.0000 - 58.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not given by manufacturer.

OTHER MATERIAL NOTES: Cold rolled steel is the standard material the tub of the fire extinguisher cabinet is made of. Also available is a fully stainless steel fire extinguisher cabinet with a stainless steel tub.

IRON ID: 7439-89-6				
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SO	CREENING DA	ΓΕ: 2023-01-18 7:56:11
%: 96.0000 - 99.0000	GreenScreen: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Co	old rolled steel formed into a tub.			

MANGANESE				ID: 7439-96-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2023-01-18 7:56:12
%: 0.0000 - 2.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic t reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

N	IICKEL				ID: 7440-02-0
ŀ	IAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2023-01-18 7:56:14
9	%: <b>0.0000 - 1.0000</b>	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Alloy used in the steel.

CHROMIUM			ID: <b>7440-</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE: 2023-01-18 7:56:13
%: <b>0.0000 - 1.0000</b>	GreenScreen: LT-P1	RC: UNK	NANO: No SUBSTANCE ROLE: Corrosion inhib
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
END	TEDX - Potential Endocrine Disr	ruptors	Potential Endocrine Disruptor
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ of mutagenicity - Category 2]
REP	GHS - New Zealand		Reproductive toxicity category 2
MAM	GHS - Japan		H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation/	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation/	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation/	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Cosmetics & Personal Care Products

 $\ensuremath{\mathsf{SUBSTANCE}}$  NOTES: Alloy used in the cold rolled steel for corrosion resistance.

PHOSPHORUS ID: 7723-14-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023-01-18 7:56:14
%: 0.0000 - 0.6000	GreenScreen: BM-2	RC: UNK	NANO: No SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
MAM	US EPA - EPCRA Extremely Haz Substances	ardous	Extremely Hazardous Substances
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1
PHY	GHS - New Zealand		Pyrophoric solids category 1
EYE	GHS - New Zealand		Serious eye damage category 1
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1
MAM	Québec CSST - WHMIS 1988		Class D1A - Very toxic material causing immediate and serious toxic effects
SKI	GHS - New Zealand		Skin corrosion category 1A
MAM	GHS - New Zealand		Acute dermal toxicity category 1
MAM	GHS - New Zealand		Acute inhalation toxicity category 1
MAM	GHS - New Zealand		Acute oral toxicity category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Cosmetics & Personal Care Products

SUBSTANCE NOTES: Increases machineability and corrosion resistance.

 ${\small \verb|SUBSTANCE|NOTES|: Increases| strength| and | hardness| of steel.}$ 

HAZARD DATA SOURCE: Pha	aros Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2023-01-18 7:56:13
%: 0.0000 - 0.6000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	LIST NAME AND SOURCE		WARNING	S
None found			Ne	o warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICA	TION
None found				No listings found on Additional Hazard Lists

COPPER ID: 7440-50-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-01-18 7:56:12
%: 0.0000 - 0.6000	GreenScreen: LT-P1	RC: UNK NANO: No SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
GEN	GHS - New Zealand	Germ cell mutagenicity category 1
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	GHS - New Zealand	Acute oral toxicity category 2
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (	GSPI) GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Aids in corrosion resistance.

MOLYBDENUM				ID: 7439-98-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	E: 2023-01-18 7:56:11
%: 0.0000 - 0.6000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Japan		H315 - Cause Category 2]	es skin irritation [Skin corrosion / irritation -
REP	GHS - New Zealand		Reproductive	toxicity category 2

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

**CARBON** ID: 7440-44-0 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:15 %: 0.0000 - 0.6000 GreenScreen: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Tensile strength additive **HAZARD TYPE** LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** RESTRICTED LIST **GSPI - Six Classes of Problematic Chemicals** Green Science Policy Institute (GSPI) **Antimicrobials** 

SUBSTANCE NOTES: Alloy used in the cold rolled steel.

SUBSTANCE NOTES: Provides corrosion resistance.

TRIM & DOOR %: 38.0000 - 40.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by manufacturer.

OTHER MATERIAL NOTES: Stainless steel trim and door.

IRON				ID: <b>7439-89-6</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023-01-18 7:56:15	
%: 45.0000 - 90.0000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: M	ain ingredient in steel.			

NICKEL

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:14

%: 0.0000 - 45.0000 GreenScreen: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Gives stainless steel its toughness.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023-01-18 7:56:15
%: <b>10.0000 - 30.0000</b>	GreenScreen: LT-P1	RC: UNK	NANO: No SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
END	TEDX - Potential Endocrine Disr	uptors	Potential Endocrine Disruptor
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
REP	GHS - New Zealand		Reproductive toxicity category 2
MAM	GHS - Japan		H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innov	ation	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	montate (OZOI II)		

SUBSTANCE NOTES: Increases strength and provides corrosion resistance.

MANGANESE ID: 7439-96-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:16
%: 0.0000 - 15.0000	GreenScreen: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	crine Disruptor
MUL	German FEA - Substances Haza Waters	ardous to	Class 2 - Hazaro	d to Waters
REP	GHS - Japan		H360 - May dan	nage fertility or the unborn child [Toxic to Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolong repeated exposure [Specific target organs/system toxicity following repeated exposure - Category 1]		sure [Specific target organs/systemic
MAM	GHS - Australia		repeated expos	damage to organs through prolonged or sure [Specific target organ toxicity - sure - Category 1]
MAM	GHS - Japan			damage to organs [Specific target c toxicity following single exposure -
AQU	GHS - New Zealand		Hazardous to the category 3	ne aquatic environment - chronic
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Biological and E	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Children's Prod	lucts

SUBSTANCE NOTES: Increases strength, toughness and hardenability.

SILICON				ID: 7440-21-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:16
%: 0.0000 - 9.5000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: Im	proves corrosion resistance.			

MOLYBDENUM ID: 7439-98-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE	E: 2023-01-18 7:56:17
%: 0.0000 - 7.0000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Corrosion inhibito
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Japan		H315 - Causes Category 2]	s skin irritation [Skin corrosion / irritation -
REP	GHS - New Zealand		Reproductive	toxicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found			N	o listings found on Additional Hazard Lists

**COPPER** ID: 7440-50-8 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:17 %: 0.0000 - 5.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Tensile strength additive LIST NAME AND SOURCE **WARNINGS HAZARD TYPE** GEN GHS - New Zealand Germ cell mutagenicity category 1 EYE GHS - New Zealand Eye irritation category 2 MAM GHS - Japan H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure -Category 1] SKI GHS - New Zealand Skin sensitisation category 1 MAM GHS - New Zealand Acute inhalation toxicity category 2 MAM GHS - New Zealand Acute oral toxicity category 2 AQU GHS - New Zealand Hazardous to the aquatic environment - acute category

GHS - New Zealand

AQU

Hazardous to the aquatic environment - chronic

category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Provides hardening properties to stainless steel.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:16
%: 0.0000 - 5.0000	GreenScreen: LT-1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - REACH Annex XVII CMRs		_	egory 2 - Substances which should be ey are Carcinogenic to man
CAN	EU - Annex VI CMRs		Carcinogen Cate on animal evider	egory 1B - Presumed Carcinogen base nce
REP	EU - Annex VI CMRs		Reproductive To	oxicity - Category 1B
MUL	ChemSec - SIN List		CMR - Carcinogo Toxicant	en, Mutagen &/or Reproductive
MUL	German FEA - Substances Haza Waters	rdous to	Class 3 - Severe	Hazard to Waters
CAN	CA EPA - Prop 65		Carcinogen	
CAN	IARC		Group 2b - Poss	ibly carcinogenic to humans
CAN	MAK		Carcinogen Grouman	up 2 - Considered to be carcinogenic fo
CAN	US NIH - Report on Carcinogens	3	Reasonably Anti	cipated to be Human Carcinogen
RES	MAK		Sensitizing Subs	stance Sah - Danger of airway & skin
REP	EU - REACH Annex XVII CMRs		should be regard	uction Category 2 - Substances which ded as if they impair fertility or cause Foxicity in humans
GEN	MAK		Germ Cell Mutag	gen 3a

CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
REP	GHS - Australia	H360F - May damage fertility [Reproductive toxicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360F - May damage fertility [Reproductive toxicity - Category 1A or 1B]
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
SKI	GHS - New Zealand	Skin sensitisation category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
GEN	EU - Annex VI CMRs	Mutagen - Category 2
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Improves ware resistance.

TUNGSTEN METAL				ID: 7440-33-7
HAZARD DATA SOURCE	E: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-01-18 7:56:17
%: 0.0000 - 4.0000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Improves ware resistance.

TTANIUM				ID: <b>7440-32-</b> 0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE	E: 2023-01-18 7:56:18
⁄o: 0.0000 - 2.4000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
PHY	GHS - Japan		H225 - Highly solids - Categ	flammable liquid and vapour [Flammable ory 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found			N	o listings found on Additional Hazard Lists

FIRE-RATED INSULATION	%: 1.0000 - 3.0000
FIRE-RATED INSULATION	/0. 1.0000 - 3.0000

PRODUCT THRESHOLD: 1000 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Geologically Derived ppm No Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

OTHER MATERIAL NOTES: Slag wool insulation to maintain fire rating.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:19
%: 95.0000 - 99.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: Sla	ag wool fiber used in fire rated cabinets.			

PHENOL FORMALDEHY	DE			ID: 9003	3-35-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:16	
%: 0.0000 - 4.0000	GreenScreen: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
RES	AOEC - Asthmagens		Asthmagen (Rs)	- sensitizer-induced	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	International Living Future Instit	ute (ILFI)	Living Building ( Chemicals	Challenge 4.0 - Red List of Materials	&
			Red List substar Challenge V4.0 p	nces to avoid in Living Building projects	

WIRESHIELD GLASS	%: 1.0000 - 2.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Information not given by manufacturer.

SUBSTANCE NOTES: Used as a binder for the slag wool fiber insulation.

OTHER MATERIAL NOTES: This is one of the options for the full glass door for the cabinets.

# SILICON DIOXIDE (PRIMARY CASRN IS 7631-86-9) HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:16 %: 68.0000 - 74.0000 GreenScreen: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component

LIST NAME AND SOURCE	WARNINGS
GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
LIST NAME AND SOURCE	NOTIFICATION
Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
	Antimicrobials
	GHS - Japan GHS - Australia GHS - Japan GHS - Australia LIST NAME AND SOURCE

 ${\small \verb|SUBSTANCE| NOTES: Soda lime glass with wire mesh in-bedded.}$ 

CALCIUM OXIDE ID: 1305-78-8

GreenScreen: <b>BM-2</b>	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Stabilizer
			SUBSTANCE RULE: Stabilizer
LIST NAME AND SOURCE		WARNINGS	
GHS - Australia		H315 - Causes s Category 2]	skin irritation [Skin corrosion/irritation -
GHS - Japan		repeated exposu	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
GHS - Japan			damage to organs [Specific target c toxicity following single exposure -
GHS - New Zealand		Skin corrosion c	ategory 1C
GHS - New Zealand		Serious eye dam	nage category 1
GHS - Japan			serious eye damage [Serious eye ritation - Category 1]
GHS - Japan		H315 - Causes s Category 2]	skin irritation [Skin corrosion / irritation
GHS - Australia			serious eye damage [Serious eye tation - Category 1]
LIST NAME AND SOURCE		NOTIFICATION	
Green Science Policy Institute (C	GSPI)	GSPI - Six Class	ses of Problematic Chemicals
		Antimicrobials	
	GHS - Japan  GHS - Japan  GHS - New Zealand  GHS - New Zealand  GHS - Japan  GHS - Japan  GHS - Australia	GHS - Japan  GHS - New Zealand  GHS - New Zealand  GHS - Japan  GHS - Japan  GHS - Japan	GHS - Japan  GHS - Japan  H372 - Causes of repeated exposit toxicity following  GHS - Japan  H370 - Causes of organs/systemic Category 1]  GHS - New Zealand  GHS - New Zealand  GHS - Japan  GHS - Japan  H318 - Causes of damage / eye irritions  GHS - Japan  H315 - Causes of damage / eye irritions  GHS - Australia  H318 - Causes of damage/eye irritions  LIST NAME AND SOURCE  NOTIFICATION  Green Science Policy Institute (GSPI)  GSPI - Six Class

SUBSTANCE NOTES: Required to make glass.

SODIUM OXIDE				ID: 1313-59-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	ΓΕ: 2023-01-18 7:56:18
%: 5.0000 - 10.0000	GreenScreen: BM-2	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found			ĺ	No listings found on Additional Hazard Lists

POTASSIUM OXIDE (PRIM	MARY CASRN IS 12136-45-7)			ID: 1884258-64-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:19
%: 5.0000 - 10.0000	GreenScreen: BM-2	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Glass component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wari	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ad	Ided to glass to reduce working temperatu	re.		

MAGNESIUM OXIDE				ID: 1309-48-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:17
%: 6.0000 - 6.0000	GreenScreen: BM-3dg	RC: UNK	NANO: No	SUBSTANCE ROLE: Glass component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Gro low risk under N	oup 4 - Non-genotoxic carcinogen with MAK/BAT levels
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: Re	equired for the manufacture of glass.			

ALUMINUM OXIDE ID: 1344-28-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:18
%: 3.0000 - 3.0000	GreenScreen: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Glass component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		repeated expos	damage to organs through prolonged or sure [Specific target organs/systemic og repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	0_0 00	4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Biological and E	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Children's Prod	lucts

SUBSTANCE NOTES: Increases tensile strength.

IRON				ID: <b>7439-89-6</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2023-01-18 7:56:19
%: 1.0000 - 2.5000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	ruptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: In	gredient in the wire mesh in the wireshield	glass.		

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:20
%: 1.0000 - 1.0000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Li
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (C	SSPI)	GSPI - Six Class	es of Problematic Chemicals
			Antimicrobials	

MANGANESE ID: 7439-96-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-01-18 7:56:21
%: 1.0000 - 1.0000	GreenScreen: LT-P1	RC: UNK NANO: No SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disr	uptors Potential Endocrine Disruptor
MUL	German FEA - Substances Haza Waters	rdous to Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ration C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Increases hardness.

CHROMIUM					ID: 7440-47-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2023-01-18 7:56:18	
%: 0.5000 - 1.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE BOLE: Alle	ov element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST		
	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
RESTRICTED LIST		Substances List (RSL) - Effective July 1, 2022
RESTRICTED LIST	Institute (C2CPII)  Cradle to Cradle Products Innovation	Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials  C2C Certified v4 Product Standard Restricted
RESTRICTED LIST RESTRICTED LIST	Institute (C2CPII)  Cradle to Cradle Products Innovation	Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials  C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022

SUBSTANCE NOTES: Alloy that hardens and toughens steel wire.

ACRYLIC SHEET	%: 1.0000 - 2.0000
ACRILIC SHEET	%; 1.0000 - Z.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by manufacturer.

OTHER MATERIAL NOTES: Considered a proprietary formulation. This is one of the options for a full glass door.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:19
%: 100.0000 - 100.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
RES	AOEC - Asthmagens		Asthmagen (Rs)	- sensitizer-induced
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precaution	onary List
			Precautionary lis	st of substances recommended for

SUBSTANCE NOTES: Acrylic used in the full door style.

# POWDER COAT %: 0.0000 - 1.4000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

 $\label{lem:residuals} \textbf{RESIDUALS} \ \textbf{AND} \ \textbf{IMPURITIES} \ \textbf{NOTES:} \ \textbf{Information} \ \textbf{not} \ \textbf{provided} \ \textbf{by the manufacturer}.$ 

OTHER MATERIAL NOTES: Mixture of polyester resins and pigments for coating the cabinets. This is a dry powder electrostatically applied and then cured in the oven.

UNDISCLOSED				ID: Undisclose
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-18 7:56:20
%: <b>45.0000 - 49.0000</b>	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:21

%: 30.0000 - 35.0000	GreenScreen: LT-1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Carci	US CDC - Occupational Carcinogens		cinogen	
CAN	CA EPA - Prop 65	CA EPA - Prop 65		cific to chemical form or exposure	
CAN	IARC	IARC		oly carcinogenic to humans - inhaled I sources	
CAN	MAK	MAK		o 3A - Evidence of carcinogenic effects to establish MAK/BAT value	
END	TEDX - Potential Endocrine D	TEDX - Potential Endocrine Disruptors		ne Disruptor	
CAN	MAK	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
CAN	EU - GHS (H-Statements) Ann	EU - GHS (H-Statements) Annex 6 Table 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
CAN	GHS - Japan	GHS - Japan		l of causing cancer [Carcinogenicity -	
MAM	GHS - Japan	GHS - Japan		image to organs through prolonged or e [Specific target organs/systemic repeated exposure - Category 1]	
CAN	EU - Annex VI CMRs		Carcinogen Categ	gory 2 - Suspected human Carcinogen	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Inn Institute (C2CPII)	ovation		Product Standard Restricted RSL) - Effective July 1, 2022	
			Cosmetics & Pers	onal Care Products	
POSITIVE LIST	US Environmental Protection (EPA)	Agency (US	US EPA - DfE Safe	er Chemicals Ingredients list (SCIL)	
	LFA)		Colorants - Green	Circle (Verified Low Concern)	

SUBSTANCE NOTES: The manufacturer does not disclose the ingredients because the combination of ingredients is proprietary.

UNDISCLOSED				ID: Undisclose
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-18 7:56:22
%: 10.0000 - 14.0000	GreenScreen: BM-3dg	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

UNDISCLOSED ID: Undisclosed

7.27.11.25 27.17.1.0001.102.1	Pharos Chemical and Materials Library			
5: 2.0000 - 5.0000	GreenScreen: LT-1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	ChemSec - SIN List		CMR - Carcinog Toxicant	en, Mutagen &/or Reproductive
MUL	German FEA - Substances Haza Waters	rdous to	Class 3 - Severe	e Hazard to Waters
RES	MAK		Sensitizing Subs	stance Sah - Danger of airway & skin
GEN	EU - REACH Annex XVII CMRs			ory 2 - Substances which should be ney are Mutagenic to man
GEN	EU - Annex VI CMRs		Mutagen - Cate	gory 1B
GEN	EU - SVHC Authorisation List		Mutagenic - Car	ndidate list
GEN	GHS - Japan		H340 - May cau mutagenicity - C	se genetic defects [Germ cell Category 1B]
GEN	GHS - Korea		H340 - May cau mutagenicity - C	se genetic defects [Germ cell Category 1]
GEN	EU - GHS (H-Statements) Annex	6 Table 3-1	-	se genetic defects [Germ cell Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex	6 Table 3-1	H331 - Toxic if i	nhaled [Acute toxicity (inhalation) -
MAM	EU - GHS (H-Statements) Annex	6 Table 3-1	H301 - Toxic if s Category 3]	swallowed [Acute toxicity (oral) -
EYE	EU - GHS (H-Statements) Annex	6 Table 3-1		serious eye damage [Serious eye tation - Category 1]
GEN	GHS - New Zealand		Germ cell mutaç	genicity category 1
MAM	GHS - Japan		repeated expos	damage to organs through prolonged ure [Specific target organs/systemic g repeated exposure - Category 1]
MAM	GHS - New Zealand		Specific target of category 1	organ toxicity - repeated exposure
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure Category 1]	
EYE	GHS - New Zealand		Serious eye damage category 1	
MAM	GHS - New Zealand		Acute inhalation	toxicity category 3
SKI	GHS - Japan		H315 - Causes s Category 2]	skin irritation [Skin corrosion / irritation
AQU	GHS - New Zealand		Hazardous to th category 3	e aquatic environment - chronic
SKI	GHS - New Zealand		Skin sensitisatio	on category 1
REP	GHS - Japan			ed of damaging fertility or the unborn eproduction - Category 2]

MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - New Zealand	Acute oral toxicity category 3
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: dust, mist) - Category 3]
EYE	GHS - Korea	H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer does not disclose the ingredients because the combination of ingredients is proprietary.

HAZARD DATA SOURCE: P	Pharos Chemical and Materials Library	CREENING DATE: 2023-01-18 7:56:21	
%: 0.1000 - 1.0000	GreenScreen: BM-1	RC: UNK	NANO: No SUBSTANCE ROLE: Anti-adhesive agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Carcinogenicity - Carci	
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (C	GSPI)	GSPI - Six Classes of Problematic Chemicals
			Antimicrobials

 ${\tt SUBSTANCE\ NOTES:}\ The\ manufacturer\ does\ not\ disclose\ the\ ingredients\ because\ the\ combination\ of\ ingredients\ is\ proprietary.$ 

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:22

%: 0.5000 - 0.9800	GreenScreen: BM-2	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Powder coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand	GHS - New Zealand		ategory 2
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Inno Institute (C2CPII)	ovation	0_0 0000 .	4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Biological and	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Inno Institute (C2CPII)	ovation	0_0 000	4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Children's Prod	lucts

 ${\tt SUBSTANCE\ NOTES:}\ The\ manufacturer\ does\ not\ disclose\ the\ ingredients\ because\ the\ combination\ of\ ingredients\ is\ proprietary.$ 

**HARDWARE/HINGE SS** %: 0.5000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not given by manufacturer

OTHER MATERIAL NOTES: Stainless steel hinge - 304.

IRON				ID: <b>7439-89-6</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2023-01-18 7:56:23
%: 70.0000 - 85.0000	GreenScreen: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disre	uptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists

CHROMIUM				ID: 7440-47-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCR	REENING DATE:	2023-01-18 7:56:24
%: 11.5000 - 15.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Ingredient used in stainless steel.

MANGANESE	ID: 7439-96-5
-----------	---------------

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:22

%: 0.0000 - 2.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Strengthens stainless steel.

NICKEL				ID: 7440-02-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	REENING DATE:	2023-01-18 7:56:20
%: 1.5000 - 2.0000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Ingredient used in stainless steel.

SILICON				ID: 7440-21-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:21
%: 0.0000 - 2.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wan	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: In	gredient used in stainless steel.			

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:23
%: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Japan		H315 - Causes s Category 2]	kin irritation [Skin corrosion / irritation
REP	GHS - New Zealand		Reproductive to	xicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lis

PLASTIC BUBBLE %: 0.5000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information was not provided by the manufacturer.

OTHER MATERIAL NOTES: This is the only option for the Clear Vu cabinets.

# 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE

ID: 9010-88-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-18 7:56:24
%: 100.0000 - 100.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

**SAFETY LOCK** %: 0.1000 - 0.4500

SUBSTANCE NOTES: Ingredient of the plastic bubble component.

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

OTHER MATERIAL NOTES: Cabinets can come with safety locks or a standard roller catch.

ZINC

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:20

%: 99.0000 - 100.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
РНҮ	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
РНҮ	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
PHY	GHS - New Zealand	Self-heating substances and mixtures category 1
PHY	GHS - New Zealand	Substances and mixtures which, in contact with water, emit flammable gases category 1
РНҮ	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Zinc cast part.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-01-18 7:56:21
%: 0.0000 - 0.1000	GreenScreen: LT-P1	RC: UNK NANO: No SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	US EPA - EPCRA Extremely Had Substances	zardous Extremely Hazardous Substances
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Inno Institute (C2CPII)	vation C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Inno Institute (C2CPII)	vation C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Chrome finish on the safety lock.

**PULL HANDLE** %: 0.1000 - 0.4300

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:22 %: 99.0000 - 100.0000 GreenScreen: LT-P1 RC: UNK SUBSTANCE ROLE: Structure component NANO: No **HAZARD TYPE** LIST NAME AND SOURCE **WARNINGS END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** MUL German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters PHY EU - GHS (H-Statements) Annex 6 Table 3-1 H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] AQU EU - GHS (H-Statements) Annex 6 Table 3-1 H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] AQU EU - GHS (H-Statements) Annex 6 Table 3-1 H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) -Category 1] PHY EU - GHS (H-Statements) Annex 6 Table 3-1 H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1] PHY GHS - Australia H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1] PHY GHS - New Zealand Pyrophoric solids category 1 PHY GHS - New Zealand Self-heating substances and mixtures category 1 PHY GHS - New Zealand Substances and mixtures which, in contact with water, emit flammable gases category 1 PHY GHS - Australia H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - acute category AQU GHS - Japan H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] AQU GHS - Japan H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) -Category 1] AQU GHS - Australia H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) -Category 1] AQU GHS - New Zealand Hazardous to the aquatic environment - chronic category 1

**ZINC** 

ID: 7440-66-6

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Cast formed handle.

# DIPROPYLENE GLYCOL DIMETHYL ETHER

ID: 111109-77-4

			Some Solvents	
RESTRICTED LIST	Green Science Policy Institute (C	SSPI)	GSPI - Six Class	es of Problematic Chemicals
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No warr	nings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
%: 75.0000 - 90.0000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Coating
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:23

# OXIRANE, (CHLOROMETHYL)-, HOMOPOLYMER

SUBSTANCE NOTES: Clear coat ingredient.

ID: 24969-06-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2023-01-18 7:56:24
%: 25.0000 - 50.0000	GreenScreen: LT-UNK	RC: UNK NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
None found		No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
		Core Restriction	าร

SUBSTANCE NOTES: Ingredient in the clear coat finish.

2-BUTOXYETHYL ACETATE ID: 112-07-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-18 7:56:22
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Grou low risk under M	up 4 - Non-genotoxic carcinogen with IAK/BAT levels
MAM	GHS - Japan			damage to organs [Specific target toxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six Class	es of Problematic Chemicals
			Some Solvents	

SUBSTANCE NOTES: Ingredient in the clear coat finish.

ROLLER CATCH %: 0.0000 - 0.0900

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

OTHER MATERIAL NOTES: Roller catch assembly is made of nylon 6 plastic and steel parts.

AISI 10B21 STEEL				ID: 12597-69-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	E: 2023-01-18 7:56:22
%: 99.0000 - 100.0000	GreenScreen: NoGS	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Main ingredient in the roller catch assembly.

NYLON 6 ID: 25038-54-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:23

%: 0.0000 - 0.0500 GreenScreen: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Plastic	part of the roller catch assembly.	

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-18 7:56:24
%: 0.0000 - 0.0300 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
PHY	GHS - New Zealand	Self-heating substances and mixtures category 1
PHY	GHS - New Zealand	Substances and mixtures which, in contact with water, emit flammable gases category 1
РНҮ	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Zinc provides corrosion resistant to the steel parts.



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

# **VOC EMISSIONS**

VOC content data is not applicable for this product category.

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: None

ISSUE DATE: 2021-07-12 EXPIRY DATE: 2024-07-12 CERTIFIER OR LAB: None

**CERTIFICATE URL:** 

**CERTIFICATION AND COMPLIANCE NOTES:** 



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### **SCREWS**

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available ACCESSORY TYPE: Fastner

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Most cabinets require universal #10 X 2-1/2" self-drilling screws for installation.

# Section 5: General Notes

This HPD covers all stainless steel trimmed fire extinguisher cabinets manufactured by Activar Construction Products Group - JL Industries. Included in the HPD are options for glass or acrylic for the full glass doors. Clear Vu cabinets come with the bubble - no other option. This HPD also covers custom size fire extinguisher cabinets made from stainless steel. Recycled content is as follows:

Post-consumer: 44% Pre-consumer: 16%

## MANUFACTURER INFORMATION

MANUFACTURER: Activar Construction Products Group

ADDRESS: 9702 Newton Avenue South

Bloomington MN 55431, USA

WEBSITE: www.activarcpg.com/

CONTACT NAME: Lisa K Hyatt
TITLE: Communications Specialist

PHONE: (952) 837-1276

EMAIL: Ikhyatt@activarcpg.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

# KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

# Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

# **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.