

HPD UNIQUE IDENTIFIER: 87566059520

CLASSIFICATION: 08 31 13 Access Doors and Frames

PRODUCT DESCRIPTION: This HPD includes the multi-purpose access door for walls and ceilings for the 9TM, 9TMW, 9TMP, 9TME, 9TMG, and 9TMS. The door and frame are manufactured from 16 gauge cold rolled steel. The TMS (stainless steel) has an 18 gauge frame and a 16 gauge door. The finish is #304 satin stainless steel. The TMG is 16 gauge galvanized steel. All steel panels are powder coat white. Standard screw-driver operated cam latch with a choice of other lock and latch options.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

| Inventory Reporting Format  | Threshold Level   | Residuals/Impurities Evaluation   | For all contents above the threshold, the manufacturer has:  |
|---|---|---|--|
| <input type="radio"/> Nested Materials Method<br><input type="radio"/> Basic Method                       | <input type="radio"/> 100 ppm<br><input checked="" type="radio"/> 1,000 ppm<br><input type="radio"/> Per GHS SDS<br><input type="radio"/> Other | Completed in 10 of 10 Materials<br><br>Explanation(s) provided for Residuals/Impurities?<br><input checked="" type="radio"/> Yes <input type="radio"/> No | Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No<br><br>Provided weight and role.<br><br>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No<br><br>Provided screening results using HPDC-approved methods.<br><br>Identified <input type="radio"/> Yes <input checked="" type="radio"/> No<br><br>Provided name and CAS RN or other identifier. |
| Threshold Disclosed Per<br><br><input type="radio"/> Material<br><input checked="" type="radio"/> Product |   |   |  |

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COLD ROLLED STEEL [ IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP | MAM | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM CARBON LT-UNK MOLYBDENUM LT-UNK | SKI | REP COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU SILICON LT-UNK ] STAINLESS STEEL [ IRON LT-P1 | END NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM MANGANESE LT-P1 | END | MUL | REP | MAM | AQU SILICON LT-UNK MOLYBDENUM LT-UNK | SKI | REP COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU TUNGSTEN METAL LT-UNK TITANIUM LT-UNK | PHY ] STEEL GALVANNEALED [ IRON, ELEMENTAL LT-P1 | END UNS Z35523 LT-P1 | END | MUL | PHY | AQU ALUMINUM BM-1 | END | MAM | PHY NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU MOLYBDENUM LT-UNK | SKI | REP CARBON LT-UNK MANGANESE LT-P1 | END | MUL | REP | MAM | AQU MANGANESE LT-P1 | END | MUL | REP | MAM | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM ALUMINUM BM-1 | END | MAM | PHY TIN LT-P1 | EYE | MAM | AQU IRON, ELEMENTAL LT-P1 | END ] HINGE - STEEL [ IRON LT-P1 | END CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM MANGANESE LT-P1 | END | MUL | REP | MAM | AQU CARBON LT-UNK ] HINGE - STAINLESS STEEL [ IRON LT-P1 | END CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM MANGANESE LT-P1 | END | MUL | REP | MAM | AQU MOLYBDENUM LT-UNK | SKI | REP ] DRYWALL BEAD FLANGE [ IRON, ELEMENTAL LT-P1 | END CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU MOLYBDENUM LT-UNK | SKI | REP CARBON LT-UNK SILICON, ELEMENTAL LT-UNK MANGANESE LT-P1 | END | MUL | REP | MAM | AQU UNS Z35531 ZINC ALLOY LT-P1 | END | MUL | PHY | AQU COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU ] RECESSED METAL FLANGE [ IRON, ELEMENTAL LT-P1 | END CHROMIUM LT-P1 | END |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

HPD is prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Activar Construction Products Group, Inc. - JL Industries access doors are made from a variety of steel and stainless steel gauges which are represented in this HPD.

SKI | GEN | REP | MAM NICKEL LT-1 | CAN | RES | MUL | MAM | SKI |  
AQU CARBON LT-UNK MOLYBDENUM LT-UNK | SKI | REP SILICON,  
ELEMENTAL LT-UNK MANGANESE LT-P1 | END | MUL | REP | MAM |  
AQU COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU ZINC, ELEMENTAL  
LT-P1 | END | MUL | PHY | AQU ] POWDER COAT [ UNDISCLOSED  
NoGS UNDISCLOSED LT-1 | CAN | END | MAM UNDISCLOSED BM-  
3dg UNDISCLOSED LT-1 | MUL | RES | GEN | MAM | EYE | SKI | AQU |  
REP UNDISCLOSED BM-2 | SKI | EYE UNDISCLOSED BM-1 | CAN |  
MAM UNDISCLOSED LT-UNK | PLASTERGUARD METAL LATH [  
IRON, ELEMENTAL LT-P1 | END UNS Z35531 ZINC ALLOY LT-P1 |  
END | MUL | PHY | AQU MANGANESE LT-P1 | END | MUL | REP | MAM |  
AQU IRON, ELEMENTAL LT-P1 | END CARBON LT-UNK SILICON,  
ELEMENTAL LT-UNK COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU  
CALCIUM LT-P1 | SKI | EYE | PHY ALUMINUM BM-1 | END | MAM | PHY  
] STEEL CAM [ IRON, ELEMENTAL LT-P1 | END MANGANESE LT-P1 |  
END | MUL | REP | MAM | AQU ZINC, ELEMENTAL LT-P1 | END | MUL |  
PHY | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM NICKEL  
LT-1 | CAN | RES | MUL | MAM | SKI | AQU MOLYBDENUM LT-UNK |  
SKI | REP ]

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: VOC content data is not applicable for this product category

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-02-27

PUBLISHED DATE: 2023-06-30

EXPIRY DATE: 2026-02-27

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### COLD ROLLED STEEL

#: 99.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by manufacturer.

OTHER MATERIAL NOTES: 16 gauge cold rolled steel is the standard for all versions of the TM access door series. See stainless steel entry for applicable gauges.

### IRON

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-02-27 9:12:12

#: 96.0000 - 99.0000

GreenScreen: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Main ingredient of cold rolled steel.

### MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-02-27 9:12:14

#: 0.0000 - 2.0000

GreenScreen: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Alloy element

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS  |
|---------------------|--|---|
| END                 | TEDX - Potential Endocrine Disruptors                    | Potential Endocrine Disruptor   |
| MUL                 | German FEA - Substances Hazardous to Waters              | Class 2 - Hazard to Waters  |
| REP                 | GHS - Japan  | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM                 | GHS - Japan  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Australia  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM                 | GHS - Japan  | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - chronic category 3   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials      |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                    |

SUBSTANCE NOTES: Alloy included in steel.

## CHROMIUM

ID: 7440-47-3

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2023-02-27 9:12:15   |          |                             |
|---|---------------------------------------|---|----------|-----------------------------|
| #: 0.0000 - 1.0000  | GreenScreen: LT-P1                    | RC: UNK   | NANO: No | SUBSTANCE ROLE: Antioxidant |
| HAZARD TYPE   | LIST NAME AND SOURCE                  | WARNINGS  |          |                             |
| END   | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |          |                             |
| SKI   | MAK                                   | Sensitizing Substance Sh - Danger of skin sensitization   |          |                             |
| GEN   | GHS - Japan                           | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]                                   |          |                             |
| REP   | GHS - New Zealand                     | Reproductive toxicity category 2  |          |                             |
| MAM   | GHS - Japan                           | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |          |                             |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
|---------------------|--|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                |

SUBSTANCE NOTES: Increases resistance to oxidation.

## CARBON

ID: 7440-44-0

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2023-02-27 9:12:16                         |          |                               |
|---|---------------------------------------|---|----------|-------------------------------|
| %: 0.0000 - 0.6000  | GreenScreen: LT-UNK                   | RC: UNK   | NANO: No | SUBSTANCE ROLE: Alloy element |
| HAZARD TYPE   | LIST NAME AND SOURCE                  | WARNINGS  |          |                               |
| None found  |                                       | No warnings found on HPD Priority Hazard Lists                    |          |                               |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE                  | NOTIFICATION  |          |                               |
| RESTRICTED LIST   | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials |          |                               |

SUBSTANCE NOTES: Used in the manufacture of steel.

## MOLYBDENUM

ID: 7439-98-7

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                      | HAZARD SCREENING DATE: 2023-02-27 9:12:17                                |          |                                     |
|---|----------------------|--|----------|-------------------------------------|
| %: 0.0000 - 0.6000  | GreenScreen: LT-UNK  | RC: UNK  | NANO: No | SUBSTANCE ROLE: Corrosion inhibitor |
| HAZARD TYPE   | LIST NAME AND SOURCE | WARNINGS   |          |                                     |
| SKI   | GHS - Japan          | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |          |                                     |
| REP   | GHS - New Zealand    | Reproductive toxicity category 2   |          |                                     |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE | NOTIFICATION   |          |                                     |
| None found  |                      | No listings found on Additional Hazard Lists                             |          |                                     |

SUBSTANCE NOTES: Provides corrosion inhibiting properties to steel.

## COPPER

ID: 7440-50-8

%: **0.0000 - 0.6000**GreenScreen: **LT-P1**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Corrosion inhibitor**

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS   |
|---------------------|--|--|
| GEN                 | GHS - New Zealand  | Germ cell mutagenicity category 1  |
| EYE                 | GHS - New Zealand  | Eye irritation category 2  |
| MAM                 | GHS - Japan  | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                     |
| SKI                 | GHS - New Zealand  | Skin sensitisation category 1  |
| MAM                 | GHS - New Zealand  | Acute inhalation toxicity category 2   |
| MAM                 | GHS - New Zealand  | Acute oral toxicity category 2   |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - acute category 1  |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - chronic category 2  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
| RESTRICTED LIST     | Perkins+Will (P+W)                                       | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                    | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Provides corrosion inhibiting properties.

**SILICON**ID: **7440-21-3**%: **0.0000 - 0.6000**GreenScreen: **LT-UNK**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Tensile strength additive**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                       |
|---------------------|----------------------|--|
| None found          |                      | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: Provides strength properties to steel.

**STAINLESS STEEL**

%: 99.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: 18 gauge frame and 16 gauge stainless steel with a #4 finish.

**IRON**

ID: 7439-89-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: 2023-02-27 9:12:15

%: 45.0000 - 90.0000      GreenScreen: **LT-P1**      RC: **UNK**      NANO: **No**      SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|
|-------------|----------------------|----------|

|     |                                       |                               |
|-----|---------------------------------------|-------------------------------|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
|-----|---------------------------------------|-------------------------------|

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

|            |  |  |
|------------|--|--|
| None found |  | No listings found on Additional Hazard Lists |
|------------|--|--|

SUBSTANCE NOTES: Main ingredient of stainless steel.

**NICKEL**

ID: 7440-02-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: 2023-02-27 9:12:16

%: 0.0000 - 40.0000      GreenScreen: **LT-1**      RC: **UNK**      NANO: **No**      SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| CAN         | US CDC - Occupational Carcinogens           | Occupational Carcinogen   |
| CAN         | MAK   | Carcinogen Group 1 - Substances that cause cancer in man  |
| CAN         | IARC  | Group 1 - Agent is Carcinogenic to humans   |
| CAN         | CA EPA - Prop 65                            | Carcinogen  |
| CAN         | US NIH - Report on Carcinogens              | Known to be a human Carcinogen  |
| CAN         | IARC  | Group 2b - Possibly carcinogenic to humans  |
| CAN         | US NIH - Report on Carcinogens              | Reasonably Anticipated to be Human Carcinogen   |
| RES         | MAK   | Sensitizing Substance Sah - Danger of airway & skin sensitization   |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| CAN         | GHS - New Zealand                           | Carcinogenicity category 2  |
| CAN         | GHS - Japan                                 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| CAN         | EU - Annex VI CMRs                          | Carcinogen Category 2 - Suspected human Carcinogen  |
| SKI         | GHS - New Zealand                           | Skin sensitisation category 1   |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1   |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1   |
| CAN         | GHS - Australia                             | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |



| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|--|---|--|
| RESTRICTED LIST  | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes of Problematic Chemicals<br>Certain Metals  |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CPPI) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Biological and Environmentally Released Materials |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CPPI) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Children's Products                               |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CPPI) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Footwear, Apparel & Jewelry Products              |
| SUBSTANCE NOTES: Used in the manufacture of stainless steel. |   |  |

## CHROMIUM

ID: 7440-47-3

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |   | HAZARD SCREENING DATE: 2023-02-27 9:12:17  |          |                             |
|---|---|--|----------|-----------------------------|
| %: 10.0000 - 30.0000                                      | GreenScreen: LT-P1                                      | RC: UNK  | NANO: No | SUBSTANCE ROLE: Antioxidant |
| HAZARD TYPE   | LIST NAME AND SOURCE                                    | WARNINGS   |          |                             |
| END   | TEDX - Potential Endocrine Disruptors                   | Potential Endocrine Disruptor  |          |                             |
| SKI   | MAK   | Sensitizing Substance Sh - Danger of skin sensitization  |          |                             |
| GEN   | GHS - Japan   | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]  |          |                             |
| REP   | GHS - New Zealand                                       | Reproductive toxicity category 2   |          |                             |
| MAM   | GHS - Japan   | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]                              |          |                             |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE                                    | NOTIFICATION   |          |                             |
| RESTRICTED LIST   | Cradle to Cradle Products Innovation Institute (C2CPPI) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Biological and Environmentally Released Materials |          |                             |
| RESTRICTED LIST   | Cradle to Cradle Products Innovation Institute (C2CPPI) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Children's Products                               |          |                             |
| RESTRICTED LIST   | Cradle to Cradle Products Innovation Institute (C2CPPI) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Cosmetics & Personal Care Products                |          |                             |
| SUBSTANCE NOTES: Increases anti-corrosive properties.     |   |  |          |                             |

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:16**%: **0.0000 - 15.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS  |
|---------------------|--|---|
| END                 | TEDX - Potential Endocrine Disruptors                    | Potential Endocrine Disruptor   |
| MUL                 | German FEA - Substances Hazardous to Waters              | Class 2 - Hazard to Waters  |
| REP                 | GHS - Japan  | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM                 | GHS - Japan  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Australia  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM                 | GHS - Japan  | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - chronic category 3   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials      |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                    |

SUBSTANCE NOTES: Ingredient used to manufacture stainless steel.

## SILICON

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:17**%: **0.0000 - 9.5000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                       |
|---------------------|----------------------|--|
| None found          |                      | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: Provides strength properties in stainless steel.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:17**%: **0.0000 - 7.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS   |
|---------------------|----------------------|--|
| SKI                 | GHS - Japan          | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| REP                 | GHS - New Zealand    | Reproductive toxicity category 2   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION   |
| None found          |                      | No listings found on Additional Hazard Lists                             |

SUBSTANCE NOTES: Helps prevent corrosion of stainless steel.

## COPPER

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:18**%: **0.0000 - 5.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS   |
|-------------|----------------------|--|
| GEN         | GHS - New Zealand    | Germ cell mutagenicity category 1  |
| EYE         | GHS - New Zealand    | Eye irritation category 2  |
| MAM         | GHS - Japan          | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI         | GHS - New Zealand    | Skin sensitisation category 1  |
| MAM         | GHS - New Zealand    | Acute inhalation toxicity category 2   |
| MAM         | GHS - New Zealand    | Acute oral toxicity category 2   |
| AQU         | GHS - New Zealand    | Hazardous to the aquatic environment - acute category 1  |
| AQU         | GHS - New Zealand    | Hazardous to the aquatic environment - chronic category 2  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Perkins+Will (P+W)                                      | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Used for corrosion inhibiting of stainless steel.

#### TUNGSTEN METAL

ID: 7440-33-7

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2023-02-27 9:12:19</b> |                 |                                      |
|--|----------------------------|--|-----------------|--------------------------------------|
| %: <b>0.0000 - 4.0000</b>  | GreenScreen: <b>LT-UNK</b> | RC: <b>UNK</b>                                   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Alloy element</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE       | WARNINGS   |                 |                                      |
| None found   |                            | No warnings found on HPD Priority Hazard Lists   |                 |                                      |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE       | NOTIFICATION                                     |                 |                                      |
| None found   |                            | No listings found on Additional Hazard Lists     |                 |                                      |

SUBSTANCE NOTES: Used in the manufacture of stainless steel.

#### TITANIUM

ID: 7440-32-6

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2023-02-27 9:12:18</b>                          |                 |                                   |
|--|----------------------------|---|-----------------|-----------------------------------|
| %: <b>0.0000 - 2.0000</b>  | GreenScreen: <b>LT-UNK</b> | RC: <b>UNK</b>  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Stabilizer</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE       | WARNINGS  |                 |                                   |
| PHY  | GHS - Japan                | H225 - Highly flammable liquid and vapour [Flammable solids - Category 1] |                 |                                   |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE       | NOTIFICATION  |                 |                                   |
| None found   |                            | No listings found on Additional Hazard Lists                              |                 |                                   |

SUBSTANCE NOTES: Used in the manufacture of stainless steel.

**STEEL GALVANNEALED**

%: 95.0000 - 99.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Galvannealed steel is more corrosion resistant.

**IRON, ELEMENTAL**

ID: 7439-89-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:18**

%: **90.0000 - 98.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS                                     |
|---------------------|---------------------------------------|--|
| END                 | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION                                 |
| None found          |                                       | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Main ingredient in steel.

**UNS Z35523**

ID: 7440-66-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:19**

%: **1.0000 - 19.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS   |
|-------------|---|--|
| END         | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor  |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters   |
| PHY         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| PHY         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY         | GHS - Australia                             | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY         | GHS - New Zealand                           | Pyrophoric solids category 1   |
| PHY         | GHS - New Zealand                           | Self-heating substances and mixtures category 1  |
| PHY         | GHS - New Zealand                           | Substances and mixtures which, in contact with water, emit flammable gases category 1  |
| PHY         | GHS - Australia                             | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1  |
| AQU         | GHS - Japan                                 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU         | GHS - Japan                                 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU         | GHS - Australia                             | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Main ingredient in the surface coating which prohibits corrosion.

## ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-02-27 9:12:20

%: 0.1000 - 10.0000 GreenScreen: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS  |
|-------------|---------------------------------------|---|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| MAM         | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| PHY         | GHS - New Zealand                     | Flammable solids category 1   |
| MAM         | GHS - Japan                           | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| PHY         | GHS - Japan                           | H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]             |
| PHY         | GHS - Malaysia                        | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]  |
| PHY         | GHS - Australia                       | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]  |
| PHY         | GHS - New Zealand                     | Pyrophoric solids category 1  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:21**

| %: <b>0.1000 - 9.0000</b> | GreenScreen: <b>LT-1</b>                    | RC: <b>UNK</b>  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Alloy element</b> |
|---------------------------|---|---|-----------------|--------------------------------------|
| HAZARD TYPE               | LIST NAME AND SOURCE                        | WARNINGS  |                 |                                      |
| CAN                       | US CDC - Occupational Carcinogens           | Occupational Carcinogen   |                 |                                      |
| CAN                       | MAK   | Carcinogen Group 1 - Substances that cause cancer in man  |                 |                                      |
| CAN                       | IARC  | Group 1 - Agent is Carcinogenic to humans   |                 |                                      |
| CAN                       | CA EPA - Prop 65                            | Carcinogen  |                 |                                      |
| CAN                       | US NIH - Report on Carcinogens              | Known to be a human Carcinogen  |                 |                                      |
| CAN                       | IARC  | Group 2b - Possibly carcinogenic to humans  |                 |                                      |
| CAN                       | US NIH - Report on Carcinogens              | Reasonably Anticipated to be Human Carcinogen   |                 |                                      |
| RES                       | MAK   | Sensitizing Substance Sah - Danger of airway & skin sensitization   |                 |                                      |
| MUL                       | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |                 |                                      |
| CAN                       | EU - GHS (H-Statements) Annex 6 Table 3-1   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |                 |                                      |
| MAM                       | EU - GHS (H-Statements) Annex 6 Table 3-1   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |                 |                                      |
| CAN                       | GHS - New Zealand                           | Carcinogenicity category 2  |                 |                                      |
| CAN                       | GHS - Japan                                 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |                 |                                      |
| MAM                       | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |                 |                                      |
| MAM                       | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |                 |                                      |
| MAM                       | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |                 |                                      |
| CAN                       | EU - Annex VI CMRs                          | Carcinogen Category 2 - Suspected human Carcinogen  |                 |                                      |
| SKI                       | GHS - New Zealand                           | Skin sensitisation category 1   |                 |                                      |
| AQU                       | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1   |                 |                                      |
| AQU                       | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1   |                 |                                      |
| CAN                       | GHS - Australia                             | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |                 |                                      |



| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes of Problematic Chemicals<br>Certain Metals  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Footwear, Apparel & Jewelry Products              |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## MOLYBDENUM

ID: 7439-98-7

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                      | HAZARD SCREENING DATE: 2023-02-27 9:12:19                                |          |                               |
|---|----------------------|--|----------|-------------------------------|
| %: 0.1000 - 5.0000  | GreenScreen: LT-UNK  | RC: UNK  | NANO: No | SUBSTANCE ROLE: Alloy element |
| HAZARD TYPE   | LIST NAME AND SOURCE | WARNINGS   |          |                               |
| SKI   | GHS - Japan          | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |          |                               |
| REP   | GHS - New Zealand    | Reproductive toxicity category 2   |          |                               |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE | NOTIFICATION   |          |                               |
| None found  |                      | No listings found on Additional Hazard Lists                             |          |                               |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## CARBON

ID: 7440-44-0

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2023-02-27 9:12:18                     |          |                               |
|---|---------------------------------------|---|----------|-------------------------------|
| %: 0.1000 - 5.0000  | GreenScreen: LT-UNK                   | RC: UNK   | NANO: No | SUBSTANCE ROLE: Alloy element |
| HAZARD TYPE   | LIST NAME AND SOURCE                  | WARNINGS  |          |                               |
| None found  |                                       | No warnings found on HPD Priority Hazard Lists                |          |                               |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE                  | NOTIFICATION  |          |                               |
| RESTRICTED LIST   | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br>Antimicrobials |          |                               |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:21**%: **1.0000 - 4.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS  |
|---------------------|--|---|
| END                 | TEDX - Potential Endocrine Disruptors                    | Potential Endocrine Disruptor   |
| MUL                 | German FEA - Substances Hazardous to Waters              | Class 2 - Hazard to Waters  |
| REP                 | GHS - Japan  | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM                 | GHS - Japan  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Australia  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM                 | GHS - Japan  | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - chronic category 3   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials      |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                    |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:20**%: **1.0000 - 4.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS  |
|---------------------|---|---|
| END                 | TEDX - Potential Endocrine Disruptors                   | Potential Endocrine Disruptor   |
| MUL                 | German FEA - Substances Hazardous to Waters             | Class 2 - Hazard to Waters  |
| REP                 | GHS - Japan   | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM                 | GHS - Japan   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Australia   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM                 | GHS - Japan   | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU                 | GHS - New Zealand                                       | Hazardous to the aquatic environment - chronic category 3   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials      |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                    |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:22**

#: **0.1000 - 3.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS  |
|-------------|---------------------------------------|---|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| SKI         | MAK                                   | Sensitizing Substance Sh - Danger of skin sensitization   |
| GEN         | GHS - Japan                           | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]                                   |
| REP         | GHS - New Zealand                     | Reproductive toxicity category 2  |
| MAM         | GHS - Japan                           | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
|---------------------|--|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:19**

%: **1.0000 - 3.0000** GreenScreen: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS  |
|-------------|---------------------------------------|---|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| MAM         | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| PHY         | GHS - New Zealand                     | Flammable solids category 1   |
| MAM         | GHS - Japan                           | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| PHY         | GHS - Japan                           | H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]             |
| PHY         | GHS - Malaysia                        | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]  |
| PHY         | GHS - Australia                       | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]  |
| PHY         | GHS - New Zealand                     | Pyrophoric solids category 1  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Ingredient in the surface coating which prohibits corrosion.

**TIN**

ID: 7440-31-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:20**

%: **0.1000 - 2.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS  |
|-------------|----------------------|---|
| EYE         | GHS - New Zealand    | Eye irritation category 2   |
| MAM         | GHS - Japan          | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| AQU         | GHS - New Zealand    | Hazardous to the aquatic environment - acute category 1   |
| AQU         | GHS - New Zealand    | Hazardous to the aquatic environment - chronic category 1   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Ingredient in the surface coating which prohibits corrosion.

**IRON, ELEMENTAL**

ID: 7439-89-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:20**

%: **0.1000 - 1.1000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS                      |
|-------------|---------------------------------------|-------------------------------|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Ingredient in the surface coating which prohibits corrosion.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Steel hinge welded to access door frame.

**IRON**

ID: 7439-89-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:21**%: **70.0000 - 85.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS                                     |
|---------------------|---------------------------------------|--|
| END                 | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION                                 |
| None found          |                                       | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Main ingredient in steel.

**CHROMIUM**

ID: 7440-47-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:22**%: **11.0000 - 15.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS   |
|---------------------|---|--|
| END                 | TEDX - Potential Endocrine Disruptors                   | Potential Endocrine Disruptor  |
| SKI                 | MAK   | Sensitizing Substance Sh - Danger of skin sensitization  |
| GEN                 | GHS - Japan   | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]  |
| REP                 | GHS - New Zealand                                       | Reproductive toxicity category 2   |
| MAM                 | GHS - Japan   | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]                                  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                |

SUBSTANCE NOTES: Ingredient in steel.

**MANGANESE**

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:20**

%: **0.0000 - 2.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS  |
|---------------------|--|---|
| END                 | TEDX - Potential Endocrine Disruptors                    | Potential Endocrine Disruptor   |
| MUL                 | German FEA - Substances Hazardous to Waters              | Class 2 - Hazard to Waters  |
| REP                 | GHS - Japan  | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM                 | GHS - Japan  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Australia  | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM                 | GHS - Japan  | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - chronic category 3   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials      |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                    |

SUBSTANCE NOTES: Ingredient used in steel.

**CARBON**

ID: 7440-44-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:21**

%: **0.0000 - 0.6000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION  |
|---------------------|---------------------------------------|---|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials |

SUBSTANCE NOTES: Ingredient in steel.

### HINGE - STAINLESS STEEL

%: 1.0000 - 2.0000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Stainless steel hinge is used on the TMS version with #4 finish.

### IRON

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2023-02-27 9:12:22

%: 70.0000 - 85.0000      GreenScreen: LT-P1      RC: UNK      NANO: No      SUBSTANCE ROLE: Structure component

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS                      |
|-------------|---------------------------------------|-------------------------------|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Main ingredient in stainless steel.

### CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2023-02-27 9:12:23

%: 11.0000 - 15.0000      GreenScreen: LT-P1      RC: UNK      NANO: No      SUBSTANCE ROLE: Antioxidant

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS  |
|-------------|---------------------------------------|---|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| SKI         | MAK                                   | Sensitizing Substance Sh - Danger of skin sensitization   |
| GEN         | GHS - Japan                           | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]                                   |
| REP         | GHS - New Zealand                     | Reproductive toxicity category 2  |
| MAM         | GHS - Japan                           | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |



| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|--|---|--|
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                |
| SUBSTANCE NOTES: Ingredient used in manufacturing stainless steel. |   |  |

## MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:24**

%: **0.0000 - 2.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| END         | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor   |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| REP         | GHS - Japan                                 | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 3   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Ingredient in stainless steel.

**MOLYBDENUM**

ID: 7439-98-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:22**%: **0.0000 - 1.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS   |
|---------------------|----------------------|--|
| SKI                 | GHS - Japan          | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| REP                 | GHS - New Zealand    | Reproductive toxicity category 2   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION   |
| None found          |                      | No listings found on Additional Hazard Lists                             |

SUBSTANCE NOTES: Provides corrosion inhibiting properties to the stainless steel.

**DRYWALL BEAD FLANGE**%: **1.0000 - 2.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Concealed frame access door with integral wallboard bead provides a seamless built-in look.

**IRON, ELEMENTAL**

ID: 7439-89-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:23**%: **90.0000 - 98.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS                                     |
|---------------------|---------------------------------------|--|
| END                 | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION                                 |
| None found          |                                       | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Main ingredient in steel.

**CHROMIUM**

ID: 7440-47-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:24**%: **0.0000 - 11.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS  |
|-------------|---------------------------------------|---|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| SKI         | MAK                                   | Sensitizing Substance Sh - Danger of skin sensitization   |
| GEN         | GHS - Japan                           | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]                                   |
| REP         | GHS - New Zealand                     | Reproductive toxicity category 2  |
| MAM         | GHS - Japan                           | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
|---------------------|--|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

**NICKEL**

ID: 7440-02-0

|  |  |
|--|--|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>   | HAZARD SCREENING DATE: <b>2023-02-27 9:12:25</b> |
| %: <b>0.0000 - 9.5000</b> GreenScreen: <b>LT-1</b> RC: <b>UNK</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Alloy element</b> |  |

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| CAN         | US CDC - Occupational Carcinogens           | Occupational Carcinogen   |
| CAN         | MAK   | Carcinogen Group 1 - Substances that cause cancer in man  |
| CAN         | IARC  | Group 1 - Agent is Carcinogenic to humans   |
| CAN         | CA EPA - Prop 65                            | Carcinogen  |
| CAN         | US NIH - Report on Carcinogens              | Known to be a human Carcinogen  |
| CAN         | IARC  | Group 2b - Possibly carcinogenic to humans  |
| CAN         | US NIH - Report on Carcinogens              | Reasonably Anticipated to be Human Carcinogen   |
| RES         | MAK   | Sensitizing Substance Sah - Danger of airway & skin sensitization   |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| CAN         | GHS - New Zealand                           | Carcinogenicity category 2  |
| CAN         | GHS - Japan                                 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| CAN         | EU - Annex VI CMRs                          | Carcinogen Category 2 - Suspected human Carcinogen  |
| SKI         | GHS - New Zealand                           | Skin sensitisation category 1   |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1   |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1   |
| CAN         | GHS - Australia                             | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |

| ADDITIONAL LISTINGS                                      | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|--|---|--|
| RESTRICTED LIST  | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes of Problematic Chemicals<br>Certain Metals  |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Biological and Environmentally Released Materials |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Children's Products                               |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Footwear, Apparel & Jewelry Products              |
| SUBSTANCE NOTES: Alloy used in the manufacture of steel. |   |  |

## MOLYBDENUM

ID: 7439-98-7

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                      | HAZARD SCREENING DATE: 2023-02-27 9:12:23                                |          |                               |
|---|----------------------|--|----------|-------------------------------|
| %: 0.0000 - 5.0000  | GreenScreen: LT-UNK  | RC: UNK  | NANO: No | SUBSTANCE ROLE: Alloy element |
| HAZARD TYPE   | LIST NAME AND SOURCE | WARNINGS   |          |                               |
| SKI   | GHS - Japan          | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |          |                               |
| REP   | GHS - New Zealand    | Reproductive toxicity category 2   |          |                               |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE | NOTIFICATION   |          |                               |
| None found  |                      | No listings found on Additional Hazard Lists                             |          |                               |
| SUBSTANCE NOTES: Alloy used in the manufacture of steel.  |                      |  |          |                               |

## CARBON

ID: 7440-44-0

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2023-02-27 9:12:26                     |          |                               |
|---|---------------------------------------|---|----------|-------------------------------|
| %: 0.0000 - 5.0000  | GreenScreen: LT-UNK                   | RC: UNK   | NANO: No | SUBSTANCE ROLE: Alloy element |
| HAZARD TYPE   | LIST NAME AND SOURCE                  | WARNINGS  |          |                               |
| None found  |                                       | No warnings found on HPD Priority Hazard Lists                |          |                               |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE                  | NOTIFICATION  |          |                               |
| RESTRICTED LIST   | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br>Antimicrobials |          |                               |
| SUBSTANCE NOTES: Alloy used in the manufacture of steel.  |                                       |   |          |                               |

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:24**%: **0.0000 - 4.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:25**%: **0.0000 - 3.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| END         | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor   |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| REP         | GHS - Japan                                 | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 3   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:27**

%: **1.0000 - 2.5000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE         | LIST NAME AND SOURCE                        | WARNINGS   |
|---------------------|---|--|
| END                 | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor  |
| MUL                 | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters   |
| PHY                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| PHY                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY                 | GHS - Australia                             | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY                 | GHS - New Zealand                           | Pyrophoric solids category 1   |
| PHY                 | GHS - New Zealand                           | Self-heating substances and mixtures category 1  |
| PHY                 | GHS - New Zealand                           | Substances and mixtures which, in contact with water, emit flammable gases category 1  |
| PHY                 | GHS - Australia                             | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1  |
| AQU                 | GHS - Japan                                 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU                 | GHS - Japan                                 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU                 | GHS - Australia                             | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                        | NOTIFICATION   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)       | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials  |

SUBSTANCE NOTES: Coating on steel to prevent corrosion.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:26**

%: **0.0000 - 2.5000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS   |
|---------------------|--|--|
| GEN                 | GHS - New Zealand  | Germ cell mutagenicity category 1  |
| EYE                 | GHS - New Zealand  | Eye irritation category 2  |
| MAM                 | GHS - Japan  | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                     |
| SKI                 | GHS - New Zealand  | Skin sensitisation category 1  |
| MAM                 | GHS - New Zealand  | Acute inhalation toxicity category 2   |
| MAM                 | GHS - New Zealand  | Acute oral toxicity category 2   |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - acute category 1  |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - chronic category 2  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
| RESTRICTED LIST     | Perkins+Will (P+W)                                       | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                    | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

RECESSED METAL FLANGE

%: **1.0000 - 2.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Metal flange recessed 3/4" from the face of the frame for application of plaster.

IRON, ELEMENTAL

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:23**



%: 90.0000 - 95.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS                                     |
|---------------------|---------------------------------------|--|
| END                 | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION                                 |
| None found          |                                       | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Main ingredient in steel.

## CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-02-27 9:12:24

%: 0.0000 - 11.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS   |
|---------------------|--|--|
| END                 | TEDX - Potential Endocrine Disruptors                    | Potential Endocrine Disruptor  |
| SKI                 | MAK  | Sensitizing Substance Sh - Danger of skin sensitization  |
| GEN                 | GHS - Japan  | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]  |
| REP                 | GHS - New Zealand  | Reproductive toxicity category 2   |
| MAM                 | GHS - Japan  | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]                                  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## NICKEL

ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-02-27 9:12:26

%: 0.0000 - 9.5000 GreenScreen: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|
|-------------|----------------------|----------|

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

SUBSTANCE NOTES:

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| CAN         | US CDC - Occupational Carcinogens           | Occupational Carcinogen   |
| CAN         | MAK   | Carcinogen Group 1 - Substances that cause cancer in man  |
| CAN         | IARC  | Group 1 - Agent is Carcinogenic to humans   |
| CAN         | CA EPA - Prop 65                            | Carcinogen  |
| CAN         | US NIH - Report on Carcinogens              | Known to be a human Carcinogen  |
| CAN         | IARC  | Group 2b - Possibly carcinogenic to humans  |
| CAN         | US NIH - Report on Carcinogens              | Reasonably Anticipated to be Human Carcinogen   |
| RES         | MAK   | Sensitizing Substance Sah - Danger of airway & skin sensitization   |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| CAN         | GHS - New Zealand                           | Carcinogenicity category 2  |
| CAN         | GHS - Japan                                 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| CAN         | EU - Annex VI CMRs                          | Carcinogen Category 2 - Suspected human Carcinogen  |
| SKI         | GHS - New Zealand                           | Skin sensitisation category 1   |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1   |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1   |
| CAN         | GHS - Australia                             | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes of Problematic Chemicals<br>Certain Metals  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Footwear, Apparel & Jewelry Products              |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## CARBON

ID: 7440-44-0

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                                       | HAZARD SCREENING DATE: <b>2023-02-27 9:12:26</b>              |                 |                                      |
|--|---------------------------------------|---|-----------------|--------------------------------------|
| %: <b>0.0000 - 5.5000</b>  | GreenScreen: <b>LT-UNK</b>            | RC: <b>UNK</b>  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Alloy element</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE                  | WARNINGS  |                 |                                      |
| None found   |                                       | No warnings found on HPD Priority Hazard Lists                |                 |                                      |
| ADDITIONAL LISTINGS  |                                       | NOTIFICATION  |                 |                                      |
| RESTRICTED LIST  | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br>Antimicrobials |                 |                                      |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## MOLYBDENUM

ID: 7439-98-7

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2023-02-27 9:12:28</b>                         |                 |                                      |
|--|----------------------------|--|-----------------|--------------------------------------|
| %: <b>0.0000 - 5.0000</b>  | GreenScreen: <b>LT-UNK</b> | RC: <b>UNK</b>   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Alloy element</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE       | WARNINGS   |                 |                                      |
| SKI  | GHS - Japan                | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |                 |                                      |
| REP  | GHS - New Zealand          | Reproductive toxicity category 2   |                 |                                      |
| ADDITIONAL LISTINGS  |                            | NOTIFICATION   |                 |                                      |
| None found   |                            | No listings found on Additional Hazard Lists                             |                 |                                      |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

**SILICON, ELEMENTAL**

ID: 7440-21-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:24**

%: **0.0000 - 4.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

**MANGANESE**

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:25**

%: **0.0000 - 3.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| END         | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor   |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| REP         | GHS - Japan                                 | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 3   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
|---------------------|--|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |

|                 |  |  |
|-----------------|--|--|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
|-----------------|--|--|

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## COPPER

ID: 7440-50-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:27**

%: **0.0000 - 2.5000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS   |
|---------------------|--|--|
| GEN                 | GHS - New Zealand  | Germ cell mutagenicity category 1  |
| EYE                 | GHS - New Zealand  | Eye irritation category 2  |
| MAM                 | GHS - Japan  | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                 |
| SKI                 | GHS - New Zealand  | Skin sensitisation category 1  |
| MAM                 | GHS - New Zealand  | Acute inhalation toxicity category 2   |
| MAM                 | GHS - New Zealand  | Acute oral toxicity category 2   |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - acute category 1  |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - chronic category 2  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
| RESTRICTED LIST     | Perkins+Will (P+W)                                       | P&W - Precautionary List<br>Precautionary list of substances recommended for avoidance   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                    | GSPI - Six Classes of Problematic Chemicals<br>Antimicrobials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Children's Products                               |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## ZINC, ELEMENTAL

ID: 7440-66-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:28**

%: **0.0000 - 2.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS   |
|-------------|---|--|
| END         | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor  |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters   |
| PHY         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| PHY         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY         | GHS - Australia                             | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY         | GHS - New Zealand                           | Pyrophoric solids category 1   |
| PHY         | GHS - New Zealand                           | Self-heating substances and mixtures category 1  |
| PHY         | GHS - New Zealand                           | Substances and mixtures which, in contact with water, emit flammable gases category 1  |
| PHY         | GHS - Australia                             | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1  |
| AQU         | GHS - Japan                                 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU         | GHS - Japan                                 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU         | GHS - Australia                             | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes of Problematic Chemicals<br>Antimicrobials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br>Children's Products                               |

SUBSTANCE NOTES: Ingredient used in the coating of the metal flange.

### POWDER COAT

#: 0.0000 - 1.4000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by manufacturer.

OTHER MATERIAL NOTES: Mixture of polyester resins and pigments for coating access doors. This is a dry powder coat product electrostatically applied and then cured in the oven.

### UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-02-27 9:12:29

#: 0.0000 - 48.6000 GreenScreen: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Binder

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: This manufacturer does not publicly disclose the combination of ingredients because it is considered proprietary.

### UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-02-27 9:12:25

#: 28.0000 - 30.8000 GreenScreen: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Powder coating

| HAZARD TYPE | LIST NAME AND SOURCE                      | WARNINGS  |
|-------------|---|---|
| CAN         | US CDC - Occupational Carcinogens         | Occupational Carcinogen   |
| CAN         | CA EPA - Prop 65                          | Carcinogen - specific to chemical form or exposure route  |
| CAN         | IARC                                      | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources  |
| CAN         | MAK                                       | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value  |
| END         | TEDX - Potential Endocrine Disruptors     | Potential Endocrine Disruptor   |
| CAN         | MAK                                       | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels  |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| CAN         | GHS - Japan                               | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | GHS - Japan                               | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| CAN         | EU - Annex VI CMRs                        | Carcinogen Category 2 - Suspected human Carcinogen  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION  |
|---------------------|--|---|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products |
| POSITIVE LIST       | US Environmental Protection Agency (US EPA)              | US EPA - DfE Safer Chemicals Ingredients list (SCIL)<br><br>Colorants - Green Circle (Verified Low Concern)                           |

SUBSTANCE NOTES: This manufacturer does not publicly disclose the combination of ingredients because it is considered proprietary.

**UNDISCLOSED**

ID: **Undisclosed**

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2023-02-27 9:12:26</b> |                 |                                       |
|--|----------------------------|--|-----------------|---------------------------------------|
| #: <b>10.0000 - 13.6000</b>                                      | GreenScreen: <b>BM-3dg</b> | RC: <b>UNK</b>                                   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Powder coating</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE       | WARNINGS   |                 |                                       |
| None found   |                            | No warnings found on HPD Priority Hazard Lists   |                 |                                       |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE       | NOTIFICATION                                     |                 |                                       |
| None found   |                            | No listings found on Additional Hazard Lists     |                 |                                       |

SUBSTANCE NOTES: This manufacturer does not publicly disclose the combination of ingredients because it is considered proprietary.

**UNDISCLOSED**

ID: **Undisclosed**



| HAZARD TYPE        | LIST NAME AND SOURCE                        | WARNINGS  |
|--------------------|---|---|
| %: 2.0000 - 3.6000 | GreenScreen: LT-1                           | RC: UNK NANO: No SUBSTANCE ROLE: Curing agent   |
| MUL                | ChemSec - SIN List                          | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant  |
| MUL                | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters   |
| RES                | MAK   | Sensitizing Substance Sah - Danger of airway & skin sensitization   |
| GEN                | EU - REACH Annex XVII CMRs                  | Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man  |
| GEN                | EU - Annex VI CMRs                          | Mutagen - Category 1B   |
| GEN                | EU - SVHC Authorisation List                | Mutagenic - Candidate list  |
| GEN                | GHS - Japan                                 | H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]   |
| GEN                | GHS - Korea                                 | H340 - May cause genetic defects [Germ cell mutagenicity - Category 1]  |
| GEN                | EU - GHS (H-Statements) Annex 6 Table 3-1   | H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]   |
| MAM                | EU - GHS (H-Statements) Annex 6 Table 3-1   | H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]  |
| MAM                | EU - GHS (H-Statements) Annex 6 Table 3-1   | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]  |
| EYE                | EU - GHS (H-Statements) Annex 6 Table 3-1   | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]   |
| GEN                | GHS - New Zealand                           | Germ cell mutagenicity category 1   |
| MAM                | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                | GHS - New Zealand                           | Specific target organ toxicity - repeated exposure category 1   |
| MAM                | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| EYE                | GHS - New Zealand                           | Serious eye damage category 1   |
| MAM                | GHS - New Zealand                           | Acute inhalation toxicity category 3  |
| SKI                | GHS - Japan                                 | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]  |
| AQU                | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 3   |
| SKI                | GHS - New Zealand                           | Skin sensitisation category 1   |
| REP                | GHS - Japan                                 | H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]   |

|                     |                      |  |
|---------------------|----------------------|--|
| MAM                 | GHS - Korea          | H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]                           |
| MAM                 | GHS - New Zealand    | Acute oral toxicity category 3   |
| EYE                 | GHS - Japan          | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A] |
| MAM                 | GHS - Japan          | H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]                           |
| MAM                 | GHS - Korea          | H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]                       |
| MAM                 | GHS - Japan          | H331 - Toxic if inhaled [Acute toxicity (inhalation: dust, mist) - Category 3]           |
| EYE                 | GHS - Korea          | H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]            |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: This manufacturer does not publicly disclose the combination of ingredients because it is considered proprietary.

**UNDISCLOSED**

ID: **Undisclosed**

|  |  |   |                 |                                |
|--|--|---|-----------------|--------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |  | HAZARD SCREENING DATE: <b>2023-02-27 9:12:29</b>  |                 |                                |
| %: <b>0.5000 - 0.9800</b>  | GreenScreen: <b>BM-2</b>                                 | RC: <b>UNK</b>  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Pigment</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE                                     | WARNINGS  |                 |                                |
| SKI  | GHS - New Zealand  | Skin irritation category 2  |                 |                                |
| EYE  | GHS - New Zealand  | Eye irritation category 2   |                 |                                |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE                                     | NOTIFICATION  |                 |                                |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |                 |                                |
|  |  | Biological and Environmentally Released Materials   |                 |                                |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |                 |                                |
|  |  | Children's Products   |                 |                                |

SUBSTANCE NOTES: This manufacturer does not publicly disclose the combination of ingredients because it is considered proprietary.

**UNDISCLOSED**

ID: **Undisclosed**

|  |                          |  |                 |  |
|--|--------------------------|--|-----------------|--|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                          | HAZARD SCREENING DATE: <b>2023-02-27 9:12:30</b> |                 |  |
| %: <b>0.5000 - 0.9800</b>  | GreenScreen: <b>BM-1</b> | RC: <b>UNK</b>                                   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Corrosion inhibitor</b> |

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS  |
|---------------------|---------------------------------------|---|
| CAN                 | GHS - Japan                           | H350 - May cause cancer [Carcinogenicity - Category 1A]   |
| CAN                 | GHS - Australia                       | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]  |
| MAM                 | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Australia                       | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION  |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br>Antimicrobials   |

SUBSTANCE NOTES: This manufacturer does not publicly disclose the combination of ingredients because it is considered proprietary.

### UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:26**

%: **0.0000 - 0.4200** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Dispersant**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                       |
|---------------------|----------------------|--|
| None found          |                      | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: This manufacturer does not publicly disclose the combination of ingredients because it is considered proprietary.

### PLASTERGUARD METAL LATH

#: **1.0000 - 1.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Recess trim with metal plaster lath . Lath is 2-3/4" wide with 3/4" recess.

### IRON, ELEMENTAL

ID: **7439-89-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:27**

%: **95.0000 - 98.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS                      |
|-------------|---------------------------------------|-------------------------------|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Main ingredient in steel.

**UNS Z35531 ZINC ALLOY**

ID: 7440-66-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-02-27 9:12:28**

?: **0.1500 - 9.0000**

GreenScreen: **LT-P1**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Coating**

| HAZARD TYPE         | LIST NAME AND SOURCE                        | WARNINGS   |
|---------------------|---|--|
| END                 | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor  |
| MUL                 | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters   |
| PHY                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| PHY                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY                 | GHS - Australia                             | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY                 | GHS - New Zealand                           | Pyrophoric solids category 1   |
| PHY                 | GHS - New Zealand                           | Self-heating substances and mixtures category 1  |
| PHY                 | GHS - New Zealand                           | Substances and mixtures which, in contact with water, emit flammable gases category 1  |
| PHY                 | GHS - Australia                             | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1  |
| AQU                 | GHS - Japan                                 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU                 | GHS - Japan                                 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU                 | GHS - Australia                             | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                        | NOTIFICATION   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)       | GSPI - Six Classes of Problematic Chemicals<br>Antimicrobials  |

SUBSTANCE NOTES: ingredient in the metallic costing.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:30**%: **0.0000 - 1.5000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE  | LIST NAME AND SOURCE                                    | WARNINGS  |
|--|---|---|
| END  | TEDX - Potential Endocrine Disruptors                   | Potential Endocrine Disruptor   |
| MUL  | German FEA - Substances Hazardous to Waters             | Class 2 - Hazard to Waters  |
| REP  | GHS - Japan   | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM  | GHS - Japan   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM  | GHS - Australia   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM  | GHS - Japan   | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU  | GHS - New Zealand                                       | Hazardous to the aquatic environment - chronic category 3   |
| ADDITIONAL LISTINGS                                      | LIST NAME AND SOURCE                                    | NOTIFICATION  |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials      |
| RESTRICTED LIST  | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                                    |
| SUBSTANCE NOTES: Alloy used in the manufacture of steel. |   |   |

## IRON, ELEMENTAL

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:30**%: **0.0000 - 0.8000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE   | LIST NAME AND SOURCE                  | WARNINGS                                     |
|---|---------------------------------------|--|
| END   | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                |
| ADDITIONAL LISTINGS                                       | LIST NAME AND SOURCE                  | NOTIFICATION                                 |
| None found  |                                       | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: Ingredient used in the metallic coating. |                                       |  |

**CARBON**

ID: 7440-44-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:28**%: **0.0000 - 0.6000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION  |
|---------------------|---------------------------------------|---|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals<br>Antimicrobials |

SUBSTANCE NOTES: Alloy used in manufacture of steel.

**SILICON, ELEMENTAL**

ID: 7440-21-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:29**%: **0.0000 - 0.6000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

**COPPER**

ID: 7440-50-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:30**%: **0.0000 - 0.5000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE         | LIST NAME AND SOURCE                                     | WARNINGS   |
|---------------------|--|--|
| GEN                 | GHS - New Zealand  | Germ cell mutagenicity category 1  |
| EYE                 | GHS - New Zealand  | Eye irritation category 2  |
| MAM                 | GHS - Japan  | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]                                     |
| SKI                 | GHS - New Zealand  | Skin sensitisation category 1  |
| MAM                 | GHS - New Zealand  | Acute inhalation toxicity category 2   |
| MAM                 | GHS - New Zealand  | Acute oral toxicity category 2   |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - acute category 1  |
| AQU                 | GHS - New Zealand  | Hazardous to the aquatic environment - chronic category 2  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
| RESTRICTED LIST     | Perkins+Will (P+W)                                       | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                    | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Alloy used in manufacture of steel.

## CALCIUM

ID: 7440-70-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:31**

#: **0.0000 - 0.1000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**



| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS  |
|---------------------|----------------------|---|
| SKI                 | GHS - New Zealand    | Skin irritation category 2  |
| EYE                 | GHS - New Zealand    | Eye irritation category 2   |
| PHY                 | GHS - Japan          | H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2] |
| EYE                 | GHS - Japan          | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]   |
| SKI                 | GHS - Japan          | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]   |
| PHY                 | GHS - Japan          | H250 - Catches fire spontaneously if exposed to air [Pyrophoric solids - Category 1]  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION  |
| None found          |                      | No listings found on Additional Hazard Lists  |

SUBSTANCE NOTES: Alloy used in manufacture of steel.

## ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:32**

%: **0.0000 - 0.0550** GreenScreen: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS  |
|-------------|---------------------------------------|---|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| MAM         | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| PHY         | GHS - New Zealand                     | Flammable solids category 1   |
| MAM         | GHS - Japan                           | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| PHY         | GHS - Japan                           | H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]             |
| PHY         | GHS - Malaysia                        | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]  |
| PHY         | GHS - Australia                       | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]  |
| PHY         | GHS - New Zealand                     | Pyrophoric solids category 1  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
|---------------------|--|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Ingredient in the metallic coating to prevent corrosion.

### STEEL CAM

%: 0.0100 - 0.5000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Steel screw driver cam, torx head cam, hex head cam, spanner head and knob cam are steel cams with zinc finish.

### IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2023-02-27 9:12:28

%: 97.0000 - 99.0000      GreenScreen: LT-P1      RC: UNK      NANO: No      SUBSTANCE ROLE: Structure component

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS                      |
|-------------|---------------------------------------|-------------------------------|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Main ingredient in steel cam.

### MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2023-02-27 9:12:29

%: 0.0000 - 2.0000      GreenScreen: LT-P1      RC: UNK      NANO: No      SUBSTANCE ROLE: Alloy element

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| END         | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor   |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| REP         | GHS - Japan                                 | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 3   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
|---------------------|--|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Ingredient used to manufacture steel.

## ZINC, ELEMENTAL

ID: 7440-66-6

|   |  |
|---|--|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>  | HAZARD SCREENING DATE: <b>2023-02-27 9:12:30</b> |
| %: <b>1.0000 - 2.0000</b> GreenScreen: <b>LT-P1</b> RC: <b>UNK</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Corrosion inhibitor</b> |  |

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS   |
|-------------|---|--|
| END         | TEDX - Potential Endocrine Disruptors       | Potential Endocrine Disruptor  |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters   |
| PHY         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| PHY         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY         | GHS - Australia                             | H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]   |
| PHY         | GHS - New Zealand                           | Pyrophoric solids category 1   |
| PHY         | GHS - New Zealand                           | Self-heating substances and mixtures category 1  |
| PHY         | GHS - New Zealand                           | Substances and mixtures which, in contact with water, emit flammable gases category 1  |
| PHY         | GHS - Australia                             | H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1] |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1  |
| AQU         | GHS - Japan                                 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]  |
| AQU         | GHS - Japan                                 | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU         | GHS - Australia                             | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]  |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes of Problematic Chemicals<br><br>Antimicrobials  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |

SUBSTANCE NOTES: Increases corrosion resistance.

## CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:31**

%: **0.0000 - 1.0000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

| HAZARD TYPE | LIST NAME AND SOURCE                  | WARNINGS  |
|-------------|---------------------------------------|---|
| END         | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| SKI         | MAK                                   | Sensitizing Substance Sh - Danger of skin sensitization   |
| GEN         | GHS - Japan                           | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]                                   |
| REP         | GHS - New Zealand                     | Reproductive toxicity category 2  |
| MAM         | GHS - Japan                           | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products                |

SUBSTANCE NOTES: Alloy used to manufacture steel.

## NICKEL

ID: 7440-02-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-27 9:12:32**

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS  |
|-------------|---|---|
| CAN         | US CDC - Occupational Carcinogens           | Occupational Carcinogen   |
| CAN         | MAK   | Carcinogen Group 1 - Substances that cause cancer in man  |
| CAN         | IARC  | Group 1 - Agent is Carcinogenic to humans   |
| CAN         | CA EPA - Prop 65                            | Carcinogen  |
| CAN         | US NIH - Report on Carcinogens              | Known to be a human Carcinogen  |
| CAN         | IARC  | Group 2b - Possibly carcinogenic to humans  |
| CAN         | US NIH - Report on Carcinogens              | Reasonably Anticipated to be Human Carcinogen   |
| RES         | MAK   | Sensitizing Substance Sah - Danger of airway & skin sensitization   |
| MUL         | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters  |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| CAN         | GHS - New Zealand                           | Carcinogenicity category 2  |
| CAN         | GHS - Japan                                 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM         | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                             | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - Japan                                 | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| CAN         | EU - Annex VI CMRs                          | Carcinogen Category 2 - Suspected human Carcinogen  |
| SKI         | GHS - New Zealand                           | Skin sensitisation category 1   |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - acute category 1   |
| AQU         | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 1   |
| CAN         | GHS - Australia                             | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION   |
|---------------------|--|--|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                    | GSPI - Six Classes of Problematic Chemicals<br><br>Certain Metals  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Footwear, Apparel & Jewelry Products              |

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

## MOLYBDENUM

ID: 7439-98-7

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            | HAZARD SCREENING DATE: <b>2023-02-27 9:12:29</b>                         |                 |                                      |
|--|----------------------------|--|-----------------|--------------------------------------|
| #: <b>0.0000 - 0.6000</b>  | GreenScreen: <b>LT-UNK</b> | RC: <b>UNK</b>   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Alloy element</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE       | WARNINGS   |                 |                                      |
| SKI  | GHS - Japan                | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |                 |                                      |
| REP  | GHS - New Zealand          | Reproductive toxicity category 2   |                 |                                      |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE       | NOTIFICATION   |                 |                                      |
| None found   |                            | No listings found on Additional Hazard Lists                             |                 |                                      |

SUBSTANCE NOTES: Used in the manufacture of steel.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

VOC content data is not applicable for this product category

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2021-06-25

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: None

EXPIRY DATE: 2024-06-25

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### SCREWS

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Fastner

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Product can be installed with #10 sheet metal screws. Provided by others.

## Section 5: General Notes

This HPD covers Activar Construction Products Group - JL Industries multi-purpose access doors 9TM, 9TMW, 9TMP, 9TME, 9TMG, and 9TMS. Recycled Content: Steel- 23.5% post-consumer, 6.5% pre-consumer. Stainless steel - 44% post-consumer, 16% pre-consumer. Galvanneal steel - 29.8% post-consumer, 14.4% pre-consumer.



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Activar Construction Products Group  
**ADDRESS:** 9702 Newton Avenue  
 Bloomington Minnesota 55431, United States  
**WEBSITE:** <http://www.activexcp.com/>

**CONTACT NAME:** Lisa K Hyatt  
**TITLE:** Communications Specialist  
**PHONE:** 9528371276  
**EMAIL:** [lkhyatt@activex.com](mailto:lkhyatt@activex.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

|                                       |   |  |
|---------------------------------------|---|--|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |  |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |  |

**GreenScreen (GS)**

|   |  |
|---|--|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |  |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*