



**Johns Manville**

10100 W. Ute Avenue (80127)  
 P.O. Box 625005  
 Littleton, CO 80162-5005  
 303 978 2000  
 www.jm.com

*A Berkshire Hathaway Company*

Climate Pro B7600 Extended Coverage Chart					
30lb Nominal Bag Weight					
R-Value	Minimum Installed Thickness (inches)	Settled Thickness (inches)	Bags Per 1,000 Sq. Ft.	Maximum Net Coverage (sq.ft./bag)	Minimum Weight (lbs./sq.ft.)
To obtain insulation resistance of:	Installed insulaiton shall not be less than:	Installed insulaiton shall not be less than:	Number of bags per 1,000 SQ FT of net area should not be less than:	Contents of the bag shall not cover more than:	Weight should not be less than:
11	4.2	4.2	4.8	208	0.144
12	4.5	4.5	5.2	191	0.157
13	4.9	4.9	5.7	176	0.171
14	5.3	5.3	6.1	163	0.184
15	5.6	5.6	6.6	152	0.198
16	6.0	6.0	7.0	142	0.211
17	6.3	6.3	7.5	133	0.225
18	6.7	6.7	8.0	126	0.239
19	7.0	7.0	8.4	119	0.253
20	7.4	7.4	8.9	112	0.267
21	7.7	7.7	9.4	107	0.281
22	8.1	8.1	9.8	102	0.295
23	8.4	8.4	10.3	97	0.309
24	8.7	8.7	10.8	93	0.323
25	9.1	9.1	11.3	89	0.338
26	9.4	9.4	11.7	85	0.352
27	9.8	9.8	12.2	82	0.367
28	10.1	10.1	12.7	79	0.381
29	10.4	10.4	13.2	76	0.396
30	10.8	10.8	13.7	73	0.411
31	11.1	11.1	14.2	71	0.425
32	11.4	11.4	14.7	68	0.440
33	11.8	11.8	15.2	66	0.455
34	12.1	12.1	15.7	64	0.470
35	12.4	12.4	16.2	62	0.485
36	12.7	12.7	16.7	60	0.500
37	13.1	13.1	17.2	58	0.515
38	13.4	13.4	17.7	57	0.531
39	13.7	13.7	18.2	55	0.546
40	14.0	14.0	18.7	53	0.561
41	14.4	14.4	19.2	52	0.577
42	14.7	14.7	19.7	51	0.592
43	15.0	15.0	20.2	49	0.607
44	15.3	15.3	20.8	48	0.623
45	15.6	15.6	21.3	47	0.639
46	15.9	15.9	21.8	46	0.654
47	16.3	16.3	22.3	45	0.670
48	16.6	16.6	22.8	44	0.685
49	16.9	16.9	23.4	43	0.701
50	17.2	17.2	23.9	42	0.717
51	17.5	17.5	24.4	41	0.733
52	17.8	17.8	25.0	40	0.749
53	18.1	18.1	25.5	39	0.764
54	18.4	18.4	26.0	38	0.780
55	18.7	18.7	26.5	38	0.796
56	19.0	19.0	27.1	37	0.812
57	19.3	19.3	27.6	36	0.828
58	19.6	19.6	28.1	36	0.844
59	19.9	19.9	28.7	35	0.860
60	20.2	20.2	29.2	34	0.876