



BITUMINOUS

PRODUCT REFERENCE GUIDE

TABLE OF CONTENTS

SBS HOT/COLD APPLIED BASE SHEET DynaBase® DynaBase® PR DynaLastic® 180 S DynaLastic® 250 S DynaPly® T1 4	HEAT-WELDED BASE SHEET DynaBase® HW DynaWeld™ Base DynaWeld™ 180 S 9	APP BASE SHEET APPeX® 4S JM APP™ Base Sheet TRICOR™ S BICOR S JM APP™ Base Plus 16
CAP SHEET DynaGlas® DynaGlas® FR DynaGlas® FR CR G DynaLastic® 180 DynaLastic® 180 FR DynaLastic® 180 FR CR G 5	CAP SHEET DynaWeld™ Cap DynaWeld™ Cap FR DynaWeld™ Cap FR CR G DynaWeld™ Cap 180 DynaWeld™ Cap 180 FR DynaWeld™ Cap 180 FR CR G 10	CAP SHEET APPeX® 4.5M APPeX® 4.5M FR APPeX® 4.5M CR G APPeX® 4.5M FR CR G 17
DynaLastic® 250 DynaLastic® 250 FR DynaLastic® 250 FR CR G DynaKap® T1 DynaKap® FR T1 DynaKap® FR T1 CR G 6	DynaWeld™ Cap 250 DynaWeld™ Cap 250 FR DynaWeld™ Cap 250 FR CR G DynaKap® FR T1 HW DynaKap® FR T1 HW CR G 11	TRICOR™ M FR TRICOR™ M FR CR G BICOR M FR 18
FLASHING DynaFlex® DynaFlex® CR G DynaClad® 7	SELF-ADHERED BASE SHEET DynaGrip® Base SA/SA DynaGrip® Base SD/SA DynaGrip® Base PR SD/SA DynaGrip® Base PR SA/SA DynaGrip® Base PR P/SA 12	BUILT-UP ROOFING PermaPly® 28 GasPly® IV GasPly® Premier GlasBase® Plus Ventsulation® Felt GlasTite® Flexible 20
MECHANICALLY FASTENED BASE SHEET DynaFast® 180 S DynaFast® 180 HW DynaFast® 250 HW 8	CAP SHEET DynaGrip® Cap DynaGrip® Cap PR 13	GlasKap® GlasKap® Plus GlasKap® CR G 21
	VAPOR RETARDERS JM Vapor Barrier SA JM Vapor Barrier SAR 14	ACCESSORIES MBR® Bonding Adhesive Activator MBR® Bonding Adhesive Base MBR® Cold Application Adhesive DynaSet 1K Adhesive Asphalt Primer 23
		DynaTred® Roof Walkway DynaTred® Plus Roof Walkway PermaFlash® System 1-Part PermaFlash® CR G Granules Granules 24



SBS

styrene-butadiene-styrene modified bitumen With over three decades of experience producing modified bitumen, we understand the science of formulating systems that last. Our SBS is a premium modified bitumen engineered specifically for elasticity and high performance. It is made to withstand even the harshest environments. Multi-ply SBS systems are the most customizable of our low slope commercial roofing offerings, with glass, polyester and composite reinforcements. It can be installed with the widest variety of application methods, including cold applied, heat weld, self-adhered, mechanically fastened and hot applied applications.

HOT/COLD APPLIED SBS BASE SHEET



Component

M
Membrane
Multi-Ply
Single Ply

Type

BS
Base Sheet

PS
Ply Sheet

DynaBase®




Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90001280



Component

M
Membrane
Multi-Ply
Single Ply

Type

BS
Base Sheet

PS
Ply Sheet

DynaBase® PR




Polyester-reinforced SBS base or ply sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90001284



Component

M
Membrane
Multi-Ply
Single Ply

Type

BS
Base Sheet

PS
Ply Sheet

DynaLastic® 180 S




Polyester-reinforced SBS base or ply sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001364



Component

M
Membrane
Multi-Ply
Single Ply

Type

BS
Base Sheet

FL
Flashing

PS
Ply Sheet

DynaLastic® 250 S




Premium, heavy-duty polyester-reinforced SBS base or ply sheet.

ASTM D 6164, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001366



Component

M
Membrane
Multi-Ply
Single Ply

Type

BS
Base Sheet

PS
Ply Sheet

DynaPly® T1




Premium fiber glass/polyester combination reinforced SBS base or ply sheet.

ASTM D 6162, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001382

HOT/COLD APPLIED SBS CAP SHEET



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

DynaGlas®




Fiber glass-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001306



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet


DynaGlas® FR




Fire-retardant, fiber glass-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001337



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

DynaGlas® FR CR G




Fire-retardant, fiber glass-reinforced, SBS reflective mineral-surfaced, cool roof cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90038714



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaLastic® 180




Polyester-reinforced, SBS, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001314



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing


DynaLastic® 180 FR




Fire-retardant, polyester-reinforced, SBS, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001352



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaLastic® 180 FR CR G




Fire-retardant, polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90038718

HOT/COLD APPLIED SBS CAP SHEET



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaLastic® 250




Premium, heavy-duty polyester-reinforced, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001317



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing


DynaLastic® 250 FR




Fire-retardant, premium, heavy-duty polyester-reinforced mineral-surfaced cap or flashing sheet

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001354



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaLastic® 250 FR CR G




Fire-retardant, premium, heavy-duty polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90038719



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaKap® T1




Premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001302



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing


DynaKap® FR T1




Fire-retardant, premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001333



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaKap® FR T1 CR G




Fire-retardant, premium fiber glass/polyester combination-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90038716



Component

M
Membrane

Multi-Ply

Type

FL
Flashing

DynaFlex®



Composite-reinforced, SBS mineral-surfaced flashing sheet.

ASTM D 6221, Type I

SIZE

36" × 25' (0.91 m × 7.62 m)

SKU

90001373



Component

M
Membrane

Multi-Ply

Type

FL
Flashing

DynaFlex® CR G



Composite-reinforced, SBS reflective mineral-surfaced, cool roof flashing sheet.


ASTM D 6221, Type I

SIZE

36" × 25' (0.91 m × 7.62 m)

SKU

90038726



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaClad®



Fiber glass-reinforced, SBS aluminum foil-surfaced cap or flashing sheet.

ASTM D 6298


SIZE

39 3/8" × 32' 10" (1 m × 10.01 m)

SKU

70000336

MECHANICALLY FASTENED SBS BASE SHEET



Component	M Membrane
	Multi-Ply Single Ply
Type	BS Base Sheet
	FL Flashing
	PS Ply Sheet

DynaFast® 180 S



Polyester reinforced SBS base sheet for use in mechanically fastened systems.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90015888



Component	M Membrane
	Multi-Ply
Type	BS Base Sheet
	PS Ply Sheet

DynaFast® 180 HW




Polyester-reinforced SBS base or ply sheet for use in mechanically fastened systems.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 15 m)	90015889



Component	M Membrane
	Multi-Ply Single Ply
Type	BS Base Sheet
	PS Ply Sheet

DynaFast® 250 HW




Premium, heavy-duty polyester-reinforced SBS base or ply sheet for use in mechanically fastened systems.

ASTM D 6164, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90015890

HEAT-WELDED SBS BASE SHEET



Component

M

Membrane

Multi-Ply

Type

BS

Base Sheet

PS

Ply Sheet

DynaBase® HW



Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE

39 3/8" × 49' 2" (1 m × 14.99 m)

SKU

90012352



Component

M

Membrane

Multi-Ply

Type

BS

Base Sheet

FL

Flashing

PS

Ply Sheet

DynaWeld™ Base



Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE

39 3/8" × 32' 10" (1 m × 10 m)

SKU

90001282



Component

M

Membrane

Multi-Ply

Type

BS

Base Sheet

PS

Ply Sheet

DynaWeld™ 180 S



Polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade S

SIZE

39 3/8" × 32' 10" (1 m × 10 m)

SKU

90001363



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaWeld™ Cap



Fiber glass-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001311



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaWeld™ Cap FR



Fire-retardant, fiber glass-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001345



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaWeld™ Cap FR CR G



Fire-retardant, fiber glass-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90038724



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaWeld™ Cap 180



Polyester-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001278



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaWeld™ Cap 180 FR



Fire-retardant, polyester-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001349



Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

DynaWeld™ Cap 180 FR CR G



Fire-retardant, polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90038722


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

DynaWeld™ Cap 250



Premium, heavy-duty polyester-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6164, Type II, Grade G

SIZE

39 3/8" × 32' 10" (1 m × 10 m)

SKU

90001445


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

DynaWeld™ Cap 250 FR



Fire-retardant, premium, heavy-duty polyester-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6164, Type II, Grade G

SIZE

39 3/8" × 32' 10" (1 m × 10 m)

SKU

90001348


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

DynaWeld™ Cap 250 FR CR G



Fire-retardant, premium, heavy-duty polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE

39 3/8" × 32' 10" (1 m × 10 m)

SKU

90038723


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

DynaKap® FR T1 HW



Premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6162, Type I, Grade G

SIZE

39 3/8" × 32' 10" (1 m × 10 m)

SKU

90001944


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

DynaKap® FR T1 HW CR G



Premium fiber glass/polyester combination-reinforced mineral-surfaced cap sheet in a variety of multi-ply roofing systems.

ASTM D 6162, Type I, Grade G

SIZE

39 3/8" × 32' 10" (1 m × 10 m)

SKU

90038717



Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

DynaGrip® Base SA/SA



Self-adhering fiber glass-reinforced SBS base sheet for use with self-adhering cap products.

ASTM D 4601

SIZE

39 3/8" × 65' 7" (1 m × 19.99 m)

SKU

90001286



Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

DynaGrip® Base SD/SA



Self-adhering, fiber glass-reinforced SBS base sheet.

ASTM D 4601

SIZE

39 3/8" × 65' 7" (1 m × 19.99 m)

SKU

90001287



Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

DynaGrip® Base PR SD/SA



Self-adhering, polyester-reinforced, SBS base sheet.


ASTM D 6164, Type I, Grade S

SIZE

39 3/8" × 49' 2" (1 m × 14.99 m)

SKU

90029379



Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

DynaGrip® Base PR SA/SA



Self-adhering polyester-reinforced, SBS base sheet for use with self-adhering cap products.

ASTM D 6164, Type I, Grade S

SIZE

39 3/8" × 49' 2" (1 m × 14.99 m)

SKU

90029380



Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

DynaGrip® Base PR P/SA



Polyolefin burn-off film, top/self-adhering bottom, polyester-reinforced, SBS base sheet.

ASTM D 6164, Type I, Grade S

SIZE

39 3/8" × 49' 2" (1 m × 14.99 m)

SKU

90029381



Component

M

Membrane

Multi-Ply

Type

CS

Cap Sheet

DynaGrip® Cap



Self-Adhered

Self-adhering, fiber glass-reinforced SBS mineral-surfaced cap sheet.

SIZE

39 3/8" × 32' 10" (1 m × 10.01 m)

SKU

90001324



Component

M

Membrane

Multi-Ply

Type

CS

Cap Sheet

DynaGrip® Cap PR



Self-Adhered


Self-adhering, polyester-reinforced, SBS mineral-surfaced cap sheet.

SIZE

39 3/8" × 32' 10" (1 m × 10.01 m)

SKU

90029382



Component

M

Membrane

Multi-Ply

Type

PT


Protection

JM Vapor Barrier SA



Polyethylene-surfaced, self-adhering SBS vapor barrier.

SIZE	SKU
45" × 134' (1 m × 40.8 m)	70001673



Component

M

Membrane

Multi-Ply

Type

PT

Protection

JM Vapor Barrier SAR



Fiber glass-reinforced, polyethylene-surfaced, self-adhering SBS vapor barrier.

SIZE	SKU
39 3/8" × 105' (1 m × 32 m)	90029573



APP

atactic polypropylene modified bitumen APP is tough and economical like a thermoplastic, with the proven waterproofing of asphalt. Our APP is formulated with a premium-grade asphalt with nonwoven polyester, glass fiber or combination reinforcements, exhibiting tremendous strength and weatherability. Choose from a selection of color options so that you can have a long-lasting, beautiful roof.

Component

M
Membrane

Multi-Ply

Type

CS
Cap Sheet

FL
Flashing

PS
Ply Sheet

APPeX® 4S

Heat Weld

Premium polyester-reinforced, APP smooth-surfaced cap or ply sheet.

ASTM D 6222, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90023440

Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

PS
Ply Sheet

JM APP™ Base Sheet

Cold Applied

Heat Weld

Fiber glass-reinforced APP base or ply sheet.

ASTM D 6509

SIZE	SKU
39 3/8" × 49' 3" (1 m × 15 m)	90001210

Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

PS
Ply Sheet

TRICOR™ S

Cold Applied

Heat Weld

Premium fiber glass/polyester combination-reinforced APP smooth-surfaced base or ply sheet.

ASTM D 6223, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001253

Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

PS
Ply Sheet

BICOR S

Cold Applied

Heat Weld

Premium, fiber glass/polyester combination-reinforced, APP smooth base or ply sheet.

ASTM D 6223, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001252

Component

M
Membrane

Multi-Ply

Type

BS
Base Sheet

PS
Ply Sheet

JM APP™ Base Plus

Cold Applied

Heat Weld

Premium fiber glass-reinforced, APP base or ply sheet.

ASTM D 6509

SIZE	SKU
39 3/8" × 49' 3" (1 m × 15 m)	90012656


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

APPeX® 4.5M



Premium polyester-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001222
39 3/8" × 32' 10" (1 m × 10.01 m)	Black	90001217


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

APPeX® 4.5M FR



Premium fire-retardant, polyester-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001238


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

APPeX® 4.5M CR G



Premium polyester-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90038728


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing


APPeX® 4.5M FR CR G



Premium fire-retardant, polyester-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90038722


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

TRICOR™ M FR



Premium fire-retardant, fiber glass/polyester combination-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6223, Type II, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001244


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing


TRICOR™ M FR CR G



Premium, fire-retardant, fiber glass/polyester combination-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6223, Type II, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90038734


Component
M

Membrane

Multi-Ply

Type
CS

Cap Sheet

FL

Flashing

BICOR M FR



Fire-retardant, fiber glass/polyester-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6223, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001245



BUILT-UP ROOFING

We pioneered built-up roofing systems in America more than 165 years ago. Our highly reliable waterproof membrane is field-fabricated with layers of bitumen, alternating with plies of reinforcing felts to give you a proven, redundant system.


Component
M

Membrane

 Multi-Ply
Single Ply

Type
BS

Base Sheet

PS

Ply Sheet

PermaPly® 28


 Mechanically
Fastened


Cold Applied

Fiber glass-reinforced, asphalt-coated lightweight base sheet.

ASTM D 4601, Type II

SIZE

36" × 106' (914 mm × 32.31 m)

SKU

90001258


Component
M

Membrane

 Multi-Ply
Single Ply

Type
PS

Ply Sheet

GlasPly® IV



Fiber glass-reinforced, asphalt-coated ply sheet IV.

ASTM D 2178, Type IV

SIZE

36" × 177' (914 mm × 53.95 m)

SKU

90001269


Component
M

Membrane

 Multi-Ply
Single Ply

Type
PS

Ply Sheet

GlasPly® Premier



Premium fiber glass-reinforced, asphalt-coated ply sheet VI.

ASTM D 2178, Type VI

SIZE

36" × 177' (914 mm × 53.95 m)

SKU

90001270


Component
M

Membrane

 Multi-Ply
Single Ply

Type
BS

Base Sheet

PS

Ply Sheet

GlasBase® Plus


 Mechanically
Fastened


Cold Applied

Fiber glass-reinforced, SBS modified bitumen base or ply sheet.

ASTM D 4601, Type II

SIZE

39 3/8" × 49' 2" (1 m × 14.99 m)

SKU

90001259


Component
M

Membrane

 Multi-Ply
Single Ply

Type
BS

Base Sheet

Ventsulation® Felt



Fiber glass-reinforced, asphalt-coated venting base sheet.


ASTM D 4897, Type II

SIZE

36" × 36' (914 mm × 10.97 m)

SKU

90001257


Component
M

Membrane

 Multi-Ply
Single Ply

Type
BS

Base Sheet

FL

Flashing

PS

Ply Sheet

GlasTite® Flexible


 Mechanically
Fastened


Cold Applied

Polyester/fiber glass-reinforced, asphalt-coated base, ply or flashing sheet.

ASTM D 4601, Type II

SIZE

36" × 50' (914 mm × 15.24 m)

SKU

90001268


Component
M
Membrane

Multi-Ply

Type
CS
Cap Sheet

GlasKap®



Fiber glass-reinforced, mineral-surfaced cap sheet.


ASTM D 3909

SIZE

36" × 36' (914 mm × 10.97 m)

SKU

90001266


Component
M
Membrane

Multi-Ply

Type
CS
Cap Sheet

GlasKap® Plus



Fiber glass-reinforced, SBS modified bitumen, mineral-surfaced cap sheet.

ASTM D 3909

SIZE

36" × 36' (914 mm × 10.97 m)

SKU

90001267


Component
M
Membrane

Multi-Ply

Type
CS
Cap Sheet

FL
Flashing

GlasKap® CR G



Fiber glass-reinforced, BUR reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 3909

SIZE

36" × 36' (914 mm × 10.97 m)

SKU

90029432



ACCESSORIES

Component

AD
Adhesive

Multi-Ply
Single-Ply

Type

M
Membrane

B
Cover Board

I
Insulation

MBR® Bonding Adhesive Activator

Two-part, solvent-free, elastomeric cold-application adhesive for installing SBS modified bitumen roof membranes.

SIZE	SKU
0.6 gal (2.3 L) jug	70004395

Component

AD
Adhesive

Multi-Ply
Single-Ply

Type

M
Membrane

B
Cover Board

I
Insulation

MBR® Bonding Adhesive Base

Two-part, solvent-free, elastomeric cold-application adhesive for installing SBS modified bitumen roof membranes.

SIZE	SKU
4.4 gal (16.7 L) pail	70000028

Component

AD
Adhesive

Multi-Ply

Type

M
Membrane

MBR® Cold Application Adhesive

Elastomeric cold-application adhesive for installing SBS and APP modified bitumen membranes.

ASTM D 3019, Type III, Grade 2

SIZE	SKU
4.7 gal (17.8 L) pail	70000015

Component

AD
Adhesive

Multi-Ply

Type

M
Membrane

DynaSet 1K Adhesive

DynaSet 1K is a one-part, solvent-free, moisture-curing adhesive designed to install JM SBS membranes.

SIZE	SKU
5 gal (18.9 L) pail	70008101

Component

PR
Primer

Multi-Ply

Type


SU
Substrate

Asphalt Primer

One-part, specification-grade, penetrating priming solution for multiple substrates prior to the application of a bituminous roofing system.

ASTM D 41, Type II

SIZE	SKU
4.75 gal (17.9 L) pail	70000810



Component
M
Membrane
Multi-Ply
Type
PT
Protection

DynaTred® Roof Walkway



Preformed, skid-resistant roof protection pads consisting of modified asphalt, reinforcements and fillers with a ceramic granule surface on both sides. They are durable, resilient and maintenance-free.

SIZE	COLOR	THICKNESS	SKU
32" × 32" (81.3 cm × 81.3 cm)	Black / White	1/4"	90000657
32" × 32" (81.3 cm × 81.3 cm)	White / White	1/4"	90000658



Component
M
Membrane
Multi-Ply
Type
PT
Protection

DynaTred® Plus Roof Walkway




Preformed, skid-resistant roof protection pads consisting of modified asphalt, reinforcements and fillers with a ceramic granule surface on both sides. They are durable, resilient and maintenance-free.

SIZE	COLOR	THICKNESS	SKU
32" × 32" (81.3 cm × 81.3 cm)	Black / White	1/3"	90000656



Component
L
Liquid
Multi-Ply
Type
FL
Flashing

PermaFlash® System



Liquid-applied system that can accommodate the most challenging penetration shapes.

SIZE	SKU
4 - 28.7 oz gal (848.8 ml) cartridges 1 roll - 12' (305 mm) × 20' (6.09 m) scrim 1 - 32 oz (946 ml) bottle of primer	70004152



Component
L
Liquid
Multi-Ply
Type
FL
Flashing

1-Part PermaFlash®



1-Part PermaFlash is a one-part, elastomeric, liquid-applied flashing material designed for flashing penetrations on granulated JM bituminous membranes.

SIZE	SKU
2 - 1 gal (3.8 l) pails	70008208
5 gal (19 l) pail	70008209



Component
ST
Surface
Treatment
Multi-Ply
Type
PT
Protection

CR G Granules




Reflective Roofing Granules: Bright white granules specifically designed for high reflectivity and durability.

SIZE	COLOR	SKU
41 lb (18.6 kg) bag	White	90038737



Component
ST
Surface
Treatment
Multi-Ply
Type
PT
Protection

Granules



Ceramic-Coated Roofing Granules: Specifically engineered for optimal embedment in the bitumen. These granules are colored with durable pigments, bonded in a ceramic matrix and treated to promote excellent long-term adhesion.

SIZE	COLOR	SKU
50 lb (22.68 kg) bag	White	90029701
50 lb (22.68 kg) bag	Black	90029702



717 17th St.
Denver, CO 80202
(800) 922-5922
www.jm.com/roofing

@JohnsManvilleRoofing



@JMRoofingSystem



JohnsManvilleRoofingSystems



Johns Manville Commercial
Roofing Systems



Above It All

