

Fastener Placement

4 x 4 Ft. (1.2 x 1.2 m) Boards

Factory Mutual Fastener Density 4' x 4' Board


- Choose the density required by the FM Approval Guide.
- Diagram shows number of fasteners required per board in field, perimeter (field + 50%) and corner (field + 75%).

	1 Fastener per 1.33 Sq. Ft.	
12 Fasteners/Bd	18 Fasteners/Bd	21 Fasteners/E
Field	Perimeter	Corner
	1 Fastener per 1.45 Sq. Ft.	
11 Fasteners/Bd	17 Fasteners/Bd	20 Fasteners/E
Field	Perimeter	Corner
	1 Fastener per 2 Sq. Ft.	
8 Fasteners/Bd	12 Fasteners/Bd	14 Fasteners/E
Field	Perimeter	Corner
	1 Fastener per 2.67 Sq. Ft.	
6 Fasteners/Bd	9 Fasteners/Bd	11 Fasteners/E
Field	Perimeter	Corner
	1 Fastener per 3.2 Sq. Ft.	
5 Fasteners/Bd	8 Fasteners/Bd	9 Fasteners/E
Field	Perimeter	Corner
	1 Fastener per 4 Sq. Ft.	
4 Fasteners/Bd	6 Fasteners/Bd	7 Fasteners/E
Field	Perimeter	Corner




Fastener Placement


4 x 4 Ft. (1.2 x 1.2 m) Boards





4 Fasts / bd.




5 Fasts / bd.








8 Fasts / bd.









Roof Insulations

Fastener Placement


4 x 4 Ft. (1.2 x 1.2 m) Boards Continued



14 Fasts / bd.



17 Fasts / bd.



6 in. 12 in. 12 in. 6 in.

6 in.

12 in.

+ + + + +

12 in.

+ + + + +

12 in.

6 in.

+ + + + +


+ + + +

+ + + +

12 in.

6 in.

20 Fasts / bd.



22 Fasts / bd.