



Fastener Placement

4 x 8 Ft. (1.2 x 2.4 m) Boards

Factory Mutual Fastener Density 4' x 8' Board

- Choose the density required by the FM Approval Guide.
- Diagram shows number of fasteners required per board in field, perimeter (field + 50%) and corner (field + 75%).

1 Fastener per 1.33 Sq. Ft.

24
Fasteners/Bd

Field

36
Fasteners/Bd

Perimeter

42
Fasteners/Bd

Corner

1 Fastener per 1.45 Sq. Ft.

22
Fasteners/Bd

Field

33
Fasteners/Bd

Perimeter

39
Fasteners/Bd

Corner

1 Fastener per 2 Sq. Ft.

16
Fasteners/Bd

Field

24
Fasteners/Bd

Perimeter

28
Fasteners/Bd

Corner

1 Fastener per 2.67 Sq. Ft.

12
Fasteners/Bd

Field

18
Fasteners/Bd

Perimeter

21
Fasteners/Bd

Corner

1 Fastener per 2.9 Sq. Ft.

11
Fasteners/Bd

Field

18
Fasteners/Bd

Perimeter

20
Fasteners/Bd

Corner

1 Fastener per 3.2 Sq. Ft.

10
Fasteners/Bd

Field

15
Fasteners/Bd

Perimeter

18
Fasteners/Bd

Corner

1 Fastener per 4 Sq. Ft.

8
Fasteners/Bd

Field

12
Fasteners/Bd

Perimeter

14
Fasteners/Bd

Corner

1 Fastener per 5.33 Sq. Ft.

6
Fasteners/Bd

Field

9
Fasteners/Bd

Perimeter

11
Fasteners/Bd








Corner



Johns Manville

Fastener Placement







4 x 8 Ft. (1.2 x 2.4 m) Boards





Fastener Placement

4 x 8 Ft. (1.2 x 2.4 m) Boards Continued





Fastener Placement

4 x 8 Ft. (1.2 x 2.4 m) Boards Continued

