



1. Identification

Il Identification			
Product identifier	Earth Shield® VEN500 Part A Epoxy		
Other means of identification Synonyms	Bonding epoxy resin		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Company Name	J P Specialties, Inc.		
Address	25811 Jefferson Avenue		
	Murrieta, CA 92562		
	USA		
After hours telephone number	1-800-821-3559		
Normal work hours telephone number	1-800-821-3859		
Website	www.jpspecialties.com		
E-mail	jpspec@jpspecialties.com		
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887		
Information on operation hours	7:00 a.m. to 3:30 p.m.		

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
	Carcinogenicity	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	May cause cancer. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.
Response	Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BISPHENOL A-(EPICHLORHYDRIN) EPOXY RESIN		25068-38-6	40 - 50
CASHEW, NUTSHELL LIQ., GLYCIDYL ETHERS		171263-25-5	1-10
PHENOL-FORMALDEHYDE POLYME GLYCIDYL ETHER	R	28064-14-4	1-10
PROPRIETARY INGREDIENTS		N/A	< 2
Other components below reportable	e levels		50.51

4. First-aid measures

Table Inthe a	Many to Graduate Calles advantation if any strange development and any second
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
protective equipment and emergency procedures	

Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage,	Store in original tightly closed container.
including any	
incompatibilities	
8. Exposure controls/per	rsonal protection
Occupational exposure limits	This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
Individual protection measure	s, such as personal protective equipment
Eye/face protection	Wear safety glasses; chemical goggles (if splashing is possible).
Skin protection	
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.
Other	Wear suitable protective clothing.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
	_

9. Physical and chemical properties

Appearance		
Physical state	Liquid.	
Form	Liquid.	
Color	Not available.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	212 °F (100 °C) estimated	
Flash point	> 250.0 °F (> 121.1 °C) estimated	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	

Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	13.33 hPa estimated	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Density	12.00 lb/gal estimated	
Specific gravity	1.45 estimated	
10 Stability and reactive	+	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May be harmful if inhaled.
Skin contact	May cause an allergic skin reaction. Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological e	ffects
Acute toxicity	Not available.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	n
Respiratory sensitization	Not available.
Skin sensitization	May cause allergic skin disorders in sensitive individuals.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	May cause cancer.
Not listed.	Evaluation of Carcinogenicity ed Substances (29 CFR 1910.1001-1052)
5	rogram (NTP) Report on Carcinogens
Not listed.	
Material name: VEN500 part A	

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
12. Fools vised information	

12. Ecological information

toxicity The product contains a substance which is toxic to aquatic organisms.		is toxic to aquatic organisms.	
Product	Species Test Results		
VEN500 Part A Epoxy			
Aquatic			
Crustacea	EC50	Daphnia	6.2131 mg/l, 48 hours estimated
Fish	LC50	Fish	3.4519 mg/l, 96 hours estimated
Components		Species	Test Results
PHENOL-FORMALDEH	YDE POLYMER GLY	CIDYL ETHER (CAS 28064-14-4	4)
Aquatic			
Acute			
Fish	LC50	Fish	1 - 10 mg/l

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	Not known.

13. Disposal considerations

Disposal instructions	When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.


IMDG

NDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A-(EPICHLORHYDRIN) EPOXY RESIN, PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F

Special precautions for Not available. user

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

IMDG



Marine pollutant



15. Regulatory information

	-
US federal regulations	All components are on the U.S. EPA TSCA Inventory List.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Substa	nce List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency relea	se notification
Not regulated.	
	ed Substances (29 CFR 1910.1001-1052)
Not regulated.	
-	eauthorization Act of 1986 (SARA)
SARA 302 Extremely hazar	dous substance
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitization Carcinogenicity Hazard not otherwise classified (HNOC)
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Not regulated.	n 112 Hazardous Air Pollutants (HAPs) List n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
Material name: VEN500 part A	

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-29-2016
Revision date	08-10-2018
Version #	09
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Alternate Trade Names Hazard(s) identification: Response Hazard(s) identification: Prevention Hazard(s) identification: Hazard statement Composition / Information on Ingredients: Disclosure Overrides Physical & Chemical Properties: Multiple Properties Toxicological information: Chronic effects Ecological information: Other adverse effects Transport Information: Material Transportation Information Regulatory Information: United States

SAFETY DATA SHEET



1. Identification

Product identifier	Earth Shield [®] VEN500 Part B Hardener
Other means of identification	Bonding Epoxy Hardener
Recommended use	Not available.
Recommended restrictions	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Company Name	J P Specialties, Inc.
Address	25811 Jefferson Ave
	Murrieta, CA 92562
	USA
After hours telephone number	1-800-821-3859
Normal work hours telephone number	1-800-821-3859
Website	www.jpspecialties.com
E-mail	jpspec@jpspecialties.com
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887
Information on operation hours	7:00 a.m. to 3:30 p.m.

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1
	Reproductive toxicity (fertility, the unborn child)	Category 2
	Specific target organ toxicity, single exposure	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word Hazard statement Danger

Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement	
Prevention	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. In case of inadequate ventilation wear respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.
Response	IF ON SKIN: Wash with plenty of soap and water. Specific treatment see Section 4 of this SDS. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. IF INHALED: INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor.
Storage	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BENZYL ALCOHOL		100-51-6	0 - 40
[3-(aminoethyl)phenyl]methanamin e		1477-55-0	5 - < 10
PHENOL, 4-NONYL-, BRANCHED		84852-15-3	5 - < 10
3-AMINOPROPYLTRIETHOXYSILANE		919-30-2	1-10
ETHYLENEDIAMINE		107-15-3	0.27
Other components below reportable	levels		59.84

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.		
Eye contact	Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.		
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
6. Accidental release me	asures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.		
Conditions for safe storage,	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of		

8. Exposure controls/personal protection

Occupational exposure limits

including any

incompatibilities

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

the SDS).

Components	Туре	Value	
ETHYLENEDIAMINE (CAS 107-15-3)	PEL	25 mg/m3	
		10 ppm	
US. ACGIH Threshold Limit Valu	les		
Components	Туре	Value	
[3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
ETHYLENEDIAMINE (CAS 107-15-3)	TWA	10 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	
[3-(aminoethyl)phenyl]meth anamine (CAS 1477-55-0)	Ceiling	0.1 mg/m3	
ETHYLENEDIAMINE (CAS 107-15-3)	TWA	25 mg/m3	
		10 ppm	
US. AIHA Workplace Environme	ental Exposure Level (WEEL)	Guides	
Components	Туре	Value	
BENZYL ALCOHOL (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	
ogical limit values No	No biological exposure limits noted for the ingredient(s).		

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines			
US - California OELs: Skin	designation		
[3-(aminoethyl)phenyl]m US - Tennesse OELs: Skin	ethanamine (CAS 1477-55-0)	Can be absorbed through the skin.	
	-	Can be absorbed through the slip	
US ACGIH Threshold Limit	ethanamine (CAS 1477-55-0) Values: Skin designation	Can be absorbed through the skin.	
[3-(aminoethyl)phenyl]m	ethanamine (CAS 1477-55-0)	Can be absorbed through the skin.	
ETHYLENEDIAMINE (CAS		Can be absorbed through the skin.	
US NIOSH Pocket Guide to	Chemical Hazards: Skin des	signation	
[3-(aminoethyl)phenyl]m	ethanamine (CAS 1477-55-0)	Can be absorbed through the skin.	
Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses; chemical goggles (if splashing is possible).		
Skin protection	otection		
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.		
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Golden to Light Amber
Odor	Ammoniacal. Amine-like.
Odor threshold	Not available.
рН	Alkaline
Melting point/freezing point	4.64 °F (-15.2 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	> 199.4 °F (> 93.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	3 % estimated
Flammability limit - upper (%)	10 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Partial

Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	644 °F (340 °C) estimated	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Density	8.31 lb/gal estimated	
Specific gravity	1	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May be harmful if swallowed and enters airways. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	Irritating to skin.
Eye contact	Causes serious eye damage.
Ingestion	May be harmful if swallowed and enters airways.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results		
BENZYL ALCOHOL (CAS 100-51-6)				
Acute				
Dermal				
LD50	Rabbit	2000 mg/kg		
Oral				
LD50	Rat	1230 - 3100 mg/kg		
ETHYLENEDIAMINE (CAS 107-15-3	3)			
<u>Acute</u>				
Dermal				
LD50	Rabbit	730 mg/kg		
Oral				
LD50	Rat	500 mg/kg		
* Estimates for product may be based on additional component data not shown.				
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/eye irritation	Causes serious eye damage.			
Respiratory or skin sensitization				
Respiratory sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled			
Skin sensitization	Causes skin irritation. May cause allergic skin disorders in sensitive individuals.			

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the normal routes of exposure are unavailable.			
IARC Monographs. Overal	ll Evaluation o	of Carcinogenicity		
Not listed.				
US. National Toxicology P	rogram (NTP)) Report on Carcinogens		
Not listed.				
US. OSHA Specifically Reg Not regulated.	julated Substa	ances (29 CFR 1910.1001-1050)		
Reproductive toxicity	Suspected of	f damaging fertility or the unborn child.		
Specific target organ toxicity - single exposure	Skin Lungs. I	Nasal mucous membranes. Eyes.		
Specific target organ toxicity - repeated exposure	Skin. Respira	atory system.		
Aspiration hazard	Not available	2.		
12. Ecological information	on			
Ecotoxicity	The product	contains a substance which is toxic to aqua	tic organisms.	
Product		Species	Test Results	
VEN500 Series Part B Epoxy	Hardener			
Aquatic				
Crustacea	EC50	Daphnia	0.5477 mg/l, 48 hours estimated	
Fish	LC50	Fish	1.7856 mg/l, 96 hours estimated	
Components		Species	Test Results	
BENZYL ALCOHOL (CAS 100-	51-6)			
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours	
ETHYLENEDIAMINE (CAS 107 Aquatic	7-15-3)			
Fish	LC50	Fathead minnow (Pimephales promelas)	98.6 - 131.6 mg/l, 96 hours	
PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3)				
Aquatic				
Crustacea	EC50	Clam (Mulinia lateralis)	0.0379 mg/l, 48 hours	
Fish	LC50	Winter flounder (Pleuronectes americanus)	0.017 mg/l, 96 hours	
* Estimates for product may	be based on ad	lditional component data not shown.		
Persistence and degradability		vailable on the degradability of this product.		
Bioaccumulative potential	No data avai	lable.		
Partition coefficient n-oct	anol / water	(log Kow)		
BENZYL ALCOHOL ETHYLENEDIAMINE		1.1 -2.04, at pH 13		
Mobility in soil	No data available.			
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considerati	ons			
Disposal instructions	When this pr	roduct as supplied is to be discarded as was under 40 CFR 261.	te, it does not meet the definition of a	
Local disposal regulations	Dispose in a	Dispose in accordance with all applicable regulations.		
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		

Waste from residues / unused products		is material and		npty containers or liner lisposed of in a safe ma	rs may retain some product anner (see: Disposal	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.					
14. Transport information						
DOT						
Not regulated as dangerous goods.						
ΙΑΤΑ						
Not regulated as dangerous goods.						
IMDG						
Not regulated as dangerous g						
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available	2.				
15. Regulatory informati	on					
US federal regulations	All compone	nts are on the l	J.S. EPA TSCA Invento	ry List.		
TSCA Section 12(b) Export	t Notification	(40 CFR 707,	Subpt. D)			
Not regulated. TSCA Chemical Action Plans, Chemicals of Concern						
PHENOL, 4-NONYL-, BRANCHED (CAS 84852-15-3) Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan CERCLA Hazardous Substance List (40 CFR 302.4)						
ETHYLENEDIAMINE (CAS 107-15-3)			Listed.			
US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity						
ETHYLENEDIAMINE (CAS 107-15-3) 5000 LBS						
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)						
Not regulated.						
Superfund Amendments and R			6 (SARA)			
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No					
SARA 302 Extremely hazardous substance						
Chemical name CA	S number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower	Threshold planning quantity, upper	

ETHYLENEDIAMINE 107-15-3 SARA 311/312

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

5000

ETHYLENEDIAMINE (CAS 107-15-3)

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

10000

value (pounds)

value (pounds)

ETHYLENEDIAMINE (CAS 107-15-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date	08-29-2016 12-22-2017
Version #	08
NFPA ratings	Health: 4 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety