

Complete Karnak U.L. Approved Systems Listing

Alphabetical Company Listing: C

Company	Deck Type	Membrane Manufact.	System	INC.	Surfacing Coating	U.L. Class
CELOTEX CORP. Tampa, FL.	NC	CELOTEX	Insulation: Perlite, GlassFiber, W.F. Base Sheet: Type G-2 Membrane: APP 4/S, APP TORCHDOWN	2"	#97 or #97AF (1-1/2gal/sq)	A
	NC	CELOTEX	Base Sheet: N/A Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP Black Stallion, SBS170, SBS250, SBS Smooth Cap Sheet	1"	#97 or #97AF (1-1/2gal/sq)	A
	C-15/32	CELOTEX	Barrier Board: Gypsum Insulation: Optional Base Sheet: Type G-2, or APP Base Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP4/M Black Stallion, SBS170, SBS250, SBS Smooth Cap Sheet	1"	#97 or #97AF (1-1/2gal/sq)	A
	NC	CELOTEX	Base Sheet: Optional Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP Black Stallion, SBS170, SBS250, SBS Smooth Cap Sheet	#97 or #97AF (1-1/2gal/sq)	1"	A
	C-15/32	CELOTEX	Base Sheet: Type G-2 Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP Black Stallion, SBS170, SBS250, SBS Smooth Cap Sheet	1/2"	#97 or #97AF (2 gal/sq)	A
	C-15/32	CELOTEX	Insulation: Glass Fiber Base Sheet: Type G-2, or APP Base Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP4/M Black Stallion, SBS170, SBS250, SBS Smooth Cap Sheet	1/4"	#97 or #97AF (2 gal/sq)	A
	C-15/32	CELOTEX	Base Sheet: Type G-2, or APP Base Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP4/M	1/2"	#97 or #97AF (1-1/2gal/sq)	B

			Black Stallion,SBS170, SBS250, SBS Smooth Cap Sheet			
	C-15/32	CELOTEX	Insulation: Polyisocyanurate Base Sheet: Type G-2, or APP Base Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP4/M Black Stallion,SBS170, SBS250, SBS Smooth Cap Sheet	1/2	#97 or #97AF (1-1/2gal/sq)	B
	C-15/32	CELOTEX	Insulation: Polyisocyanurate Insulation: WF, Glass Fiber, Perlite Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP4/M Black Stallion, SBS170, SBS250, SBS Smooth Cap Sheet	1"	#97 or #97AF (1-1/2gal/sq)	B
	C-15/32 M R	CELOTEX	Existing System: Class A,B,C (gravel may be removed) Insulation: Optional Membrane: APP 4/S, APP TORCHDOWN, APP- White Stallion, APP4/M Black Stallion, SBS170, SBS250, SBS Smooth Cap Sheet	1/2"	#97 or #97AF (1-1/2gal/sq)	A
Consolidated Coatings, Corp. Cleveland, OH.	NC	Unknown	Insulation: GF, Perlite, WF Base Sheet: Type G-2, Mechanically Fastened Membrane: CONSO-GARD IIIB	1/4"	#97 (2 gal/sq)	A
Continental Materials, Inc Glenside, PA.	C-15/32 M R	Republic	Existing System: Class A,B,C (gravel may be removed) Insulation: WF mech. attached Base Sheet: Type G-2 Membrane: Republic Torch-Guard APP- Smooth, Torch-Guard APP Slated	1/2	#97 (1-1/2gal/sq)	A
	C-15/32 M R	Republic	Existing System: Class A,B, Cap Sheet: UL Type G3 Mech. Attached Membrane: Republic Torch-Guard APP- Smooth	1/2"	#97 (1-1/2gal/sq)	A
	NC	Republic	Insulation: Various Base Sheet: Type G-2 Membrane: Republic Flex-Guard SBS- Torch Applied	1/2"	#97 (1-1/2gal/sq)	A
	NC	Republic	Insulation: Various Base Sheet: Type G-2 Membrane: Republic Torch-Guard APP- Slated, Torch-Guard APP Smooth	1/4"	#97 (1-1/2gal/sq)	A
	C-15/32	Republic	Insulation: Various	1/2"	#97	A

		Base Sheet: Type G-2 Membrane: Republic Flex-Guard SBS- Slated		
--	--	---	--	--

			(1-1/2gal/sq)	
--	--	--	---------------	--

KARNAK 800-526-4236

330 Central Avenue, Clark, NJ 07066
(732) 388-0300 fax: (732) 388-9422

For more information, email Karnak at info@KarnakCorp.com

Copyright ©1997, Karnak Corporation. All rights reserved.
