

## Complete Karnak U.L. Approved Systems Listing

Alphabetical Company Listing: M-O

Company	Deck Type	Membrane Manufact.	System	INC.	Surfacing Coating	U.L. Class
MB Technology Corp.Fresno,CA.	NC	Fastorch	Insulation: (Optional) WF, GF, Perlite Base Sheet: (Optional) Type G-1, G-2 Membrane: FASTORCH SBS 160 mil, 160 mil granule, or SUPERFLEX 160 mil granule	1/2"	#97 (1-1/2 gal/sq)	A
	NC	Fastorch	Insulation: GF, Perlite 3/4" to 1-1/2" Base Sheet: 1 or more layers TypeG-1,G-2 Membrane: FASTORCH SBS 160 mil, 160 mil granule, or SUPERFLEX 160 mil granule	1/4"	#97 (1-1/2 gal/sq)	A
Nord Bitumi US Macon, GA.	NC	NORD	Insulation: (Optional) WF, GF, Perlite Base Sheet: Type G-2 Membrane: Nord Poly NP-4B,4M,5B,Nord-200	2"	#97 or #97AF (1 to 2 gal/sq)	A
	NC	NORD	Insulation: (Optional) WF,GF,Perlite,ISO Base Sheet: Type G-2 Membrane: Nord Poly NP-4B,4M,5B,Nord-200 EM-4000, Nordflex S, Ultra S, M, 170	1"	#97 or #97AF	A
	C-15/32	NORD	Barrier Board: Water Resist. 1/2 Gypsum Insulation: (Optional) WF,GF,Perlite,ISO Base Sheet: Type G-2 Membrane: Nord Poly NP-4B,4M,5B,Nord-200 EM-4000, Nordflex S, M, Ultra S, M, 170	1"	#97 or #97AF (1-1/2 gal/sq)	A
	NC	NORD	Base Sheet: Type G-2 Membrane: Nord Poly NP-4B,4M,5B,Nord-200 EM-4000, Nordflex S, 170, Ultra S,	1"	#97 or #97AF (1-1/2 gal/sq)	A
	C-15/32	NORD	Base Sheet: 2 plies Type G-2 Membrane: Nord Poly NP-4B,4M,5B,Nord-200 EM-4000, Nordflex S, 170, Ultra S,	1/4"	#97 or #97AF (2 gal/sq)	A
	C-15/32	NORD	Insulation: ISO,	1/2"	#97 or #97AF	A

			ISO/Perlite composite Base Sheet: Type G-2 Membrane: Nord Poly NP-4B,4M,5B,Nord-200 EM-4000, Nordflex S, 170, Ultra S,		(2 gal/sq)	
	C-15/32	NORD	Insulation: GF 1-1/2" Base Sheet: Type G-2 Membrane: Nord Poly NP-4B,4M,5B,Nord-200 EM-4000, Nordflex S, M, 170, Ultra M	1/4"	#97 or #97AF (2 gal/sq)	B
	C-15/32	NORD	Base Sheet: 1 or more plies Type G-2 Membrane: Nord Poly NP-4B,4M,5B,Nord-200 EM-4000, Nordflex S, M, or Ultra	1/2"	#97 or #97AF (1-1/2-2gal/sq)	B
	C-15/32	NORD	Insulation: ACFoam II 1.2"min. Base Sheet: 1 or more plies Type G-2 Membrane: Nord Poly NP-4B, 4M, Nord-200 EM-4000, Nordflex S, M, or Ultra	1/2"	#97 or #97AF (1-1/2-2gal/sq)	B
	C-15/32	NORD	Insulation: ISO. 1.2"min. Insulation: WF, GF, Perlite, 1/2" Membrane: Nord Poly NP-4B, 4M, Nord-200 EM-4000, Nordflex S, M, or Ultra	1"	#97 or #97AF (1-1/2-2gal/sq)	B
	C-15/32	NORD	Insulation: ISO, ISO/Perlite composite Base Sheet: Type G-2 Membrane: Nord Poly NP-4B,5B,4M,Nord-200 EM-4000, Nordflex S, M, 170, or Ultra M	1/2"	#97 or #97AF (1-1/2 gal/sq)	B
	C-15/32 M R	NORD	Existing System: Class A, B, C (Gravel may be removed) Insulation: (Optional) Various Membrane: Nord Poly NP-4B,5B,4M,Nord-200 EM-4000, Nordflex S, M, 170, or Ultra M	1/2"	#97 or #97AF (1-1/2 gal/sq)	B
	C-15/32 M R	NORD	Existing System: Class A, B smooth BUR (Gravel may be removed) Insulation: (Optional) Various Base Sheet: 1 or more plies Type G-2 or Multiple layers Type G-1 Membrane: Nord Poly NP-4B,5B,4M,Nord-200 EM-4000, Nordflex S, M, 170, or Ultra M	1/2"	#97 or #97AF (1-1/2 gal/sq)	B

---

**KARNAK** 800-526-4236

330 Central Avenue, Clark, NJ 07066  
(732) 388-0300 fax: (732) 388-9422

---

For more information, email Karnak at [info@KarnakCorp.com](mailto:info@KarnakCorp.com)  
Copyright ©1997, Karnak Corporation. All rights reserved.

---