



Building Insulation Products

Load Data Guide

Prices Effective January 6, 2016

Building Insulation Products

Price List and Product Availability Guide

Wood Frame Batt Insulation

Kraft Faced Batts														
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length										East	West
R-11	3½"	11"	105"	32	256.67	4	4	0.284	352	516115	B107	725387161150	MTO	
	3½"	15"	93"	16	155.00	5	6	0.128	780	505904	B02VAK	725387059044	Standard	
	3½"	15"	105"	16	175.00	5	6	0.152	660	506062	X02VAK	725387060620	Standard	
	3½"	23"	93"	16	237.67	4	4	0.240	416	506484	B04AK	725387064840	Standard	
R-13	3½"	11"	93"	22	156.29	4	4	0.240	416	506969	B34AK	725387069692	Non-Standard	MTO
	3½"	11"	105"	22	176.46	4	4	0.284	352	506657	X13AK	725387066578	Non-Standard	MTO
	3½"	15"	93"	12	116.25	5	6	0.128	780	505912	B06VAK	725387059129	Standard	
	3½"	15"	105"	12	131.25	5	6	0.147	680	505907	X06VAK	725387059075	Standard	MTO
	3½"	19"	93"	11	134.98	4	5	0.192	520	506970	X07AK	725387069708	MTO	
	3½"	23"	93"	11	163.40	4	4	0.240	416	506576	B07AK	725387065762	Standard	
R-19	6¼"	11"	48"	28	102.67	4	4	0.240	416	5003393	B38E	725387033938	Non-Standard	MTO
	6¼"	15"	48"	20	100.00	4	6	0.160	624	5001499	B08E	725387014999	Standard	Non-Standard
	6¼"	15"	94"	10	97.92	4	6	0.160	624	5001500	B09E	725387015002	Standard	
	6¼"	15"	106"	10	110.42	4	6	0.189	528	5003766	X09E	725387037660	Standard	MTO
	6¼"	19"	48"	18	114.00	4	5	0.192	520	5006922	B55E	725387069227	Standard	MTO
	6¼"	23"	48"	18	138.00	4	4	0.240	416	5001469	B10E	725387014692	Standard	Non-Standard
	6¼"	23"	94"	9	135.13	4	4	0.240	416	5001472	B11E	725387014722	Standard	Non-Standard
R-20	5½"	15"	93"	8	77.50	5	6	0.128	780	468752	B35EV	725387687520	Non-Standard	MTO
	5½"	23"	93"	8	118.83	4	4	0.240	416	468755	B41E	725387687551	MTO	
R-22	6½"	15"	48"	16	80.00	4	6	0.160	624	5003938	B12E	725387039381	Non-Standard	MTO
	6½"	23"	48"	16	122.67	4	4	0.240	416	5003807	B13E	725387038070	MTO	
R-25	8"	15"	48"	16	80.00	4	6	0.160	624	5000862	B40E	725387008622	Non-Standard	
	8"	23"	48"	16	122.67	4	4	0.240	416	5000870	B39E	725387008707	MTO	Non-Standard
R-30	10"	12"	48"	22	88.00	4	4	0.240	416	5004561	X45E	725387045610	Non-Standard	MTO
	10"	16"	48"	13	69.33	4	6	0.160	624	5001485	B16E	725387014852	Standard	
	10"	19"	48"	11	69.67	4	5	0.192	520	5009062	X16E	725387090627	Non-Standard	MTO
	10"	24"	48"	11	88.00	4	4	0.240	416	5001489	B17E	725387014890	Standard	
R-38	12"	16"	48"	11	58.67	4	6	0.160	624	5001490	B18E	725387014906	Standard	Non-Standard
	12"	19"	48"	8	50.67	4	5	0.192	520	5001270	E1270	725387012704	Non-Standard	MTO
	12"	24"	48"	8	64.00	4	4	0.240	416	5001491	B19E	725387014913	Standard	
R-49	13¾"	16"	48"	6	32.00	4	6	0.160	624	5004735	B29E	725387047355	Non-Standard	MTO
	13¾"	19"	48"	6	38.00	4	5	0.192	520	511251	B64	725387112510	Non-Standard	MTO
	13¾"	24"	48"	6	48.00	4	4	0.240	416	5004372	B15E	725387043722	Standard	MTO
Kraft Faced Batts - High Density														
R-15	3½"	15"	93"	8	77.50	5	6	0.128	780	468051	B45EVX	725387680514	Standard	Non-Standard
	3½"	15"	105"	8	87.50	4	6	0.184	544	468148	X45EX	725387681481	Non-Standard	MTO
	3½"	23"	93"	6	89.13	4	4	0.240	416	5001403	B46E	725387014036	Non-Standard	MTO
R-21	5½"	15"	93"	7	67.81	5	6	0.128	780	5001671	B47EV	725387016719	Standard	
	5½"	23"	93"	7	103.98	4	4	0.240	416	5003929	B48E	725387039299	Standard	
R-30	8¼"	15"	48"	11	55.00	4	6	0.160	624	5006564	B49E	725387065649	Non-Standard	MTO
	8¼"	23"	48"	11	84.33	4	4	0.240	416	5006567	B50E	725387065670	Non-Standard	MTO
R-38	10¼"	15"	48"	8	40.00	5	6	0.128	780	5006286	B51EV	725387062860	Non-Standard	MTO
	10¼"	23"	48"	8	61.33	4	4	0.240	416	5006287	B52E	725387062877	Non-Standard	

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Knauf Insulation reserves the right to modify the price list at any time. All items subject to change.

Wood Frame Batt Insulation

Staple-Free Batts														
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length										East	West
R-13	3½"	15¼"	93"	12	118.19	5	6	0.128	780	5004654	SF13EVX	725387046549	Standard	MTO
	3½"	15¼"	105"	12	133.44	5	6	0.147	680	5004655	SF13XEVX	725387046556	Standard	
R-15	3½"	15¼"	93"	8	78.79	5	6	0.128	780	468157	SF15EVX	725387681573	Standard	MTO
	3½"	15¼"	105"	8	88.96	4	6	0.184	544	468158	SF15XEX	725387681580	Standard	MTO
R-19	6¼"	15¼"	93"	10	98.49	4	6	0.160	624	5004155	SF19E	725387041551	Standard	MTO
	6¼"	15¼"	106"	10	112.26	4	6	0.184	544	5009586	SF19XE	725387095868	Non-Standard	MTO
R-21	5½"	15¼"	93"	7	68.94	4	6	0.160	624	5000576	SF21E	725387005768	Non-Standard	
	5½"	15¼"	105"	7	77.84	5	6	0.147	680	5009801	SFX21EV	725387098012	Standard	Non-Standard
Unfaced Batts														
R-11	3½"	11"	93"	32	227.33	4	4	0.240	416	506586	N60AK	725387065861	Non-Standard	MTO
	3½"	15¼"	93"	16	157.58	5	6	0.128	780	505906	B61VAK	725387059068	Standard	
	3½"	15¼"	105"	16	177.92	5	6	0.152	660	506065	X66VAK	725387060002	Standard	Non-Standard
	3½"	19"	93"	16	196.33	4	5	0.192	520	506614	X62AK	725387066141	Non-Standard	MTO
	3½"	23¼"	93"	16	240.25	4	4	0.240	416	506767	B63AK	725387067674	Standard	
R-13	3½"	23¼"	105"	16	271.25	4	4	0.284	352	516459	B120	725387164595	MTO	
	3½"	11"	93"	22	156.29	4	4	0.240	416	506654	B87AK	725387066547	Non-Standard	MTO
	3½"	15"	93"	12	116.25	5	6	0.128	780	505915	B65VAK	725387059150	Standard	
	3½"	15"	105"	12	131.25	5	6	0.152	660	505911	X17VAK	725387059112	Standard	Non-Standard
	3½"	19"	93"	11	134.98	4	5	0.192	520	516124	B121	725387161242	MTO	
R-19	3½"	23"	93"	11	163.40	4	4	0.240	416	506579	B66AK	725387065793	Standard	Non-Standard
	6¼"	11"	94"	14	100.53	4	4	0.240	416	5005083	N67E	725387050836	MTO	
	6¼"	12"	96"	18	144.00	4	4	0.240	416	513230	B101	725387132303	Non-Standard	MTO
	6¼"	15"	48"	20	100.00	4	6	0.160	624	5001577	B67E	725387015774	Standard	
	6¼"	15¼"	94"	10	99.55	4	6	0.160	624	5001581	B68E	725387015811	Standard	
	6¼"	15¼"	106"	10	112.26	4	6	0.189	528	5003448	X20E	725387034485	Standard	Non-Standard
	6¼"	19"	48"	18	114.00	4	5	0.192	520	5005079	X67E	725387050799	Non-Standard	
	6¼"	19"	94"	9	111.63	4	5	0.192	520	514123	B102	725387141237	Non-Standard	
R-20	6¼"	23¼"	48"	18	139.50	4	4	0.240	416	513231	B103	725387132310	Non-Standard	MTO
	6¼"	23¼"	94"	9	136.59	4	4	0.240	416	5001589	B70E	725387015897	Standard	
R-22	5½"	15"	93"	8	77.50	5	6	0.128	780	468753	B22EV	725387687537	Non-Standard	MTO
	5½"	23"	93"	8	118.83	4	4	0.240	416	468768	B37E	725387687681	MTO	
R-25	6½"	15"	48"	16	80.00	4	6	0.160	624	5009991	B71E	725387099910	MTO	
	6½"	23"	48"	16	122.67	4	4	0.240	416	5006297	B72E	725387062976	Standard	MTO
R-25	8"	16"	48"	16	85.33	4	6	0.160	624	5000865	B60E	725387008653	Non-Standard	Standard
	8"	24"	48"	16	128.00	4	4	0.240	416	5000873	B62E	725387008738	Non-Standard	Standard

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Knauf Insulation reserves the right to modify the price list at any time. All items subject to change.

Wood Frame Batt Insulation

Unfaced Batts														
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length										East	West
R-30 Attic	10"	16"	48"	13	69.33	4	6	0.160	624	5001631	B75E	725387016313	Standard	
	10"	19¼"	48"	11	70.58	4	5	0.192	520	5005111	N76E	725387051116	Non-Standard	
	10"	24"	48"	11	88.00	4	4	0.240	416	5001641	B76E	725387016412	Standard	
R-30 Floor	9½"	16"	48"	11	58.67	4	6	0.160	624	5007456	B30E	725387074566	MTO	Non-Standard
	9½"	19¼"	48"	10	64.17	4	5	0.192	520	5007559	B32E	725387075594	MTO	Non-Standard
	9½"	24"	48"	10	80.00	4	4	0.240	416	5007560	B31E	725387075600	MTO	Non-Standard
R-38	12"	16"	48"	11	58.67	4	6	0.160	624	5001644	B77E	725387016443	Standard	
	12"	19"	48"	8	50.67	4	5	0.192	520	515500	B104	725387155005	Non-Standard	MTO
	12"	24"	48"	8	64.00	4	4	0.240	416	5001657	B78E	725387016573	Standard	
R-49	13¾"	16"	48"	6	32.00	4	6	0.160	624	511250	B58	725387112503	Non-Standard	MTO
	13¾"	24"	48"	6	48.00	4	4	0.240	416	5004347	B14E	725387043470	Standard	Non-Standard
Unfaced Batts - High Density														
R-15	3½"	15"	93"	8	77.50	5	6	0.128	780	468142	B92EVX	725387681429	Standard	
	3½"	15"	105"	8	87.50	4	6	0.189	528	468153	X42EX	725387681535	Non-Standard	MTO
	3½"	23"	93"	6	89.13	4	4	0.240	416	5002895	B93E	725387028958	Non-Standard	Standard
R-21	5½"	15"	93"	7	67.81	5	6	0.128	780	5001401	B94EV	725387014012	Standard	
	5½"	15"	105"	7	76.56	5	6	0.152	660	506594	X92VAK	725387065946	Standard	
	5½"	19"	93"	7	85.90	4	5	0.192	520	515503	B106	725387155036	Non-Standard	
	5½"	23"	93"	7	103.98	4	4	0.240	416	5003816	B95E	725387038162	Standard	
R-23	5½"	15"	93"	4	38.75	5	6	0.128	780	5003716	B73EV	725387037165	Non-Standard	MTO
R-30	8¼"	15"	48"	11	55.00	5	6	0.128	780	5001946	B96EV	725387019468	Non-Standard	
	8¼"	23"	48"	11	84.33	4	4	0.240	416	5007256	B97E	725387072562	Non-Standard	
R-38	10¼"	15"	48"	8	40.00	5	6	0.128	780	5001955	B98EV	725387019550	Non-Standard	
	10¼"	23"	48"	8	61.33	4	4	0.240	416	5006276	B99E	725387062761	Non-Standard	Standard

Basement Wall Insulation

Basement Wall Insulation Unfaced														
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length										East	West
R-11	3½"	48"	90'	1	360	4	2	0.446	224	5003447	E3447	725387000756	Standard	MTO
	3½"	88"	90'	1	660	4	1	0.962	104	524785	-	72538705247859	Standard	MTO
Basement Wall Insulation FSK-Perforated														
R-11	3½"	48"	70.5'	1	282	4	2	0.481	208	480343	GLF11	735276241856	Non-Standard	MTO
	3½"	88"	50'	1	366.7	4	1	0.893	112	480345	GLF88	735276252326	Non-Standard	MTO
Basement Wall Insulation WMP-VRR-Perforated														
R-10	3 "	48"	100'	1	400	4	2	0.446	224	480346	GLW10	735276277190	Non-Standard	MTO
R-11	3½"	48"	70.5'	1	282	4	2	0.463	216	480348	GLW11	735276241863	Standard	MTO
	3½"	72"	40'	1	240	9	1	0.337	297	480369	GLW72	735276241955	Non-Standard	MTO
	3½"	88"	50'	1	366.7	4	1	0.893	112	480375	GLW88	735276252173	Standard	MTO
R-19	6"	48"	40'	1	160	4	2	0.463	216	480352	GLW1948	735276279477	MTO	

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Knaf insulation reserves the right to modify the price list at any time. All items subject to change.

Manufactured Housing Insulation

Manufactured Housing Insulation - Unfaced Rolls													
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length									East	West
R-5	1½"	15"	60'	6	450.00	4	0.481	224	5002437**	MH60E	725387024370	Standard	MTO
R-7	2¼"	15"	60'	6	450.00	4	0.450	224	5002441**	MH67E	725387024417	Standard	MTO
	2¼"	16"	60'	2	480.00	4	0.481	208	453485**	MH183AK	725387534855	Non-Standard	MTO
	2¼"	42"	60'	2	840.00	4	0.962	104	518806**	UR140	725387188065	Non-Standard	MTO
	2¼"	48"	60'	2	480.00	4	0.481	208	5004643**	E4643	725387046433	Non-Standard	MTO
	2¼"	90"	60'	2	900.00	4	0.890	112	5003320**	3320E	725387033204	Standard	MTO
	2¼"	90"	60'	1	450.00	4	0.450	224	5007277*	MH88E	725387072777	Non-Standard	MTO
R-11	2¼"	96"	60'	2	960.00	4	0.960	1042	5003158**	E3158	725387031583	Standard	MTO
	3½"	15"	70.5'	3	264.38	4	0.420	240	5001979	MS21E	725387019796	Standard	Non-Standard
	3½"	48"	70.5'	1	282.00	4	0.450	224	5007604	MS25E	725387076041	Non-Standard	
	3½"	48"	100'	1	400.00	4	0.450	224	5002600	2600E	725387026008	Non-Standard	MTO
	3½"	72"	70.5'	1	423.05	4	0.690	144	5007610	MS27E	725387076102	Standard	
	3½"	84"	70.5'	1	493.50	4	0.890	112	5007613	MS28E	725387076133	Standard	
	3½"	90"	70.5'	1	528.75	4	0.893	112	5007615	MS29E	725387076157	Standard	MTO
R-12	3½"	96"	70.5'	1	564.00	4	0.890	112	5007619	MS30E	725387076195	Standard	MTO
	3½"	15"	40'	3	150.00	4	0.420	240	5001493	E1493	725387014937	Non-Standard	MTO
R-13	3½"	72"	45'	1	270.00	4	0.735	136	516364	MS133	725387163642	Non-Standard	
R-19	6¼"	15"	39.16'	3	146.85	4	0.420	240	5005274	MS22E	725387052748	Standard	Non-Standard
	6¼"	48"	41'	1	165.00	4	0.440	228	5007628	MS63E	725387076287	Non-Standard	Standard
	6¼"	92½"	40'	1	308.33	4	0.940	104	5005530	MS68E	725387055305	Non-Standard	MTO
R-22	7"	84"	35'	1	245.00	4	0.962	104	526101	MH178AK	725387000152	Non-Standard	MTO

Manufactured Housing Insulation - Kraft Faced Rolls													
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length									East	West
R-11	3½"	15"	70.5'	3	264.38	4	0.42	240	5002227	MS01E	725387022277	Standard	Non-Standard
R-13	3½"	15"	46'	3	172.5	4	0.42	240	5002256	MS05E	725387022567	Standard	Non-Standard
R-19	6¼"	15"	39.16'	3	146.85	4	0.42	240	5002238	MS11E	725387022383	Standard	Non-Standard
	6¼"	23"	39.16'	2	150.11	4	0.446	224	5002239	MS12E	725387022390	Non-Standard	MTO
R-25	8½"	15"	25'	3	93.75	4	0.481	208	519938	MS88	725387199382	Non-Standard	MTO

* Hinged Products
** Bicected Products

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Knauf Insulation reserves the right to modify the price list at any time. All items subject to change.

Blowing Wool Insulation

Jet Stream® ULTRA Blowing Insulation									
Description	Pieces/ Pkg	Pkgs/ Stack	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	UPC	Product Availability	
								East	West
Jet Stream® ULTRA bag	1	42	32	0.092	1092	5003619	725387036199	Standard	
Jet Stream® ULTRA pack	42	1	1344	3.846	26	5003646	725387036465		
EcoFill® Wx Blowing Insulation									
Description	Pieces/ Pkg	Pkgs/ Stack	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	UPC	Product Availability	
								East	West
EcoFill® Wx bag	1	42	30	0.092	1092	5003384	725387033846	Standard	
EcoFill® Wx pack	42	1	1260	3.846	26	5003385	725387033853		
EXPERT™ Premium Blowing Insulation									
Description	Pieces/ Pkg	Pkgs/ Stack	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	UPC	Product Availability	
								East	West
EXPERT™ bag	1	42	32	0.092	1092	5004516	725387045160	Standard	
EXPERT™ pack	42	1	1344	3.846	26	5004517	725387045177		

Spray On Insulation

AsureR® Spray-On Insulation*									
Description	Pieces/ Pkg	Pkgs/ Stack	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	UPC	Product Availability	
								East	West
AsureR® bag	1	42	32	0.095	1050	480419	735276275585	Standard	MTO

*AsureR® requires a special ordering process and extra lead time. Please contact your Territory Manager for information on how to order this product.

Spray On Sealant

ECOSEAL™ Plus Elastomeric Sealant									
Material	Material Description	Package	Buckets/ Pallet	53' TL Load Factor	Pallets/ 53' TL	Weight	UPC	Product Availability	
								East	West
498620	ECOSEAL Plus™ 36 pails/pallet	5 gal. bucket	36	5.263	19	2052	725387986203	Standard	
498622	ECOSEAL Plus™ 12 pails/pallet	5 gal. bucket	12	1.754	57	684	725387986227	Non-Standard	

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Knaf insulation reserves the right to modify the price list at any time. All items subject to change.

Metal Frame Batt Insulation

Metal Frame Construction - Unfaced Batts														
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length										East	West
R-8	2½"	16"	96"	22	234.67	5	6	0.128	780	5001673	B79EV	725387016733	Standard	Non-Standard
	2½"	24"	96"	22	352.00	4	4	0.240	416	5001760	B80E	725387017600	Standard	Non-Standard
R-11	3½"	16"	96"	16	170.67	5	6	0.128	780	5001405	B81EV	725387014050	Standard	
	3½"	24"	48"	32	256.00	4	4	0.240	416	5001761	B83E	725387017617	Standard	Non-Standard
	3½"	24"	96"	16	256.00	4	4	0.240	416	5005820	B82E	725387058207	Standard	
R-13	3½"	16"	96"	12	128.00	5	6	0.128	780	5004657	X43EVX	725387046570	Standard	
	3½"	24"	96"	11	176.00	4	4	0.240	416	5006257	X44E	725387062570	Standard	
R-15	3½"	16"	48"	16	85.33	5	6	0.128	780	515501	B105V	725387155012	Non-Standard	MTO
R-19	6¼"	16"	96"	10	106.67	4	6	0.160	624	5001817	B90E	725387018171	Standard	
	6¼"	24"	48"	16	128.00	4	4	0.240	416	5005851	B85E	725387058511	Standard	
	6¼"	24"	96"	9	144.00	4	4	0.240	416	5001825	B91E	725387018256	Standard	MTO
R-21	5½"	16"	96"	7	74.67	4	6	0.160	624	5000393	B23E	725387003931	Non-Standard	
	5½"	24"	96"	7	112.00	4	4	0.240	416	5004410	B27E	725387044101	Non-Standard	
Metal Frame Construction - Kraft Faced Batts														
R-11	3½"	16"	96"	16	170.67	5	6	0.128	780	5001616	B24EV	725387016160	Non-Standard	MTO
	3½"	24"	48"	32	256.00	4	4	0.240	416	5001501	B26E	725387015019	Non-Standard	MTO
	3½"	24"	96"	16	256.00	4	4	0.240	416	5003600	B100E	725387036007	Non-Standard	MTO
R-13	3½"	16"	96"	12	128.00	5	6	0.128	780	5004656	B43EVX	725387046563	Standard	MTO
	3½"	24"	96"	11	176.00	4	4	0.240	416	5001062	B44E	725387010625	Non-Standard	MTO
R-19	6¼"	16"	96"	10	106.67	4	6	0.160	624	5001561	B53E	725387015613	Standard	Non-Standard
	6¼"	24"	48"	16	128.00	4	4	0.240	416	5005840	B28E	725387058405	Standard	Non-Standard
	6¼"	24"	96"	8	128.00	4	4	0.240	416	5006808	B54E	725387068084	Non-Standard	MTO
R-21	5½"	16"	96"	7	74.67	4	6	0.160	624	5001297	E1297	725387012971	Non-Standard	MTO
	5½"	24"	96"	7	112.00	4	4	0.240	416	5004406	B25E	725387044064	MTO	
Metal Frame Construction - FSK Foil Faced Batts (Flame Rated FSK Foil)														
R-11	3½"	16"	96"	16	170.67	5	6	0.128	780	5001446	FS29EV	725387014463	Non-Standard	MTO
	3½"	24"	96"	16	256.00	4	4	0.240	416	5005812	FS30E	725387058122	MTO	
R-13	3½"	16"	96"	10	106.67	5	6	0.128	780	5001593	FS37EV	725387015934	Non-Standard	
	3½"	24"	96"	10	160.00	4	4	0.240	416	5005132	FS38E	725387051321	MTO	
R-19	6¼"	16"	96"	10	106.67	4	6	0.160	624	5002646	FS31E	725387026466	Non-Standard	MTO
	6¼"	24"	48"	18	144.00	4	4	0.240	416	5001864	FS40E	725387018645	Non-Standard	
	6¼"	24"	96"	9	144.00	4	4	0.240	416	5003827	FS32E	725387038278	MTO	
R-21	5½"	16"	96"	7	74.67	5	6	0.128	780	516135	FS136V	725387161358	Non-Standard	MTO
	5½"	24"	96"	7	112.00	4	4	0.240	416	516146	FS137	725387161464	MTO	
R-30	10"	16"	48"	13	69.33	4	6	0.160	624	5006338	FS41E	725387063386	MTO	
	10"	24"	48"	11	88.00	4	4	0.240	416	5001866	FS42E	725387018669	Non-Standard	
R-30 Extended Flange	10"	24"	48"	11	88.00	4	4	0.240	416	5001731	FS44E	725387017310	MTO	Non-Standard
R-38	12"	16"	48"	8	42.67	4	6	0.160	624	517060	FS139	725387170602	Non-Standard	MTO
	12"	24"	48"	8	64.00	4	4	0.240	416	5001778	FS48E	725387017785	Non-Standard	MTO

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Knauf Insulation reserves the right to modify the price list at any time. All items subject to change.

Metal Frame Batt Insulation

Metal Frame Construction - Standard Foil Faced Batts (Not Rated for Flame Propagation)														
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length										East	West
R-11	3½"	16"	96"	16	170.67	5	6	0.128	780	5001421	FB01EV	725387014210	Non-Standard	MTO
	3½"	24"	96"	16	256.00	4	4	0.240	416	5004849	FB02E	725387048499	MTO	
R-13	3½"	16"	96"	10	106.67	5	6	0.128	780	5000100	FB03EV	725387001005	Non-Standard	MTO
R-19	6¼"	16"	96"	10	106.67	4	6	0.160	624	5004857	FB05E	725387048574	Non-Standard	
	6¼"	24"	96"	9	144.00	4	4	0.240	416	5004858	FB06E	725387048581	Non-Standard	MTO
R-30	10"	16"	48"	13	69.33	4	6	0.160	624	516034	FB108	725387160344	Non-Standard	MTO
	10"	24"	48"	11	88.00	4	4	0.240	416	5004861	FB08E	725387048611	Non-Standard	MTO
R-38	12"	24"	48"	8	64.00	4	4	0.240	416	5006545	FB11E	725387065458	MTO	

Insulation Board

Insulation Board ASJ+ - Carton													
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/ Carton	Sq. Ft./ Carton	Cartons/ Unit	53' TL Load Factor	Cartons/ 53' TL	Old Product Code	New Product Code	UPC	
3.0	1"	4.3	24" x 48"		12	96	8	0.260	384	5001519	526487	72538705264870	
	1½"	6.5			8	64	8	0.260	384	5001563	526491	72538705264917	
	2"	8.7			6	48	8	0.260	384	5001564	526495	72538705264955	
	2"	8.7	48" x 96"	4	128	1	0.649	154	5006578	526501	72538705265013		
6.0	2"	8.9	24" x 48"		6	48	8	0.260	384	5001520	526561	72538705265617	

Insulation Board PSK - Carton

All PSK faced Insulation Board products are Made-to-Order.

Insulation Board FSK - Carton													
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/ Carton	Sq. Ft./ Carton	Cartons/ Unit	53' TL Load Factor	Cartons/ 53' TL	Product Code	UPC		
2.25	1"	4.3	24" x 48"		12	96	8	0.260	384	5004681	725387046815		
	2"	8.7			6	48	8	0.260	384	5003355	725387033556		
3.0	1"	4.3	24" x 48"		12	96	8	0.260	384	5000116	725387001166		
	1½"	6.5			8	64	8	0.260	384	5000117	725387001173		
	2"	8.7			6	48	8	0.260	384	5000118	-		
	2"	8.7	48" x 96"	4	128	1	0.646	154	5000842	725387008424			
	3"	13.0	24" x 48"	4	32	8	0.260	384	5001372	725387013725			
	4"	17.4		3	24	8	0.260	384	5003718	725387037189			
6.0	1"	4.5	24" x 48"		12	96	8	0.260	384	5000119	725387001197		
	1½"	6.7			8	64	8	0.260	384	5000120	725387001203		
	2"	8.9			6	48	8	0.260	384	5000121	725387001210		

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: All MTO product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum quantities will apply.

Knauf Insulation reserves the right to modify the price list at any time. All items subject to change.

Insulation Board

Insulation Board Unfaced - Cartons											
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/Pkg.	Sq. Ft./Pkg.	Pkgs/Unit	53' TL Load Factor	Pkgs/53' TL	Product Code	UPC
3.0	1"	4.3	24" x 48"		12	96	8	0.260	384	5000107	725387001074
	1½"	6.5			8	64	8	0.260	384	5000108	725387001081
	2"	8.7			6	48	8	0.260	384	5000109	725387001098
6.0	1"	4.5	24" x 48"		12	96	8	0.260	384	5003425	725387034256
	1½"	6.7			8	64	8	0.260	384	5000111	725387001111
	2"	8.9			6	48	8	0.260	384	5000112	725387001128

Insulation Board Unfaced - Sleeves											
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/Pkg.	Sq. Ft./Pkg.	Pkgs/Unit	53' TL Load Factor	Pkgs/53' TL	Product Code	UPC
1.6	1½"	6.3	24" x 48"		18	144	6	0.360	276	5004426	725387044262
	2"	8.3			13	104	6	0.300	336	5004453	725387044538
	3"	12.5	24" x 48"		8	64	6	0.300	336	5004455	725387044552
2.25	2"	8.7	24" x 48"		12	96	6	0.360	276	5004430	725387044309
	3"	13.0			8	64	6	0.300	336	5004446	725387044460
	4"	17.4	24" x 48"		6	48	6	0.300	336	5004461	725387044613
3.0	1"	4.3	24" x 48"		20	160	6	0.330	300	5002407	725387024073
	1"	4.3	48" x 120"		12	480	1	1.430	70	5003961	725387039619
	1½"	6.5	24" x 48"		14	112	6	0.330	300	5002408	725387024080
	2"	8.7			10	80	6	0.330	300	5002367	725387023670
	2½"	10.9			8	64	6	0.330	300	5006270	725387062709
	3"	13.0			7	56	6	0.330	300	5002348	725387023489

MTO Minimums for Insulation Board							
	1"	1½"	2"	2½"	3"	3½"	4"
1.6#	-	32 msf	18 msf	15 msf	12 msf	11 msf	10 msf
2.25#	34 msf	22 msf	17 msf	12 msf	10 msf	10 msf	9 msf
3.0#	24 msf	16 msf	12 msf	10 msf	9 msf	7 msf	6 msf
4.25#	18 msf	12 msf	9 msf	7 msf	-	-	-
6.0#	12 msf	9 msf	6 msf	-	-	-	-

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: All MTO product requests require approval from Knauf Insulation, regardless of whether the product has previously been produced. Please contact your Knauf Insulation Territory Manager. Special pricing and minimum quantities will apply.

Knauf Insulation reserves the right to modify the price list at any time. All items subject to change.

Black Acoustical Board Insulation

Black Acoustical Board													
Density (PCF)	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length									East	West
2.25	2"	24"	48"	6	48	8	0.260	384	5003642	BA04	725387036427	Non-Standard	
2.25		48"	96"	4	128	1	0.649	154	5006554	E6554	725387065540		
3	1½"	24"	48"	8	64	8	0.260	384	5009971	E9971	725387099712	Non-Standard	
3	2"	24"	48"	6	48	8	0.260	384	5002652	BA03	725387026527		
Wall and Ceiling Liner M													
1.5	1"	48"	100'	1	400	4	0.439	228	5002696	CL05E	725387026961	Non-Standard	
1.5	2"	48"	50'	1	200	4	0.439	228	5002805	CL07E	725387028057		
Sill Sealer													
3½"	1⅛"	6"	75'	8	300		0.225	444	5005450	M63E	725387054506	Non-Standard	

MTO Minimums for Black Acoustical Board				
Product	Density	1"	1½"	2"
Black Acoustical Board	2.25#	34 msf	22 msf	17 msf
	3.0#	24 msf	16 msf	12 msf

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: All MTO product requests require approval from Knaf insulation, regardless of whether the product has previously been produced. Please contact your Knaf insulation Territory Manager. Special pricing and minimum quantities will apply. Knaf insulation reserves the right to modify the price list at any time. All items subject to change.



Knauf Insulation, Inc.
One Knauf Drive
Shelbyville, IN 46176

Sales (800) 825-4434

Technical Support (317) 421-8512

Fax (317) 398-3675

Information info.us@knaufinsulation.com

Website www.knaufinsulation.us

©2016 Knauf Insulation, Inc. BI-LD 12-15



ECOSE Technology® is a revolutionary binder chemistry that makes Knauf Insulation® products even more sustainable than ever. It is based on rapidly renewable bio-based materials rather than non-renewable petroleum-based chemicals traditionally used in fiberglass insulation products. ECOSE Technology® reduces binder embodied energy and does not contain phenol, formaldehyde, acrylics or artificial colors.



UL Environment GREENGUARD Gold

Knauf Insulation achieved UL Environment GREENGUARD Gold Certification.

UL Environment GREENGUARD Certification Program

Products are certified to UL Environment GREENGUARD standards for low chemical emissions into indoor air during product usage.

For more information, visit ul.com/gg.



At Knauf Insulation®, we manufacture a wide variety of products that serve a common goal, helping to make the most of our planet's energy resources. A family-owned global company, we understand and are committed to high standards in quality, performance and environmental responsibility. Every step we take today toward energy conservation helps ensure better lives for generations to come.



LEED Eligible Product

Use of this product may help building projects meet green building standards as set by the Leadership in Energy and Environmental Design (LEED) Green Building Rating System.

LEED v2009

MR Credit 4.1 - 4.2 Recycled Content
MR Credit 5.1 - 5.2 Regional Materials

LEED v4

Knauf Insulation offers several products for both envelope and mechanical systems that have ingredient disclosure and transparency. Please contact transparency@knaufinsulation.com for products that currently contribute to MR credits.