## Safety Data Sheet acc. To OSHA HCS

## Revision Date: 11/17/2015

Product Identifier Aqua Kure	White	
Article number:		
Relevant Identified uses of the substa	nce or mixture and uses advised against	No further relevant information available
Application of the substance / the mix	ture	
Details of the supplier of the safety da	ta sheet	
Manufacturer/Supplier	Lambert Corporation 20 Coburn Ave. Orlando, FL 32805 (407) 841-2940	
Emergency Telephone Number:	(800) 424-9300 - Chemtrec	

### 2 Hazard(s) Identification

Classification of the substance or mixtureSkin Sens. 1H317May cause an allergic skin reactionSTOT RE 1H372Causes damage to the central nervous system through prolonged or repeated exposure

### Hazard Pictograms



GHS07

Signal Word Warning

Hazard-determining components of labeling:

Titanium dioxide

Ammonia, Anhydrous

## Hazard Statements

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

Causes damage to the central nervous system through prolonged or repeated exposure

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves

Specific treatment (see on this label)

Wash contaminated clothing before reuse

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations

### Classification system:

### NFPA ratings (scale 0 - 4)

0 0 0 0 Fire = 0 Reactivity = 0

## HMIS ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	0	Fire = 0
PHYSICAL HAZARD	0	Reactivity = 0

Other Hazards

### Results of PBT and vPvB assessment

**PBT:** Not applicable

vPvB: Not applicable

### 3 Composition/Information on Ingredients

**Chemical Characterization: Mixtures** 

Description: Mixture of the substances listed below with nonhazardous additions

### Dangerous Components:

64742-88-7 Mineral Spirits

13463-67-7 Titanium dioxide

7664-41-7 Ammonia, Anhydrous

Additional information : For the wording of the listed risk phrases refer to section 16.

### 4 First-Aid Measures

### Description of first aid measures

### General Information:

Immediately remove any clothing soiled by the product

In the event of persistent symptoms recieve medical treatment.

### After Inhalation:

Supply fresh air and to be sure call for a doctor

In case of unconsciousness place patient stably in side position for transportation.

Immediately move exposed person to fresh air. If breathing difficulty persists or develops get prompt medical attention

### After Skin Contact:

Immediately wash with water and soap and rinse thoroughly

If skin irritation continues, consult a doctor

#### After Eye Contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### After Swallowing:

Seek medical treatment.

Most important symptoms and effects, both acute and delayed:

No further information available

No further information available

Indication of any immediate medical attention and special treatment needed:

# 5 Fire-Fighting Measures

 Extinguishing media:

 Suitable extinguishing agents:
 Dry chemical, carbon dioxide, water spray foam.

 Special hazards arising from the substance or mixture:
 No further information available

 Advice for firefighters:
 Descure for any mediace sharmed description and based

Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode

### 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

### Environmental procedures:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### Reference to other sections:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and Storage

Presentions for safe handling: Wear appropriate personal protective clothing to prevent eve and skin contact Avoid breathing

 Information for protection against explosions and fires:
 Keep respiratory protective device available.

 Conditions for safe storage, including any incompatibilities:
 Storage:
 Cool and dry area

 Requirements to be met by storerooms and receptacles:
 No special requirements

 Information about storage in one common storage facility:
 Not required.

 Further information about storage conditions:
 Keep receptacle tightly sealed.

 Specific end use(s):
 N/A

## 8 Exposure Controls/Personal Protection

Additional information about design of technical systems: N/A

Control parameters:

Components with limit values that require monitoring at the workplace:

### 64742-88-7 Mineral Spirits

PEL Long-term value: 2900 mg/m<sup>3</sup>, 500 ppm

REL Long-term value:  $350 \text{ mg/m}^3$ 

Ceiling limit value: 1800\* mg/m<sup>3</sup>

\*15-min

TLV Long-term value: 525 mg/m<sup>3</sup>, 100 ppm

Additional information: The lists that were valid during the creation were used as basis

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work

Store protective clothing separately.

Avoid contact with the eyes and skin.

**Breathing equipment** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

### Protection of hands:



Protective Gloves

Material of gloves: Nitrile Rubber

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed

*Eye protection:* Wear appropriate eye protection to prevent eye contact.

## 9 Physical and Chemical Properties

Information of basic physical and chemi	cal properties
General information	
Appearance:	
Form:	Liquid
Color:	White
Odor:	Petroleum Odor
Odor threshold:	Not determined
pH- value:	Not determined
Change in condition:	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	212 °F (100 °C)
Flash point:	Not applicable
Flammability (solid, gaseous):	Not applicable
Ignition temperature::	446 °F (230 °C)
Decomposition temperature:	Not determined
Auto igniting:	Not self-igniting
Danger of explosion:	No explosion hazard
Explosion limits:	
Lower:	1.1 Vol %
Upper:	6.0 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	23 hPa (17mm Hg)
Density at 20 $\bullet C$ (68 $\bullet F$ )	1.015 g/cm <sup>3</sup> (8.47 lbs/gal)
Relative density:	Not determined
Vapor density:	Not determined
Evaporation rate:	Not determined
Solubility in / Miscibility with Water:	Fully miscible
Partition coefficient (n-octanol/water)	Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic:	Not determined
Solvent content:	
Organic solvents:	0.40%
Water:	68.80%
Solids content:	22.90%

Other information:

None

Volatile organic compounds:

### 10 Stability and Reactivity

 Reactivity:
 No decomposition if stored and applied as directed

 Chemical stability:
 No decomposition if stored and applied as directed

 Thermal decomposition / Conditions to be avoided:
 No decomposition if used according to specifications.

 Possibility of hazardous reactions:
 No dangerous reactions known.

 Conditions to avoid:
 Keep away from heat and sources of ignition

 Incompatible materials:
 No further relevant information available

 Hazardous decomposition products:
 No dangerous decomposition products known

Contains less than 300g/L

### 11 Toxicological Information:

Information on toxicological effects: Primary irritant effect: on the skin: May cause skin irritation on the eye: No irritating effect known. Sensitization: Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant Carcinogenic The product can cause inheritable damage Carcinogenic categories IARC (International Agency for Research on Cancer) 13463-67-7 Titanium dioxide NTP (National Toxicology Program) None of the ingredients listed. OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients listed.

### 12 Ecological Information

Toxicity:No further relevant information available.Aquatic toxicity:No further relevant information available.Persistence and degradability:No further relevant information available.

 Bioaccumulative potential:
 No further relevant information available.

 Mobility in soil:
 No further relevant information available.

 Additional ecological information:
 Image: Do not allow product to reach ground water, water course or sewage system, even in small quantities Water hazard class 1 (Self-assessment): slightly hazardous for water

 Results of PBT and vPvB assessment:
 PBT:

 Not applicable
 VPvB:

Other adverse effects: No further relevant information available.

### 13 Disposal Considerations

Recommendation:	Must not be disposed of as normal garbage. Do not allow product to reach sewage system. It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.
Uncleaned packagings:	
Recommendation:	Disposal must be made according to Federal, State, and Local regulations
Recommended cleansin	g agent: Water, if necessary with cleansing agents

UN-Number:	
DOT, ADR, IMDG, IATA:	Not Regulated
UN proper shipping name:	
ADR:	Not Regulated
Transport hazard class(es):	
DOT, ADR, IMDG, IATA:	
Class:	Not Regulated
Packing group:	
DOT, ADR, IMDG, IATA:	Not Regulated
Environmental hazards:	
Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
Transport/Additional information:	
ADR:	
U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above

U.S. Domestic ground Non-Bulk (119 gal or less per container) Shipments:

Same as listed for Standard Shipments above

Emergency Response Guide (ERG) Number:

Not determined

UN "Model Regulation":

## 15 Regulatory information

ıra:	
ection 355 (extremely hazardous substances):	None of the ingredient is listed
ection 313 (Specific toxic chemical listings):	This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below
SCA (Toxic Substances Control Act):	
l ingredients are listed	
oposition 65:	
hemicals known to the State of California (Prop	p. 65) to cause cancer:
3463-67-7 Titanium dioxide	
hemicals known to cause reproductive toxicity j	for females:
one of the ingredients listed.	
hemicals known to cause reproductive toxicity j	for males:
one of the ingredients listed.	
hemicals known to cause developmental toxicit	y:
one of the ingredients listed.	
ancerogenity categories:	
PA (Environmental Protection Agency):	
one of the ingredients listed.	
LV (Threshold Limit Value established by ACG	<i>III</i> ):
one of the ingredients listed.	
AK (German Maximum Workplace Concentra	tion):
3463-67-7 Titanium dioxide	
IOSH-Ca (National Institute for Occupational	Safety and Health):
3463-67-7 Titanium dioxide	
HS label elements: The product is classified	d and labeled according to the Globally Harmonized System (GHS).
azard pictograms:	

GHS07

Signal word: Warning
Hazard-determining components of labeling:
Mineral Spirits
Titanium dioxide
Ammonia, Anhydrous
Hazard statements:
May cause an allergic skin reaction
Causes damage to the central nervous center through prolonged or repeated exposure
Precautionary statements:
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves
Specific treatment (see on this label)
Wash contaminated clothing before reuse
Store locked up
Dispose of contents/container in accordance with local/regional/national/international regulations
National regulations:
Information about limitation of use:
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases
Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water

water nazara class:	water nazara class 3 (Self-assessment): extremely hazardous for w	ater
Chemical safety assessme	<i>t:</i> A Chemical Safety Assessment has not been carried out.	

## 16 Other Information

Department issuing MSDS: Environmental, Health & Safety Department

Contact: Environmental, Health & Safety Manager

Date of preparation / Last revision: 11/17/2015

## Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Carc. 1B: Carcinogenicity, Hazard Category 1B
Carc. 1B: Carcinogenicity, Hazard Category 1B STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1